

## Supporting Information

### **TWO NEW BENZOFURANYLPROPANOIDS FROM *NICOTIANA TABACUM* AND THEIR ANTI-TOBACCO MOSAIC VIRUS ACTIVITIES**

**Jianlin Tan,<sup>1,3</sup> Zhangyu Chen,<sup>1,2</sup> Guangyu Yang,<sup>1</sup> Mingming Miao,<sup>1</sup>  
Yongkuan Chen,<sup>1\*</sup> and Tianfei Li<sup>1,2\*</sup>**

<sup>1</sup> Key Laboratory of Tobacco Chemistry of Yunnan Province, Yunnan Academy of Tobacco Science, Kunming 650106, P. R. China. <sup>2</sup> China Tobacco Yunnan Industry Company (Ltd.) , Kunming 650000 , P. R. China. <sup>3</sup> Laboratory for Conservation and Utilization of Bio-Resources & Key Laboratory for Microbial Resources of the Ministry of Education, Yunnan University, Kunming 650091, P. R. China. E-mail:cyk1966@163.com, ygy1110@163.com

## Contents of Supporting Information

<b>No.</b>	<b>Contents:</b>	<b>Pages:</b>
Figure S1-S2	$^{13}\text{C}$ NMR and $^1\text{H}$ NMR of nicotfuran A (1)	3-4
Figure S3- S4	$^{13}\text{C}$ NMR and $^1\text{H}$ NMR of nicotfuran B (2)	5-6

Figure S1.  $^{13}\text{C}$  NMR and DEPT spectra of nicotfuran A (1)




Figure S2. <sup>1</sup>H NMR spectra of nicotifuran A (1)




Figure S3.  $^{13}\text{C}$  NMR and DEPT spectra of nicotifuran B (2)




Figure S4.  $^1\text{H}$  NMR spectra of nicotifuran B (2)

