

Supporting Information

CYTOTOXIC XANTHONES FROM *HYPERICUM CHINENSE*

Yinke Li,^{1,3} Yong Xu,² Jia Wu,² Sujuan Wang,² Yanlin Meng,¹ Yanqing Ye,¹ Haiyin Yang,¹ Xuemei Gao,^{1,*} and Qiufen Hu^{1,*}

¹ Key Laboratory of Chemistry in Ethnic Medicinal Resources, State Ethnic Affairs Commission & Ministry of Education, Yunnan University of Nationalities, Kunming 650031, P.R. China; ² Key Laboratory of Tobacco Chemistry of Yunnan Province, Yunnan Academy of Tobacco Science, Kunming 650106, P.R. China; ³ College of Resource and Environment, Yuxi Normal University, Yuxi 653100, P. R. China.
E-mail: huqiufena@ aliyun.com; gao_xuemei@hotmail.com

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S2	^{13}C NMR and ^1H NMR spectra of (1)	3-4
Figure S3- S5	^{13}C NMR, ^1H NMR, and CD spectra of (2)	5-7

Figure S1. ^{13}C NMR and DEPT spectrum of 1-hydroxy-4-(2-hydroxyethyl)-3,8-dimethoxy-9*H*-xanthen-9-one (**1**)




Figure S2. ¹H NMR spectrum of 1-hydroxy-4-(2-hydroxyethyl)-3,8-dimethoxy-9H-xanthen-9-one (1)




Figure S3. ^{13}C NMR and DEPT spectrum of (*S*)-1-hydroxy-4-(1-hydroxy-3-oxobutyl)-3,8-dimethoxy-9*H*-xanthen-9-one (2)




Figure S4. ^1H NMR spectrum of (*S*)-1-hydroxy-4-(1-hydroxy-3-oxobutyl)-3,8-dimethoxy-9*H*-xanthen-9-one (**2**)




Figure S5. CD spectrum of (*S*)-1-hydroxy-4-(1-hydroxy-3-oxobutyl)-3,8-dimethoxy-9*H*-xanthen-9-one (2)

