

BIBLIOGRAPHY
Koji Nakanishi**Papers published in English (excl. 30 papers in Japanese)**

1. Antibiotic Substance from *Actinomyces Flavus*, *J. Penicillin*, **II-3**, 180 (1949), by Y. Hirata and K. Nakanishi.
2. Actinomycin J₂, a By-Product from a Strain of *Actinomyces*, *Bull. Chem. Soc., Japan*, **22**, 121 (1949), by Y. Hirata and K. Nakanishi.
3. Xanthopterin Obtained from the Skins of the Yellow Mutant of *Bombyx mori* (Silkworm), *Science*, **111**, 608 (1950), by Y. Hirata, K. Nakanishi and H. Kikkawa.
4. Grifolin an Antibiotic Obtained from a Basidiomycete, *J. Biol. Chem.*, **184**, 135 (1950), by Y. Hirata and K. Nakanishi.
5. New Pterins (Xanthopterin-B, Leucopterin B and a 6-Dehydroxy-Leucopterin Derivative) Obtained from *Bombyx mori* (Silkworm), *Bull Chem. Soc., Japan*, **23**, 76-80 (1950), by Y. Hirata, K. Nakanishi and H. Kikkawa.
6. Crystalline (+)-Chromogen Obtained from *Bombyx mori*, *Science*, **112**, 307 (1950), by Y. Hirata, K. Nakanishi and H. Kikkawa.
7. The Synthesis of 3-Hydroxykynurenine (+)Chromogen, *Bull. Chem. Soc., Japan*, **23**, 134 (1950), by Y. Hirata and K. Nakanishi.
8. Chromic Anhydride Oxidation of the n-Undecyl Side-chain of an Acetoxy-napthoquinone, *J. Am. Chem. Soc.*, **74**, 3910 (1952), by K. Nakanishi and L. F. Fieser.
9. Cholesterol and Companions V: Microdetermination of Delta-7-stenols, *J. Am. Chem. Soc.*, **75**, 4415 (1953), by K. Nakanishi, B. K. Bhattacharyya and L. F. Fieser.
10. Delta-8, 14-cholestadiene-3-yl-7-one Acetate, *J. Am. Chem. Soc.*, **75**, 4719 (1953), by L. F. Fieser, K. Nakanishi and W. Y. Huang.
11. Structure of a New Amino Acid Obtained from Roseothricin, *J. Am. Chem. Soc.*, **76**, 2845 (1954), by K. Nakanishi, T. Ito and Y. Hirata.
12. Two Uncommon Amino Acids Obtained from Roseothricin, *Bull Chem. Soc., Japan*, **27**, 539 (1954), by K. Nakanishi, T. Ito, M. Ohashi, I. Morimoto and Y. Hirata.
13. Structure of Pristimerin and Celastrol, *J. Am. Chem. Soc.*, **77**, 3169 (1955), by K. Nakanishi, H. Kakisawa and Y. Hirata.
14. Infrared Spectra of Charoninsulfuric Acid, Chondriotinsulfuric Acid, and Some Related Polysaccharides, *Bull. Chem. Soc., Japan*, **28**, 434 (1955), by K. Nakanishi, N. Takahashi, and F. Egami.
15. Structures of Pristimerin and Celastrol, *Bull. Chem. Soc., Japan*, **29**, 7 (1956), by K. Nakanishi, H. Kakisawa and Y. Hirata.
16. Confirmation of Structure of Roseonine, *Bull. Chem. Soc., Japan*, **30**, 725 (1957), by K. Nakanishi and M. Ohashi.
17. Infrared Spectra of Organic Ammonium Compounds, *Bull. Chem. Soc., Japan*, **30**, 403 (1957), by K. Nakanishi, T. Goto and M. Ohashi.

18. An Account on the Infrared Absorption of Guanidiniums, *Bull. Chem. Soc., Japan*, **30**, 723 (1957), by T. Goto, K. Nakanishi and M. Ohashi.
19. Monascorubrin I: Monascaminone, A Degradation Product, *J. Am. Chem. Soc.*, **81**, 6339 (1959), by M. Ohashi, S. Kumasaki, S. Yamamura, K. Nakanishi and H. Koike.
20. Monascorubrin II: Structures of Monascorubrin and Monascamine, *J. Am. Chem. Soc.*, **81**, 6339 (1959), by K. Nakanishi, M. Ohashi, S. Kumasaki and S. Yamamura.
21. NMR Spectra of the Metabolites of Monascus I: NMR Spectra of Several Authentic Pyrones, *Bull. Chem. Soc., Japan*, **33**, 1310 (1960), by A. Terahara, M. Ohashi, K. Nakanishi, I. Yamaguchi and M. Hayakawa.
22. NMR Spectra of the Metabolites of Monascus II: Monascorubrin, *Bull. Chem. Soc., Japan*, **33**, 1311 (1960), by M. Ohashi, A. Terahara and K. Nakanishi.
23. NMR Spectra of the Metabolites of Monascus III: Monascoflavin and Reduction Products, *Bull. Chem. Soc., Japan*, **33**, 1312 (1960), by A. Terahara, M. Ohashi, K. Nakanishi, I. Yamaguchi and N. Hayakawa.
24. Monascoflavin, *Bull. Chem. Soc., Japan*, **33**, 1630 (1960), by M. Ohashi, S. Yamamura, A. Terahara and K. Nakanishi.
25. Some Applications of Infrared and Nuclear Magnetic Resonance Measurements in Structural Studies -- Structure of Pristimerin, a Quinonoid Triterpene, in "Symposium on Phytochemistry", Hong Kong University Press, 97-100 (1961), by K. Nakanishi .
26. Ultraviolet Spectra of N-Heterocyclic Systems I : The Anions of Uracils, *Bull. Chem. Soc., Japan*, **34**, 53 (1961), by K. Nakanishi, N. Suzuki and F. Yamazaki.
27. Ultraviolet Spectra of N-Heterocyclic Systems II: The Spectra of 5-8-Hydroxyisoquinolines and Related Compounds, *Bull. Chem. Soc., Japan*, **34**, 533 (1961), by K. Nakanishi, M. Ohashi, S. Kumasaki and H. Koike.
28. Structure of Pristimerin, A Quinomoid Triterpene, *Tetrahedron Lett.*, **14**, 603-607 (1962), by R. Harada, H. Kakisawa, S. Kobayashi, M. Musya, K. Nakanishi and Y. Takahashi.
29. Structure of Pristimerin, *Collection of lectures commemorating the inauguration of the new Shionogi Research Laboratory Building*, 210-216 (1962), by K. Nakanishi.
30. Structure of Monascoflavin, *Tetrahedron*, **18**, 1195 (1962), by Y. Inouye, K. Nakanishi, E. Nishikawa, M. Ohashi, A. Tetahara and S. Yamamura.
31. Structure of Monascorubrin, *Tetrahedron*, **18**, 1171 (1962), by S. Kumasaki, K. Nakanishi, E. Nishikawa and M. Ohashi.
32. Unusual Spectral Behavior of Monascamine, Isodihydrimonascamine and Monascaminone, *Tetrahedron*, **18**, 185 (1962), by S. Kobayashi, K. Nakanishi and M. Ohashi.
33. The Stereochemistry of the Grayanotoxins, *Tetrahedron Lett.*, 215 (1962), by H. Kakisawa, M. Yanai, T. Kozima, K. Nakanishi and H. Mishima.
34. Taxinine, *Tetrahedron Lett.*, 2153 (1963), by M. Kurono, Y. Nakadaira, S. Onuma, K. Sasaki and K. Nakanishi.
35. Some NMDR Studies on Taxinine and Derivatives, *Tetrahedron Lett.*, 2161 (1963), by K. Nakanishi, M. Kurono and N. S. Bhacca.

36. Chromose A, *Tetrahedron Lett.*, 693 (1963), by M. Miyamoto, Y. Kawamatsu, M. Shinohara, Y. Asahi, Y. Nakadaira, H. Kakisawa, K. Nakanishi and N. S. Bhacca.
37. Biosyntheses of Monascorubrin and Monascoflavin, *Chem. Pharm. Bull.*, **11**, 259 (1963), by M. Kurono, K. Nakanishi, K. Shindo and M. Tada.
38. Isolation of Lampterol, an Antitumor Substance from *Lampteromyces japonicus*, *Nature*, **197**, 292 (1963), by K. Nakanishi, M. Tada, Y. Yamada, M. Ohashi, N. Komatsu and H. Terakawa.
39. Davallic Acid, A Triterpene with a Novel Skeleton, *Tetrahedron Lett.*, 1451 (1963), by K. Nakanishi, Y. Y. Lin, H. Kakisawa, H. Y. Hsu and H. C. Hsiu.
40. Flammulin, A Basic Protein of *Falmmulina velutipes* with Antitumor Activities, *J. Antibiotics*, **16**, 139 (1963), by N. Komatsu, H. Terakawa, K. Nakanishi and Y. Watanabe.
41. Chromomycinone, the Aglycone of Chromomycin A₃, *Tetrahedron Lett.*, 2355-2365 (1964), by M. Miyamoto, K. Morita, Y. Kawamatsu, S. Noguchi, R. Marumoto, K. Tanaka, Y. Nakadaira and N. S. Bhacca.
42. The Four Chromoses from Chromomycin A₃, *Tetrahedron Lett.*, 2371-2377 (1964), by M. Miyamoto, Y. Kawamatsu, M. Shinohara, K. Nakanishi, Y. Nakadaira and N. S. Bhacca.
43. The Structure of Chromomycin A₃, *Tetrahedron Lett.*, 2367 (1964), by M. Miyamoto, K. Morita, Y. Kawamatsu, K. Sasai, A. Nohara, M. Tanaka, S. Tatsuoka, K. Nakanishi, Y. Nakadaira and N. S. Bhacca.
44. The Structure of Chromomycin A³, a Concerostatic Antibiotic, *Proc. of Japan Acad.*, **40**, 236 (1964), by S. Tatsuoka, K. Tanaka, M. Miyamoto, K. Morita, Y. Kawamatsu, K. Nakanishi, Y. Nakadaira and N. S. Bhacca.
45. Flamulin, an Antitumor Substance, *Bull. Chem. Soc., Japan*, **37**, 747 (1964), by Y. Watanabe, K. Nakanishi, N. Komatsu, T. Sakabe and H. Terakawa.
46. The Full Stereochemistry of the Grayanotoxins and a Novel Rearrangement, *Tetrahedron Lett.*, 1329 (1964), by T. Kozima, K. Nakanishi, M. Yanai and H. Kakisawa.
47. Structure and Reactions of Illudin-S (Lampterol), *Chem. Pharm Bull.*, **12**, 853 (1964), by M. Tada, Y. Yamada, N. S. Bhacca, K. Nakanishi and M. Ohashi.
48. Structure of Tauranin and a Note on the C19-Acids Obtained from Di- and Triterpenoids, *Chem. Pharm Bull.*, **12**, 796 (1964), by K. Kawashima, K. Nakanishi and H. Nishikawa.
49. Stereochemistry of Illudin-S (Lampterol), *Chem. Pharm. Bull.*, **12**, 856 (1964), by K. Nakanishi, M. Tada and Y. Yamada.
50. Structure of Tauranin, *Tetrahedron Lett.*, 1227 (1964), by K. Kawashima, K. Nakanishi, M. Tada and H. Nishikawa.
51. Taxane, *Proc. Chem. Soc.*, 301 (1964), by B. Lythgoe, K. Nakanishi and S. Uyeo.
52. Effects of Sterols on Feeding and Nutrition of the Silkworm, *Bombyx mori*, *J. Ins. Physiol.*, **10**, 225 (1964), by L. T. Ito, K. Kawashima, M. Nakahara, K. Nakanishi and A. Terahara.
53. Some Photochemical Reactions of Cholestanone Tosylhydrazone and Cholest-4-en-3-one Tosylhydrazone, *Steroids*, 487 (1964), by Y. Inouye and K. Nakanishi.

54. The Stereochemistry of Taxinine, *Tetrahedron Lett.*, **24**, 1917-1926 (1965), by M. Kurono, Y. Maki, K. Nakanishi, M. Ohashi, K. Ueda, S. Uyeo, M. C. Woods and Y. Yamamoto.
55. Pristimerin. Spectroscopic Properties of the Dienone-Phenol-Type Rearrangement Products and Other Derivatives, *J. Org. Chem.*, **30**, 1729 (1965), by K. Nakanishi, Y. Takahashi and H. Budzikiewicz.
56. Illudin S (Lampterol), *Tetrahedron*, **21**, 1231-1246 (1965), by K. Nakanishi, M. Ohashi, M. Tada and Y. Yamada.
57. Isolation of 4,5-Di-O-Caffeoylquinic Acid from Coffee Beans, *Chem. Pharm. Bull.*, **13**, 100 (1965), by Y. Inoue, S. Aoyagi and K. Nakanishi.
58. Reexamination of the Structure of the So-Called Isochlorogenic Acid, *Bull. Natl. Inst. Sci. India*, **31**, 158-164 (1965), by K. Nakanishi, S. Aoyagi and Y. Inoue.
59. Stereochemistry of Grayanotoxins, *Tetrahedron*, **31**, 3091 (1965), by H. Kakisawa, T. Kozima, M. Yanai and K. Nakanishi.
60. The Structure of Davallic Acid, *Chem. Pharm. Bull.*, **13**, 986 (1965), by Y. Y. Lin, H. Kakisawa, Y. Shiobara and K. Nakanishi.
61. Ionization Constants of the Synthetic Intermediates of Aucubin, *J. Chem. Soc.*, 3339 (1965), by Y. Inoue, K. Kurosawa, K. Nakanishi and H. Obara.
62. Photochemical Survey of Malaysian Plants, Preliminary Chemical and Pharmacological Screening, *Chem. Pharm. Bull.*, **13**, 882 (1965), by K. Nakanishi, S. Sasaki, A. K. Kiang, J. Goh, H. Kakisawa, M. Ohashi, M. Goto, J. Watanabe, H. Yokotani, C. Matsumura and M. Togashi.
63. The NMR Spectra of Taxinine and its Derivatives, *Tetrahedron*, **22**, 243 (1966), by M. C. Woods, K. Nakanishi and N. S. Bhacca.
64. Mass Spectra of Caucalol Diacetate and Related Compounds, *Tetrahedron Lett.*, 623 (1966), by S. Sasaki, Y. Itagaki, H. Moriyama, K. Nakanishi, E. Watanabe and T. Aoyama.
65. The Full Structures of Three Chromomycins, A², A³ and A⁴, *Tetrahedron Lett.*, 545 (1966), by M. Miyamoto, Y. Kawamatsu, K. Kawashima, M. Shinohara and K. Nakanishi.
66. Tautomerism of 4-Hydroxy- and 4,6-Dihydroxypyrimidine, *J. Org. Chem.*, **31**, 175 (1966), by Y. Inoue, N. Furutachi and K. Nakanishi.
67. Insect hormones. The Structure of ponasterone A, an insect-moulting hormone from the leaves of *Podocarpus nakaii* Hay, *Chem. Commun.*, 915-917 (1966), by K. Nakanishi, M. Koreeda, S. Sasaki, M. L. Chang and H. Y. Hsu.
68. Biosynthesis of Elsinochrome A, the Perylenequinone from Elsinoe species. I, *Chem. Pharm. Bull.*, **14**, 1434-7 (1966), by C. T. Chen, K. Nakanishi and S. Natori.
69. The Stereochemistry of Taxinine: X-ray Analysis of 2,5,9,10-Tetra-O-cetyl-14-bromotaxinol, *J. Chem. Soc. Chem. Commun.*, 98 (1966), by M. Shiro, T. Sato, H. Koyama, Y. Maki, K. Nakanishi and S. Uyeo.
70. The Properties of Some Arjunolic Acid Derivatives, *Bull. Chem. Soc., Japan*, **39**, 1816 (1966), by S. Sasaki, H. C. Chiang, K. Habaguchi, H. Y. Hsu and K. Nakanishi.
71. Proton Magnetic Resonance Study of Nucleic Acids, *Biochim. Biophys. Acta*, **120**, 311 (1966), by Y. Inoue and K. Nakanishi.

72. Synthesis of 6-Methyl bicyclo[4.2.0]octan-2-one by Photochemical Additions, *J. Chem. Soc. Chem. Commun.*, 423 (1966), by Y. Yamada, H. Uda and K. Nakanishi.
73. The Reactions of Chromomycinone and Derivatives, *Tetrahedron*, **22**, 2761-2783 (1966), by M. Miyamoto, K. Morita, Y. Kawamatsu, S. Noguchi, R. Marumoto, M. Sasai, A. Nohara, Y. Nakadaira, Y. Y. Lin and K. Nakanishi.
74. Mass spectra of flavonoids, *Vietnamica Chim. Acta*, **43**, (1966), by S. Sasaki and K. Nakanishi.
75. Structures and Properties of the Sugars Obtained from the Chromomycins, *Tetrahedron*, **22**, 2785-2799 (1966), by M. Miyamoto, Y. Kawamatsu, M. Shinohara, Y. Nakadaira and K. Nakanishi.
76. Ginkgolides. I. Isolation and characterization of the various groups, *Tetrahedron Lett*, **4**, 299-302 (1967), by M. Maruyama, A. Terahara, Y. Itagaki and K. Nakanishi.
77. Ginkgolides. II. Derivation of partial structures, *Tetrahedron Lett*, **4**, 303-308 (1967), by M. Maruyama, A. Terahara, Y. Itagaki and K. Nakanishi.
78. Ginkgolides. III. The structure of the ginkgolides, *Tetrahedron Lett*, **4**, 309-313 (1967), by M. Maruyama, A. Terahara, Y. Nakadaira, M. C. Woods and K. Nakanishi.
79. The Ginkgolides IV: Stereochemistry of the Ginkgolides, *Tetrahedron Lett.*, 315 (1967), by M. Maruyama, A. Terahara, Y. Nakadaira, M. C. Woods, Y. Takagi and K. Nakanishi.
80. Ginkgolides. V. Some aspects of their N.M.R. spectra, *Tetrahedron Lett*, 321 (1967), by M. C. Woods, I. Miura, Y. Nakadaira, A. Terahara, M. Maruyama and K. Nakanishi.
81. The Stereochemistry of Chromomycinone and a Note on the Benzoate Rule, *Tetrahedron*, **23**, 411-419 (1967), by M. Miyamoto, K. Morita, Y. Kawamatsu, K. Kawashima and K. Nakanishi.
82. Chromomycin A², A³ and A⁴, *Tetrahedron*, **23**, 421-437 (1967), by M. Miyamoto, Y. Kawamatsu, K. Kawashima, M. Shinohara, K. Tanaka, S. Tatsuoka and K. Nakanishi.
83. The Moulting hormone activity of ponasterones on *Musca domestica* (diptera) and *Bombyx mori* (lepidoptera), *Steroids*, **9**, 529-36 (1967), by M. Kobayashi, K. Nakanishi and M. Koreeda.
84. Mass spectrometric studies of metal acetylacetonates, *Bull. Chem. Soc. Jpn.*, **40**, 76-80 (1967), by S. Sasaki, Y. Itagaki, T. Kurokawa, K. Nakanishi and A. Kasahara.
85. Ginkgolides, *Pure Appl. Chem.*, **14**, 89-113 (1967), by K. Nakanishi.
86. Structures of fibraurin and a minor product from *Fibraurea chloroleuca*, *Tetrahedron*, **23**, 2649-56 (1967), by T. Hori, A. K. Kiang, K. Nakanishi, S. Sasaki and M. C. Woods.
87. Two-step expulsion of aldehydes and ketones in the fragmentation of acyclic .alpha.-glycol diesters, *Tetrahedron Lett*, **25**, 2357-2361 (1967), by S. Sasaki, H. Abe, Y. Itagaki and K. Nakanishi.
88. Oligonucleotide studies. Part II. Optical rotatory dispersion of two pairs of sequence isomers of trinucleotides, *Tetrahedron Lett*, **37**, 3575-3577 (1967), by Y. Inoue, S. Aoyagi and K. Nakanishi.
89. Oligonucleotide studies. III. Optical rotatory dispersion of seven trinucleotides obtained from ribonuclease T1 digests, *J. Am. Chem. Soc.*, **89**, 5701-6 (1967), by Y. Inoue, S. Aoyagi and K. Nakanishi.
90. Lansic acid, a bicyclic triterpene, *Tetrahedron Lett*, **37**, 3571-3574 (1967), by A. K. Kiang, E. L. Tan, F. Y. Lim, K. Habaguchi, K. Nakanishi, L. Fachan and G. Ourisson.

91. Extraction of ponasterone A and ecdysterone from Podocarpaceae and related plants, *Steroids*, **10**, 557-65 (1967), by S. Imai, S. Fujioka, K. Nakanishi, M. Koreeda and T. Kurokawa.
92. Structures of four new taxinine congeners, and a photochemical transannular reaction, *Chem. Commun*, 1201-1202 (1967), by H. C. Chiang, M. C. Woods, Y. Nakadaira and K. Nakanishi.
93. The moulting hormone activity of ponasterones in the Calliphora test, *J. Insect Physiol*, **14**, 53-4 (1968), by H. Hoffmeister, K. Nakanishi, M. Koreeda and H. Y. Hsu.
94. Nuclear Overhauser effect, a unique method of defining the relative stereochemistry and conformation of taxane derivatives, *J. Am. Chem. Soc.*, **90**, 522-3 (1968), by M. C. Woods, H. C. Chiang, Y. Nakadaira and K. Nakanishi.
95. Mass spectrometric studies of .alpha.,.beta.-epoxyketones, *Bull. Chem. Soc. Jap.*, **41**, 522-5 (1968), by S. Sasaki, H. Abe, K. Nakanishi, Y. Itagaki and E. Watanabe.
96. Insect Hormones V: The Structures of Ponasterones B and C, *Tetrahedron Lett.*, 1105 (1968), by K. Nakanishi and M. Koreeda.
97. Insect Hormones VI: Confirmation of the Skeletal Structure of Ponasterone A, *Tetrahedron Lett.*, 1111 (1968), by H. Moriyama and K. Nakanishi.
98. Mass Spectrometric Studies of Cycloalkane- α -glycols, *Org. Mass Spectrometry*, **1**, 61 (1968), by S. Sasaki, Y. Itagaki, H. Abe, K. Nakanishi, T. Suga, T. Shishihori and T. Matsuura.
99. Cyclization of Methyl trans, trans-farnesate Employing Cation Exchange Resins, *Tetrahedron Lett.*, 2851 (1968), by H. Moriyama, Y. Sugihara and K. Nakanishi.
100. The Full Structures of Lansic Acid and its Minor Congener, An Unsymmetric Onoceradienedione, *Tetrahedron Lett.*, 3731 (1968), by K. Habaguchi, M. Watanabe, Y. Nakadaira, K. Nakanishi, A. K. Kiang and F. Y. Lim.
101. Isolation of Four New Phytoecdysones, Makisterone A, B, C, D and the Structure of Makisterone, A, a C²⁸ Steroid, *Tetrahedron Lett.*, 3883 (1968), by S. Imai, M. Hori, S. Fujioka, E. Murata, M. Goto and K. Nakanishi.
102. The Structures of Three Additional Phytoecdysones from Podocarpus macrophyllus, Makisterone B, C and D, *Tetrahedron Lett.*, 3887 (1968), by S. Imai, S. Fujioka, E. Murata, Y. Sasakawa and K. Nakanishi.
103. The benzoate sector rule, a method for determining the absolute configurations of cyclic secondary alcohols, *J. Amer. Chem. Soc.*, **90**, 7349-51 (1968), by N. Harada, M. Ohashi and K. Nakanishi.
104. Optical rotatory power of the benzoate group, *J. Amer. Chem. Soc.*, **90**, 7351-2 (1968), by N. Harada and K. Nakanishi.
105. Structure of the phytoecdysone, ajugasterone B, *Chem. Commun*, 82-83 (1969), by S. Imai, S. Fujioka, E. Murata, K. Otsuka and K. Nakanishi.
106. Photo-oxygenation of .beta.,.gamma.-unsaturated ketones, *Chem. Commun*, **24**, 1625-1626 (1968), by N. Furutachi, Y. Nakadaira and K. Nakanishi.
107. Reaction of Koshland's protein reagent with tryptophan, *Tetrahedron Lett.* (1969), by B. G. McFarland, Y. Inoue and K. Nakanishi.
108. Photoirradiation of Steroid 5-en-7-one Systems and a Mutual Exchange of C⁴ and C⁶ in 3b-Acetoxycholest-5-en-7-one, *J. Am. Chem. Soc.*, **91**, 1028 (1969), by N. Furutachi, Y. Nakadaira and K. Nakanishi.

109. Isolation and identification of meiosis-inducing substance in starfish *Asterias amurensis*, *Nature*, **221**, 273-4 (1969), by H. Kanatani, H. Shirai, K. Nakanishi and T. Kurokawa.
110. Structure of a jugasterone C, a phytoecdysone with an 11-hydroxy group, *J. Chem. Soc. D*, 546 (1969), by S. Imai, E. Murata, S. Fujioka, M. Koreeda and K. Nakanishi.
111. Interaction between nonadjacent benzoate groups: an extension of the dibenzoate chirality rule, *J. Chem. Soc. D*, 548-9 (1969), by M. Koreeda, N. Harada and K. Nakanishi.
112. Synthesis of a hydrofluorenone derivative, a promising intermediate for synthesis of C19 gibberellins, *J. Chem. Soc. D*, 528 (1969), by T. Hori and K. Nakanishi.
113. A Method for Determining the chiralities of optically active glycols, *J. Amer. Chem. Soc.*, **91**, 3989-91 (1969), by N. Harada and K. Nakanishi.
114. Mass spectrometric studies of ecdysone derivatives, *Mass Spectroscopy (Japan)*, **17**, 669-80 (1969), by M. Koreeda, K. Nakanishi, S. Imai, T. Tsuchiya and N. Wasada.
115. A Method for Determining the chirality of two aromatic chromophores and the absolute configurations of chromomycin A3 and related antibiotics, *J. Amer. Chem. Soc.*, **91**, 5896-8 (1969), by N. Harada, K. Nakanishi and S. Tatsuoka.
116. Spectroscopic Properties of Two Nonenolizable α -Keto- γ -lactones, Dehydroginkgolide A and 3,3-Dimethyl-2-oxo- γ -butyrolactone, *J. Chem. Soc. Chem. Commun.*, 1467 (1969), by Y. Nakadaira, Y. Hirota and K. Nakanishi.
117. Photochemical Reactions of Non-enolizable α -Keto-esters Derived from Dehydroginkgolide A, *J. Chem. Soc. Chem. Commun.*, 1469 (1969), by Y. Nakadaira, Y. Hirota and K. Nakanishi.
118. Ponasterones, compounds with molting hormone activity, *Bull. Soc. Chim. Fr*, 3476 (1969), by K. Nakanishi.
119. Structures of two dimers obtained upon irradiation of cholest-5-en-7-one, *Tetrahedron Lett*, 4589 (1969), by J. Hayashi, N. Furutachi, Y. Nakadaira and K. Nakanishi.
120. Structures of the oxidation products of grayanotoxins, *Chem. Pharm. Bull.*, **17**, 2036-43 (1969), by M. Yanai, H. Mishima, T. Kozima, H. Kakisawa and K. Nakanishi.
121. Effects of Various Adenine Derivatives on Oocyte Maturation and Spawning in the Starfish, *Biol. Bull.*, **137**, 384 (1969), by H. Kanatani, T. Kurokawa and K. Nakanishi.
122. On the Origin and metabolic fate of α -ecdysone in insects, *Gen. Comp. Endocrinol.*, **15**, 80-7 (1970), by H. Moriyama, K. Nakanishi, D. S. King, T. Okauchi, J. B. Siddall and W. Hafferl.
123. Fluorescent constituents and cultivation of *Lampteromyces japonicus*, *J. Chem. Soc. D*, 309 (1970), by M. Endo, M. Kajiwara and K. Nakanishi.
124. Absolute configuration of illudin S; application of the dibenzoate chirality rule, *J. Chem. Soc. D*, 310 (1970), by N. Harada and K. Nakanishi.
125. 5. β -hydroxyecdysones and a revision of the structure of ponasterone C, *J. Chem. Soc. Chem. Commun.*, 351 (1970), by M. Koreeda and K. Nakanishi.
126. Structures of stachysterones C and D, *J. Chem. Soc. D*, 352 (1970), by S. Imai, E. Murata, S. Fujioka, T. Matsuoka, M. Koreeda and K. Nakanishi.

127. Deoxyelephantopin and its interrelation with elephantopin, *Tetrahedron Lett*, 2863 (1970), by T. Kurokawa, K. Nakanishi, W. N. Wu, H. Y. Hsu, M. Maruyama and S. M. Kupchan.
128. Absolute configuration of cervicarcin; application of the aromatic chirality method, *J. Chem. Soc. Chem. Commun.*, 1693 (1970), by S. Marumo, N. Harada, K. Nakanishi and T. Nishida.
129. Configurational and conformational studies of sugars by the aromatic chirality method, *J. Chem. Soc. D*, 1691 (1970), by N. Harada, H. Sato and K. Nakanishi.
130. Structures of stachysterone A, the first natural 27-carbon steroid with a rearranged methyl group, and stachysterone B, *J. Amer. Chem. Soc.*, **92**, 7510-12 (1970), by S. Imai, E. Murata, S. Fujioka, T. Matsuoka, M. Koreeda and K. Nakanishi.
131. Ajugalactone, an insect-molting inhibitor, as tested by the Chilo dipping method, *J. Amer. Chem. Soc.*, **92**, 7512-13 (1970), by K. Nakanishi, M. Koreeda and M. Goto.
132. Structure of the fluorescent Y base from yeast phenylalanine transfer ribonucleic acid, *J. Amer. Chem. Soc.*, **92**, 7617-19 (1970), by K. Nakanishi, N. Furutachi, M. Funamizu, D. Grunberger and I. B. Weinstein.
133. Ecdysones, *Pure Appl. Chem.*, **25**, 167-95 (1971), by K. Nakanishi.
134. Isolation and Structure of Macarangonol, A Diterpene Ketol from *Macaranga anarius*, *Phytochemistry*, **10**, 1617 (1971), by W. H. Hui, K. K. Ng, N. Fukamiya, M. Koreeda and K. Nakanishi.
135. Application of the Aromatic Chirality Method to the bergenin system, *Agr. Biol. Chem.*, **35**, 797-8 (1971), by T. Ito, N. Harada and K. Nakanishi.
136. Biosynthesis of ginkgolide B, its diterpenoid nature, and origin of the tert-butyl group, *J. Amer. Chem. Soc.*, **93**, 3546-7 (1971), by K. Nakanishi and K. Habaguchi.
137. Structure of Bilobalide, A Rare tert-Butyl Containing Sesquiterpenoid Related to the C²⁰-Ginkgolides, *J. Am. Chem. Soc.*, **93**, 3544 (1971), by K. Nakanishi, K. Habaguchi, Y. Nakadaira, M. C. Woods, M. Maruyama, R. T. Major, M. Alauddin, A. R. Patel, K. Weinges and W. Bahr.
138. Structure of the Norditerpene Ponalactone A and its Glucoside, Plant Growth Inhibitors, *J. Chem. Soc. Chem. Commun.*, 855 (1971), by S. Ito, M. Kodama, M. Sunagawa, M. Koreeda and K. Nakanishi.
139. The Absolute Configuration at C-20 and C-22 in Ecdysones, *J. Am. Chem. Soc.*, **93**, 4084 (1971), by M. Koreeda, D. A. Schooley, K. Nakanishi and H. Hagiwara.
140. Simple method for determining the chirality of cyclic α -glycols with Pr(DPM)₃ and Eu(DPM)₃, *J. Amer. Chem. Soc.*, **93**, 4058-60 (1971), by K. Nakanishi and J. Dillon.
141. Studies of the Aromatic Chirality Method: The Optical Rotatory Powers of Di- and Tri-Benzoate Systems, *J. Am. Chem. Soc.*, **93**, 5577 (1971), by N. Harada, S. Suzuki, H. Uda and K. Nakanishi.
142. Structure of the antheridium-inducing factor of the fern *Anemia phyllitidis*, *J. Amer. Chem. Soc.*, **93**, 5579-91 (1971), by K. Nakanishi, M. Endo, U. Naef and L. F. Johnson.
143. Absolute configuration of the rhoeadine alkaloids, *Tetrahedron Lett*, 3425-8 (1971), by M. Shamma, J. L. Moniot, W. K. Chan and K. Nakanishi.

143. Absolute configuration of the isopavine alkaloids, *Tetrahedron Lett.*, **37**, 3425-8 (1971), by M. Shamma, J. L. Moniot, W. K. Chan and K. Nakanishi.
144. Absolute configuration of the C18 juvenile hormone. New circular dichroism method using tris(dipivaloylmethanato)praseodymium, *J. Chem. Soc. Chem. Commun.*, 1235 (1971), by K. Nakanishi, D. A. Schooley, M. Koreeda and J. Dillon.
145. Extraction and Isolation of a Blue Pigment from Third-Stage Larvae and Pupae of the Fly *Orthellia caesarion* (Diptera: Muscidae), *Ann. Ent. Soc. Am.*, **64**, 1459 (1971), by E. Tobin, M. Koreeda, K. Nakanishi and J. J.G. Stoffolano.
146. The Absolute Configuration of the Rhoedine Alkaloids, *Tetrahedron Lett.*, 4207 (1971), by M. Shamma, J. L. Moniot, W. K. Chan and K. Nakanishi.
147. Total synthesis of dl-Y base from yeast phenylalanine transfer ribonucleic acid and determination of its absolute configuration, *J. Amer. Chem. Soc.*, **93**, 6706-8 (1971), by M. Funamizu, A. Terahara, A. M. Feinberg and K. Nakanishi.
148. Circular dichroism studies of dimeric fungal pigments, (-)-luteoskyrin and (+)-rugulosin, *Chem. Lett.*, **1**, 67 (1972), by N. Harada, S. Suzuki, H. Uda and K. Nakanishi.
149. Structure of the peroxy-Y base from liver tRNAPhe, *Nature (London), New Biol.*, **234**, 107-9 (1971), by K. Nakanishi, S. Blobstein, M. Funamizu, N. Furutachi, L. G. Van, D. Grunberger, K. W. Lanks and I. B. Weinstein.
150. Recent Studies on Insect Hormones, in "XXIII International Congress of Pure and Applied Chemistry", (1971), by K. Nakanishi .
151. Ecdysones, Bioorganic Studies and their Inhibitors, in "Hormonal Steroids", Ed. V. H. T. James and L. Martin, Excerpta Medica, Amsterdam, 167-175 (1971), by K. Nakanishi .
152. Solvent Dependency of the Steric Course of Dienolate Alkylation, *J. Chem. Soc., Section D*, 282 (1972), by H. Sato and K. Nakanishi.
153. Absolute configuration of spirobenzylisoquinoline alkaloids, *J. Chem. Soc., Chem. Commun.*, 310-311 (1972), by M. Shamma, J. L. Moniot, R. H. F. Manske, W. K. Chan and K. Nakanishi.
154. Factors involved in photoinduced n, π * singlet isomerizations of cyclic β,γ -unsaturated ketones, *J. Amer. Chem. Soc.*, **94**, 2150-2 (1972), by H. Sato, N. Furutachi and K. Nakanishi.
155. Stereochemistry of the Von Braun Cyanogen Bromide Reaction, *Tetrahedron Lett.*, 355 (1972), by S. Abidi, G. Fodor, C. S. Huber, I. Miura and K. Nakanishi.
156. Application of CD measurements to steroidal enone photochemistry, *Tetrahedron Lett.*, 1061 (1972), by N. Furutachi, J. Hayashi, H. Sato and K. Nakanishi.
157. The Nature of Photochemically Induced Transannular Hydrogen Abstractions of Taxinines, *J. Am. Chem. Soc.*, **94**, 2863 (1972), by T. Kobayashi, M. Kurono, H. Sato and K. Nakanishi.
158. General method for distinguishing threo and erythro isomers of certain α -glycols and related compounds, *J. Amer. Chem. Soc.*, **94**, 2865-7 (1972), by K. Nakanishi, D. A. Schooley, M. Koreeda and I. Miura.
159. Simple and general extraction procedure for phytoecdysones based on reversed-phase adsorption chromatography, *Steroids*, **19**, 377-83 (1972), by D. A. Schooley, G. Weiss and K. Nakanishi.

160. Biosynthesis of .alpha.- and .beta.-ecdysones from cholesterol outside the prothoracic gland in *Bombyx mori*, *Science*, **176**, 51-2 (1972), by K. Nakanishi, H. Moriyama, T. Okauchi, S. Fujioka and M. Koreeda.
161. Isolation of the antheridiogen of *Anemis phyllitidis*, *Physiol. Plant.*, **26**, 183-5 (1972), by M. Endo, K. Nakanishi, U. Naef, W. McKeon and R. Walker.
162. Exciton chirality method and its application to configurational and conformational studies of natural products, *Accounts Chem. Res.*, **5**, 257-63 (1972), by N. Harada and K. Nakanishi.
163. Structure of a New Pyrimidine from *Bacillus subtilis* Phage SP-15 Nucleic Acid, *Nature New Biology*, **239**, 71 (1972), by C. Brandon, P. M. Gallop, J. Marmur, H. Hayashi and K. Nakanishi.
164. Catalog of ecdysones, in "Some Recent Developments in the Chem. Nat. Prod.", Ed. S. Rangaswami and N. V. Subba Rao, Prentice Hall of India, New Delhi, India, 194-213 (1972), by K. Nakanishi, M. Koreeda and S. Imai .
165. Absolute configuration of natural (+)-abscisic acid, *J. Amer. Chem. Soc.*, **95**, 239-40 (1973), by M. Koreeda, G. Weiss and K. Nakanishi.
166. On the Structural Diversity of Fern Antheridiogens, *Naturwiss.*, **59**, 512 (1972), by P. R. Zanno, M. Endo, K. Nakanishi, U. Naef and C. Stein.
167. Isolation and structure determination of the fluorescent base from bovine liver phenylalanine transfer ribonucleic acid, *Biochemistry*, **12**, 188-93 (1973), by S. H. Blobstein, D. Grunberger, I. B. Weinstein and K. Nakanishi.
168. Structural Aspects of Photosensitized b,q-Enone Isomerizations, *Tetrahedron*, **29**, 275 (1973), by H. Sato, K. Nakanishi, J. Hayashi and Y. Nakadaira.
169. Synthesis and absolute configuration of (+)-5-(4',5'- dihydroxypentyl)uracil from *Bacillus subtilis* phage SP-15 deoxyribonucleic acid, *J. Amer. Chem. Soc.*, **95**, 4081-3 (1973), by H. Hayashi and K. Nakanishi.
170. Control of Insect Behavior by Natural Products, in "New Methods in Environmental Chemistry and Toxicology", International Academic Printing Co., Totsuka, Tokyo, (1973), by K. Nakanishi .
171. Stereochemistry of theaspirone and blumenols, *J. Chem. Soc., Chem. Commun*, 565 (1973), by G. Weiss, M. Koreeda and K. Nakanishi.
172. Structure of Two Triterpenes. Application of Partially Relaxed Fourier Transform ¹³C Nuclear Magnetic Resonance, *J. Am. Chem. Soc.*, **95**, 6473 (1973), by K. Nakanishi, V. P. Gullo, I. Miura, T. R. Govindachari and N. Viswanathan.
173. Structure and Synthesis of Dihydroxypentyluracil from Bacterio-phage SP-15 Deoxyribonucleic Acid, *J. Am. Chem. Soc.*, **95**, 8749 (1973), by H. Hayashi, K. Nakanishi, C. Brandon and J. Marmur.
174. Structure of itesmol and its C-24 congener, *Steroids*, **22**, 829-33 (1973), by P. R. Zanno, K. Nakanishi, J. G. Morales and X. A. Dominguez.
175. Biosynthetic studies of the Y base in yeast phenylalanine tRNA. Incorporation of guanine, *Biochem. Biophys. Res. Commun.*, **55**, 818-23 (1973), by H. J. Li, K. Nakanishi, D. Grunberger and I. B. Weinstein.

176. Application of High-Pressure Liquid Chromatography to the Separation of Insect Molting Hormones, in "Modern Methods of Steroid Analysis", Ed. H. Heftmann, Academic Press, New York, 37-54 (1973), by D. A. Schooley and K. Nakanishi .
177. Exciton chirality method as applied to conjugated enones, esters, and lactones, *J. Amer. Chem. Soc.*, **96**, 66-8 (1974), by M. Koreeda, N. Harada and K. Nakanishi.
178. Structure of a Sesquiterpene, Cuauhtemone, and its Derivative, Application of Partially Relaxed Fourier Transform ^{13}C Nuclear Magnetic Resonance, *J. Am. Chem. Soc.*, **96**, 609 (1974), by K. Nakanishi, R. Crouch, I. Miura, X. A. Dominguez, A. Zamudio and R. Villarreal.
179. Properties of 14-methylretinal, 13-desmethyl-14-methylretinal, and visual pigments formed therefrom, *J. Amer. Chem. Soc.*, **96**, 3642-4 (1974), by W. K. Chan, K. Nakanishi, T. G. Ebrey and B. Honig.
180. Use of Copper Hexafluoroacetylacetonate for the Determination of the Absolute Configuration of Alcohols, *J. Am. Chem. Soc.*, **96**, 4055 (1974), by J. Dillon and K. Nakanishi.
181. Use of Complexing Agents for Determining the Absolute Configurations of α -Glycols and α -Amino Alcohols. Basic Systems, *J. Am. Chem. Soc.*, **96**, 4057 (1974), by J. Dillon and K. Nakanishi.
182. Use of Complexing Agents for Determining the Absolute Configurations of α -Glycols and α -Amino Alcohols. Applications to Complex Natural Products, *J. Am. Chem. Soc.*, **96**, 4059 (1974), by J. Dillon and K. Nakanishi.
183. Antibodies to Insect C16-Juvenile Hormone, *Experientia*, **30**, 558 (1974), by R. C. Lauer, P. H. Solomon, K. Nakanishi and B. F. Erlanger.
184. Antibodies to the Insect Molting Hormone b-Ecdysone, *Experientia*, **30**, 560 (1974), by R. C. Lauer, P. H. Solomon, K. Nakanishi and B. F. Erlanger.
185. Absolute stereochemistry of ancistrocladine and ancistrocladinine, *J. Chem. Soc., Perkin Trans*, **1**, 1413-17 (1974), by T. R. Govindachari, K. Nagarajan, P. C. Parthasarathy, T. G. Rajagopalan, H. K. Desai, G. Kartha, S. M. L. Chen and K. Nakanishi.
186. Confirmation of 18-norsteroidal structure of fukujuonorones. Sensitivity of CMR[carbon magnetic resonance] to configurational changes, *Chem. Pharm. Bull.*, **22**, 1671-3 (1974), by P. H. Solomon, K. Nakanishi, W. E. Fallon and Y. Shimizu.
187. Biosynthesis of the cytochalasins. III. Carbon-13 NMR of cytochalasin B (phomin) and cytochalasin D. Incorporation of sodium acetate-1- ^{13}C and sodium acetate-2- ^{13}C , *Helv. Chim. Acta*, **57**, 1801-15 (1974), by W. Graf, J. L. Robert, J. C. Vederas, C. Tamm, P. H. Solomon, I. Miura and K. Nakanishi.
188. Long range effect in the exciton chirality method, *J. Am. Chem. Soc.*, **96**, 7352-4 (1974), by S. M. L. Chen, N. Harada and K. Nakanishi.
189. Isolation and Characterization of Peroxy-Y Base from Phenylalanine Transfer Ribonucleic Acid of the Plant, *Lupinus luteus*, *J. Am. Chem. Soc.*, **96**, 7797 (1974), by A. M. Feinberg, K. Nakanishi, J. Barciszewski, A. J. Rafalski, H. Augustyniak and M. Wiewiorowski.
190. Isolation of a fat body factor which stimulates evagination of *Galleria mellonella* wing disks in vitro, *Wilhelm Roux' Arch. Entwicklungsmech. Org.*, **115**, 327-38 (1974), by J. Benson, H. Oberlander, M. Koreeda and K. Nakanishi.

191. 3-(3-Amino-3-carboxypopyl)uridine. Structure of the nucleoside in *Escherichia coli* transfer ribonucleic acid that reacts with phenoxyacetoxysuccinimide, *Biochemistry*, **13**, 2932-7 (1974), by S. Friedman, H. J. Li, K. Nakanishi and L. G. Van.
192. Recent Studies on Ecdysones, in "Invertebr. Endocrinol. and Horm. Heterophylly", Ed. W. J. Burdette, Springer-Verlag, New York, 204-217 (1974), by K. Nakanishi, M. Koreeda and D. A. Schooley .
193. Structure of the insect phagorepellent azadirachtin. Application of PRFT/CWD [partially relaxed Fourier transform/continuous wave decoupling] carbon-13 nuclear magnetic resonance, *J. Am. Chem. Soc.*, **97**, 1975-7 (1975), by P. R. Zanno, I. Miura, K. Nakanishi and D. L. Elder.
194. Structure of the fluorescent nucleoside of yeast phenylalanine transfer ribonucleic acid, *Arch. Biochem. Biophys.*, **167**, 668-73 (1975), by S. H. Blobstein, R. Gerbert, D. Grunberger, K. Nakanishi and I. B. Weinstein.
195. Isorhodopsin II: Artificial Photosensitive Pigment Formed from 9,13-Dicis Retinal, *Proc. Natl. Acad. Sci., USA*, **72**, 1538 (1975), by R. Crouch, V. Purvin, K. Nakanishi and T. Ebrey.
196. Identification and quantification of juvenile hormones from different developmental stages of the cockroach *Nauphoeta cinerea*, *Life Sci*, **16**, 1271-84 (1975), by B. Lanzrein, M. Hashimoto, V. Parmakovich, K. Nakanishi, R. Wilhelm and M. Luescher.
197. Structure of prierurianin, a complex tetranortriterpenoid. Nuclear magnetic resonance analysis at nonambient temperatures and x-ray structure determination, *J. Chem. Soc., Chem. Commun*, 345 (1975), by V. P. Gullo, I. Miura, K. Nakanishi, A. F. Cameron, J. D. Connolly, F. D. Duncanson, A. E. Harding, R. McCrindle and D. A. H. Taylor.
198. Modification of the structure of bussein, *J. Chem. Soc., Chem. Commun*, 563 (1975), by R. Haenni, C. Tamm, V. Gullo and K. Nakanishi.
199. Stereospecificity in the Conversion of Fucosterol 24,28-Epoxyde to Desmosterol in the Silkworm, *Bombyx mori*, *J. Am. Chem. Soc.*, **97**, 5297 (1975), by S. M. L. Chen, K. Nakanishi, N. Awata, M. Morisaki, N. Ikekawa and Y. Shimizu.
200. Quantitative definition of exciton chirality and the distant effect in the exciton chirality method, *J. Am. Chem. Soc.*, **97**, 5345-52 (1975), by N. Harada, S. M. L. Chen and K. Nakanishi.
201. Absolute configurational studies of vicinal glycols and amino alcohols. I. With bis(acetylacetonato)nickel, *J. Am. Chem. Soc.*, **97**, 5409-17 (1975), by J. Dillon and K. Nakanishi.
202. Absolute configurational studies of vicinal glycols and amino alcohols. II. With tris(dipivalomethanato)praseodymium, *J. Am. Chem. Soc.*, **97**, 5417-22 (1975), by J. Dillon and K. Nakanishi.
203. The Properties of Several Sterically Modified Retinal Analogues and their Photosensitive Pigments, *Biochemistry*, **14**, 3933 (1975), by T. G. Ebrey, R. Govindjee, B. Honig, E. Pollock, W. Chan, R. Crouch, A. Yudd and K. Nakanishi.
204. Structure of the insect antifeedant azadirachtin, in "Recent Advances in Phytochem.", Ed. V. C. Runeckles, Plenum Press, New York, 283-98 (1975), by K. Nakanishi .
205. On the physiology and chemistry of fern antheridiogens, *Bot. Rev.*, **41**, 315-59 (1975), by U. Naf, K. Nakanishi and M. Endo.

206. New Antisickling Agent 3,4-dihydro-2,2-dimethyl-²H-1 benzopyran-6-butyric Acid, *Nature*, **258**, 745 (1975), by D. E. U. Ekong, J. I. Okogun, V. U. Enyenihi, V. Balogh-Nair, K. Nakanishi and C. Natta.
207. Synthesis and C-25 chirality of 26-hydroxycholesterols, *J. Org. Chem.*, **40**, 3680-6 (1975), by R. K. Varma, M. Koreeda, B. Yagen, K. Nakanishi and E. Caspi.
208. Allenic Retinals and Visual Pigment Analogues, *J. Am. Chem. Soc.*, **98**, 236 (1976), by K. Nakanishi, A. P. Yudd, R. K. Crouch, G. L. Olson, H. C. Cheung, R. Govindjee, T. G. Ebrey and D. J. Patel.
209. Micellar effects on the photochemistry of rhodopsin, *J. Am. Chem. Soc.*, **98**, 238-9 (1976), by W. H. Waddell, A. P. Yudd and K. Nakanishi.
210. Identification of .beta. carbolines isolated from fluorescent human lens proteins, *Nature (London)*, **259**, 422-3 (1976), by J. Dillon, A. Spector and K. Nakanishi.
211. Stereospecific Conversion of Diosgenin to a-Ecdysone, *J. Am. Chem. Soc.*, **98**, 1634 (1976), by E. Lee, Y. T. Liu, P. H. Solomon and K. Nakanishi.
212. Molecular Flow Resonance Raman Effect from Retinal and Rhodopsin, *Biochemistry*, **15**, 1621 (1976), by R. H. Callender, A. Doukas, R. Crouch and K. Nakanishi.
213. Benzo[a]pyrene diol epoxides as intermediates in nucleic acid binding in vitro and in vivo, *Science*, **193**, 592-5 (1976), by I. B. Weinstein, A. M. Jeffrey, K. W. Jennette, S. H. Blobstein, R. G. Harvey, C. Harris, H. Autrup, H. Kasai and K. Nakanishi.
214. Structure of 7,12-dimethylbenz[a]anthracene-guanosine Adducts, *Proc. Natl. Acad. Sci., USA*, **73**, 2311 (1976), by A. M. Jeffrey, S. H. Blobstein, I. B. Weinstein, F. A. Beland, R. G. Harvey, H. Kasai and K. Nakanishi.
215. Quantitative aspects of the photochemistry of isomeric retinals and visual pigments, *J. Am. Chem. Soc.*, **98**, 4189-92 (1976), by W. H. Waddell, R. Crouch, K. Nakanishi and N. J. Turro.
216. The Structure of Q* Nucleoside Isolated from Rabbit Liver Transfer Ribonucleic Acid, *J. Am. Chem. Soc.*, **98**, 5044 (1976), by H. Kasai, K. Nakanishi, R. D. Macfarlane, D. F. Torgerson, Z. Ohashi, J. A. McCloskey, H. J. Gross and S. Nishimura.
217. Structures of gonyautoxin II and III from the east coast toxic dinoflagellate *Gonyaulax tamarensis*, *J. Am. Chem. Soc.*, **98**, 5414-16 (1976), by Y. Shimizu, L. J. Buckley, M. Alam, Y. Oshima, W. E. Fallon, H. Kasai, I. Miura, V. P. Gullo and K. Nakanishi.
218. Benzo[a]pyrene-Nucleic Acid Derivative Found in vivo: Structure of a Benzo[a]pyrene-tetrahydrodiol Epoxide-Guanosine Adduct, *J. Am. Chem. Soc.*, **98**, 5714 (1976), by A. M. Jeffrey, K. W. Jennette, S. H. Blobstein, I. B. Weinstein, F. A. Beland, R. G. Harvey, H. Kasai, I. Miura and K. Nakanishi.
219. Nasute termite soldier frontal gland secretions. 2. Structures of trinervitene congeners from *Trinervitermes* soldiers, *J. Am. Chem. Soc.*, **98**, 6062-4 (1976), by G. D. Prestwich, S. P. Tanis, F. G. Pilkiewicz, I. Miura and K. Nakanishi.
220. The structure of xylomollin, a secoiridoid hemiacetal acetal, *J. Am. Chem. Soc.*, **98**, 6704-5 (1976), by I. Kubo, I. Miura and K. Nakanishi.
221. Structure of ajugarins, *J. Chem. Soc., Chem. Commun*, 949-950 (1976), by I. Kubo, Y. W. Lee, N. V. Balogh, K. Nakanishi and A. Chapya.

222. The structure of harrisonin, *Heterocycles*, **5**, 485-98 (1976), by I. Kubo, S. P. Tanis, Y. W. Lee, I. Miura, K. Nakanishi and A. Chapya.
223. Potent army worm antifeedants from the East African Warburgia plants, *J. Chem. Soc., Chem. Commun*, 1013-1014 (1976), by I. Kubo, Y. W. Lee, M. Pettei, F. Pilkievicz and K. Nakanishi.
224. Full Structures of Two in vitro and in vivo Products Derived from Arene Oxides and RNA, in "Synthesis, Structure and Chemistry of tRNA and their Components", Polish Academy of Sciences, 447 (1976), by K. Nakanishi .
225. Insect growth regulators from plants, *Pontif. Acad. Sci. Scr. Varia*, **41**, 185 (1976), by K. Nakanishi.
226. Absolute Configuration of a Ribonucleic Acid Adduct Formed in vivo by Metabolism of Benzo[a]pyrene, *J. Am. Chem. Soc.*, **99**, 258-260 (1977), by K. Nakanishi, H. Kasai, H. Cho, R. G. Harvey, A. M. Jeffrey, K. W. Jennette and I. B. Weinstein.
227. Direct obtention of pure compounds from crude plant extracts by preparative liquid chromatography, *Helv. Chim. Acta*, **60**, 670-2 (1977), by K. Hostettmann, M. J. Pettei, I. Kubo and K. Nakanishi.
228. The structure of inflexin, *Chem. Lett*, **99** (1977), by I. Kubo, K. Nakanishi, T. Kamikawa, T. Isobe and T. Kubota.
229. Chemistry and Distribution of Deleterious Dinoflagellate Toxins, in "Marine Natural Products Chemistry", Ed. D. J. Faulkner and W. H. Fenical, Plenum Publishing Corporation, 261 (1977), by Y. Shimizu, M. Alam, Y. Oshima, L. J. Buckley, W. E. Fallon, H. Kasai, I. Miura, V. P. Gulllo and K. Nakanishi .
230. A simple and non-isomerizing procedure for the identification of protein-linked retinals, *Exp. Eye Res.*, **24**, 421-3 (1977), by F. G. Pilkievicz, M. J. Pettei, A. P. Yudd and K. Nakanishi.
231. Identification of retinal isomers isolated from bacteriorhodopsin, *Biochemistry*, **16**, 1955-9 (1977), by M. J. Pettei, A. P. Yudd, K. Nakanishi, R. Henselman and W. Stoeckenius.
232. Photochemical studies of visual pigments, *Pure Appl. Chem.*, **49**, 333-9 (1977), by K. Nakanishi.
233. Preparative liquid chromatography applied to difficult separations, *Tetrahedron Lett*, 2083 (1977), by M. J. Pettei, F. G. Pilkievicz and K. Nakanishi.
234. Structure of isodomedin, a novel ent-kaurenoid diterpene, *J. Chem. Soc., Chem. Commun*, 555 (1977), by I. Kubo, I. Miura, K. Nakanishi, T. Kamikawa, T. Isobe and T. Kubota.
235. Structures of Benzo[a]pyrene-Nucleic Acid Adducts Formed in Human and Bovine Bronchial Explant, *Nature*, **269**, 348 (1977), by A. J. Jeffrey, I. B. Weinstein, K. W. Jennette, K. Grzeskowiak, K. Nakanishi, R. G. Harvey, H. Autrup and C. Harris.
236. A nonbleachable rhodopsin analog formed from 11,12-dihydroretinal, *J. Am. Chem. Soc.*, **99**, 7720-21 (1977), by M. A. Gawinowicz, N. V. Balogh, J. S. Sabol and K. Nakanishi.
237. Kempene-1 and -2, unusual tetracyclic diterpenes from Nasutitermes termite soldiers, *J. Am. Chem. Soc.*, **99**, 8082-3 (1977), by G. D. Prestwich, B. A. Solheim, J. Clardy, F. G. Pilkievicz, I. Miura, S. P. Tanis and K. Nakanishi.
238. Insect Antifeedants and Repellents from African Plants, in "Host Plant Resistance to Pests", Ed. P. Hedin, Am. Chem. Soc. Symposium Series, 165 (1977), by I. Kubo and K. Nakanishi.

239. Muzigadial and Warburganal, Potent Antifungal Antiyeast, and African Army Worm Antifeedant Agents, *Tetrahedron Lett.*, 4553 (1977), by I. Kubo, I. Miura, M. J. Pettei, Y. W. Lee, F. Pilkiewicz and K. Nakanishi.
240. Recent studies on bioactive compounds, *Bioorg. Chem.*, **3**, 153 (1977), by K. Nakanishi.
241. Studies on warburganal, muzigadial and related compounds, *Isr. J. Chem.*, **16**, 28-31 (1977), by K. Nakanishi and I. Kubo.
242. Structures of 7,12-Dimethylbenz[a]anthracene 5,6-Oxide Derivatives Linked to the Ribose Moiety of Guanosine, *J. Am. Chem. Soc.*, **99**, 8500-8502 (1977), by H. Kasai, K. Nakanishi, K. Frenkel and D. Grunberger.
243. Isolation of an insect antifeedant N-methylflindersine and several benz[c]phenanthridine alkaloids from East African plants; a comment on chelerythrine, *Heterocycles*, **7**, 969-77 (1977), by F. Y. Chou, K. Hostettmann, I. Kubo, K. Nakanishi and M. Taniguchi.
244. A photoaffinity-labeled insect sex pheromone for the moth *Antheraea polyphemus*, *Nature (London)*, **271**, 157-8 (1978), by I. Ganjian, M. J. Pettei, K. Nakanishi and K. E. Kaissling.
245. A convenient synthesis of stereochemically pure retinoids. The synthesis of 10,14-dimethyl retinals, *Tetrahedron Lett*, 869 (1978), by S. P. Tanis, R. H. Brown and K. Nakanishi.
246. Chemical ecology: Studies from east Africa, *Science*, **199**, 1167-73 (1978), by J. Meinwald, G. D. Prestwich, K. Nakanishi and I. Kubo.
247. Synthesis of 4,9-dihydro-4,6-dimethyl-9-oxo-1H-imidazo[1,2-a]purine and the "Y" base from *Saccharomyces cerevisiae* phenylalanine transfer RNA, *J. Org. Chem.*, **43**, 1644-9 (1978), by C. R. Frihart, A. M. Feinberg and K. Nakanishi.
248. Two Micromethods for Determining the Linkage of Adducts Formed Between Polyaromatic Hydrocarbons and Nucleic Acid Bases, *J. Chem. Soc. Chem. Commun.*, 798-800 (1978), by H. Kasai, K. Nakanishi and S. Traiman.
249. Structure of neosaxitoxin, *J. Am. Chem. Soc.*, **100**, 6791-3 (1978), by Y. Shimizu, C. P. Hsu, W. E. Fallon, Y. Oshima, I. Miura and K. Nakanishi.
250. Isolation of citroylformic acid- γ -lactone from a commercial batch of oxaloacetic acid: inhibition of apotyrosine aminotransferase conversion to holoenzyme by this substance, *Anal. Biochem.*, **86**, 679-91 (1978), by R. W. Johnson, A. Grossman, A. Boctor, L. Kesner, J. D'Angelo, C. R. Frihart and K. Nakanishi.
251. Screening of East African Plants for Antimicrobial Activity, *Chem. Pharm. Bull.*, **26**, 2910-2913 (1978), by M. Taniguchi, A. Chapyra, I. Kubo and K. Nakanishi.
252. Ecdysteroids: A New Generic Term, *Nature*, **272**, 122 (1978), by T. W. Goodwin, D. H. S. Horn, P. Karlson, J. Koolman, K. Nakanishi, W. E. Robbins, J. B. Siddall and T. Takemoto.
253. Molluscicidal saponins from *Cornus florida* L, *Helv. Chim. Acta*, **61**, 1990-5 (1990), by K. Hostettmann, K. M. Hostettmann and K. Nakanishi.
254. Isolation and characterization of the first mitotic cycle hormone that regulates cell proliferation, *J. Am. Chem. Soc.*, **100**, 7759-60 (1978), by D. G. Lynn, K. Nakanishi, S. L. Patt, J. L. Occolowitz, S. Almeida and L. S. Evans.
255. Antitumor plants. 8. Lychnopholic acid, a novel trioxxygenated caryophyllene derivative from *Lychnophora affinis* Gardn, *J. Am. Chem. Soc.*, **100**, 7437-9 (1978), by R. F. Raffauf, M. P. Pastore, C. J. Kelley, Q. P. W. Le, I. Miura, K. Nakanishi, J. Finer and J. Clardy.

256. Carbon-13 NMR of naturally occurring xanthone aglycones and glycosides, *Nouv. J. Chim.*, **2**, 653-7 (1978), by I. Miura, K. Hostettmann and K. Nakanishi.
257. Steroids, *Method. Chim.*, **11**, 1-41 (1978), by R. Crouch, K. Nakanishi and P. H. Solomon.
258. Insect antifeedant sesquiterpene lactones from *Schkuhria pinnata*: the direct obtention of pure compounds using reverse-phase preparative liquid chromatography, *Heterocycles*, **11**, 471 (1978), by M. J. Pettei, I. Miura, I. Kubo and K. Nakanishi.
259. Some Terpenoid Insect Antifeedants from Tropical Plants, in "4th IUPAC International Congress, "Advances in Pesticide Science," Part 2", Pergamon Press, 284 (1979), by I. Kubo and K. Nakanishi .
260. Double Point Charge Model for Visual Pigments; Evidence from Dihydro-rhodopsins, *Photochem. Photobiol.*, **29**, 657 (1979), by K. Nakanishi, V. Balogh-Nair, M. A. Gawinowicz, M. Arnaboldi, M. Motto and B. Honig.
261. Droplet counter-current chromatography for the preparative isolation of various glycosides, *J. Chromatogr.*, **170**, 355-61 (1979), by K. Hostettmann, K. M. Hostettmann and K. Nakanishi.
262. Chemical characterization of a hormone that promotes cell arrest in G2 in complex tissues, *Science (Washington, D. C.)*, **203**, 1122-3 (1979), by L. S. Evans, M. S. Almeida, D. G. Lynn and K. Nakanishi.
263. Studies on some biologically active compounds, *Pure Appl. Chem.*, **51**, 731-45 (1979), by K. Nakanishi.
264. Sex pheromone of the American cockroach: absolute configuration of periplanone-B, *J. Am. Chem. Soc.*, **101**, 2495-8 (1979), by M. A. Adams, K. Nakanishi, W. C. Still, E. V. Arnold, J. Clardy and C. J. Persoons.
265. Stereospecific total synthesis of (+-)-warburganal and related compounds, *J. Am. Chem. Soc.*, **101**, 4398-400 (1979), by S. P. Tanis and K. Nakanishi.
266. Structures of tissue culture adducts formed from polyaromatic hydrocarbons and nucleic acids, *Int. Congr. Pure Appl. Chem., [Proc.]*, **4**, A11 (1977), by K. Nakanishi.
267. Selected uses of HPLC for the separation of natural products, *J. Liq. Chromatogr.*, **2**, 1097-136 (1979), by M. A. Adams and K. Nakanishi.
268. The ent-neo-clerodane absolute configuration of ajugarins, *J. Chem. Soc., Chem. Commun.*, 885 (1979), by G. Trivedi, H. Komura, I. Kubo, K. Nakanishi and B. S. Joshi.
269. Hydroretinals and hydrorhodopsins, *J. Am. Chem. Soc.*, **101**, 7082-4 (1979), by M. Arnaboldi, M. G. Motto, K. Tsujimoto, N. V. Balogh and K. Nakanishi.
270. An external point-charge model for wavelength regulation in visual pigments, *J. Am. Chem. Soc.*, **101**, 7084-6 (1979), by B. Honig, U. Dinur, K. Nakanishi, N. V. Balogh, M. A. Gawinowicz, M. Arnaboldi and M. G. Motto.
271. Through-space electrostatic effects in electronic spectra. Experimental evidence for the external point-charge model of visual pigments, *J. Am. Chem. Soc.*, **101**, 7086-8 (1979), by M. Sheves, K. Nakanishi and B. Honig.
272. A versatile synthesis of retinoids via condensation of the side-chain to cyclic ketones, *Tetrahedron Lett*, 4899 (1979), by F. Derguini, N. V. Balogh and K. Nakanishi.

273. Isolation and structure of an unusual cyclic amino alditol from a legume, *J. Chem. Soc., Chem. Commun.*, (1979), by L. E. Fellows, E. A. Bell, D. G. Lynn, F. Pilkiewicz, I. Miura and K. Nakanishi.
274. Benzo[a]pyrene-7,8-dihydrodiol 9,10-Oxide Adenosine and Deoxyadenosine Adducts: Structure and Stereochemistry, *Science*, **206**, 1309-1311 (1979), by A. M. Jeffrey, K. Grzeskowiak, I. B. Weinstein, K. Nakanishi, P. Roller and R. G. Harvey.
275. Moronic Acid, a Simple Triterpenoid Keto Acid with Antimicrobial Activity Isolated from *Ozoroa mucronata*, *Planta medica*, **37**, 358-360 (1979), by M. Hostettmann-Kaldas and K. Nakanishi.
276. Applications of Mass Spectrometry in Structural Studies of Bioactive Compounds, *Phil. Trans. R. Soc. Lond.*, **A293**, 3-11 (1979), by K. Nakanishi and J. L. Occolowitz.
277. Orotidine 5'-Monophosphate Decarboxylase Inhibitors Formed by Spontaneous Reaction of Barbituric Acid and Ribose 5-phosphate, A Surprising Reaction, *J. Am. Chem. Soc.*, **102**, 1208 (1980), by H. Komura, K. Nakanishi, B. W. Potvin, H. J. Stern and R. S. Krooth.
278. Structure of a 7,12-dimethylbenz[a]anthracene 5,6-oxide derivative bound to carbon-8 of guanosine, *J. Chem. Soc., Chem. Commun.*, 82 (1980), by K. Nakanishi, H. Komura, I. Miura, H. Kasai, K. Frenkel and D. Grunberger.
279. Adamantyl allenic rhodopsin. Leniency of the ring binding site in bovine opsin, *J. Am. Chem. Soc.*, **102**, 2495-7 (1980), by R. A. Blatchly, J. D. Carriker, N. V. Balogh and K. Nakanishi.
280. Revised structure of ceriferic acid, *Chem. Lett.*, 883-6 (1980), by Y. Naya, F. Miyamoto, K. Kishida, T. Kusumi, H. Kakisawa and K. Nakanishi.
281. Nonbleachable rhodopsins retaining the full natural chromophore, *J. Am. Chem. Soc.*, **102**, 6370-2 (1980), by H. Akita, S. P. Tanis, M. Adams, N. V. Balogh and K. Nakanishi.
282. Insect antifeedant secoaromadendrane-type sesquiterpenes from *Plagiochila* species, *Phytochemistry*, **19**, 2147-54 (1980), by Y. Asakawa, M. Toyota, T. Takemoto, I. Kubo and K. Nakanishi.
283. Stereospecific conversion of diosgenin to labeled α -ecdysone, *Tetrahedron Lett.*, **21**, 4323-6 (1980), by Y. W. Lee, E. Lee and K. Nakanishi.
284. Insect antifeedants from plants, in "Insect Biology in the Future", Ed. M. Locke and D. S. Smith, Academic Press, New York, 603 (1980), by K. Nakanishi .
285. Study of the Secretion From a Scale Insect (*Ceroplastes ceriferus*): Diterpenoids and Sesterterpenoids, *Tetrahedron*, **36**, 3481-3487 (1980), by F. Miyamoto, H. Naoki, Y. Naya and K. Nakanishi.
286. An external point-charge model for bacteriorhodopsin to account for its purple color, *J. Am. Chem. Soc.*, **102**, 7945-7 (1980), by K. Nakanishi, N. V. Balogh, M. Arnaboldi, K. Tsujimoto and B. Honig.
287. Opsin shifts in bovine rhodopsin and bacteriorhodopsin. Comparison of two external point-charge models, *J. Am. Chem. Soc.*, **102**, 7947-9 (1980), by M. G. Motto, M. Sheves, K. Tsujimoto, N. V. Balogh and K. Nakanishi.
288. Myricoside, an African armyworm antifeedant: separation by droplet countercurrent chromatography, *J. Am. Chem. Soc.*, **102**, 7953-5 (1980), by R. Cooper, P. H. Solomon, I. Kubo, K. Nakanishi, J. N. Shoolery and J. L. Occolowitz.

289. Incorporation of 11,12-dihydroretinal into the retinae of vitamin A deprived rats, *Photochem. Photobiol.*, **33**, 91-5 (1981), by R. Crouch, S. Katz, K. Nakanishi, M. A. Gawinowicz and N. V. Balogh.
290. Photochemical and functional properties of bacteriorhodopsins formed from 5,6-dihydro- and 5,6-dihydrodesmethylretinals, *Biochemistry*, **20**, 428-35 (1981), by B. Mao, R. Govindjee, T. G. Ebrey, M. Arnaboldi, N. V. Balogh, K. Nakanishi and R. Crouch.
291. Isolation and structures of trichilins, antifeedants against the Southern army worm, *J. Am. Chem. Soc.*, **103**, 1228-30 (1981), by M. Nakatani, J. C. James and K. Nakanishi.
292. Antimicrobial agents from an East African medicinal plant *Erythrina abyssinica*, *Heterocycles*, **15**, 1163-70 (1981), by V. S. Kamat, F. Y. Chuo, I. Kubo and K. Nakanishi.
293. The 'opsin shift' in bacteriorhodopsin: studies with artificial bacteriorhodopsins, *Photochem. Photobiol.*, **33**, 483-8 (1981), by N. V. Balogh, J. D. Carriker, B. Honig, V. Kamat, M. G. Motto, K. Nakanishi, R. Sen, M. Sheves, M. A. Tanis and K. Tsujimoto.
294. Isolation and structures of two insect antifeedants: applications of droplet counter-current chromatography, 2-D-1H NMR and a new circular dichroic correlation, *Pr. Nauk. Inst. Chem. Org. Fiz. Politech. Wroclaw*, 1091-1102 (1981), by K. Nakanishi, R. Cooper and M. Nakatani.
295. Flash photolysis and low temperature photochemistry of bovine rhodopsin with a fixed 11-ene, *Biophys. J.*, **35**, 543-6 (1981), by B. Mao, M. Tsuda, T. G. Ebrey, H. Akita, N. V. Balogh and K. Nakanishi.
296. Identification of novel 7,12-dimethylbenz[a]anthracene adducts in cellular RNA, *Biochemistry*, **20**, 4377-81 (1981), by K. Frenkel, D. Grunberger, H. Kasai, H. Komura and K. Nakanishi.
297. Isolation, structure, and synthesis of 4-hydroxyisoxazole (triumferol), a seed germination inhibitor from an African plant, *Tetrahedron Lett*, **22**, 3451-4 (1981), by T. Kusumi, C. C. Chang, M. Wheeler, I. Kubo, K. Nakanishi and H. Naoki.
298. A chiroptical method for determining the absolute configuration of allylic alcohols, *J. Am. Chem. Soc.*, **103**, 5590-1 (1981), by N. Harada, J. Iwabuchi, Y. Yokota, H. Uda and K. Nakanishi.
299. Additivity relation found in the amplitudes of exciton-split circular dichroism curves of pyranose benzoates, *J. Am. Chem. Soc.*, **103**, 5591-3 (1981), by H. W. Liu and K. Nakanishi.
300. Isolation and structure of brevetoxin B from the "red tide" dinoflagellate *Ptychodiscus brevis* (*Gymnodinium breve*), *J. Am. Chem. Soc.*, **103**, 6773-5 (1981), by Y. Y. Lin, M. Risk, S. M. Ray, E. D. Van, J. Clardy, J. Golik, J. C. James and K. Nakanishi.
301. Extraction and Other Experiments with Bovine Rhodopsin, in "Advances in Natural Products Chemistry", Ed. S. Natori, N. Ikekawa and M. Suzuki, Halsted Press, New York, 552-580 (1981), by K. Nakanishi .
302. A micromethod for determining the branching points in oligosaccharides based on circular dichroism, *J. Am. Chem. Soc.*, **103**, 7005-6 (1981), by H. W. Liu and K. Nakanishi.
303. Unusual sesterterpenoids from the secretion of *Ceroplastes floridensis* (Coccidae), an orchard pest. Application of the allylic benzoate method for determination of absolute configuration, *J. Am. Chem. Soc.*, **103**, 7009-11 (1981), by Y. Naya, K. Yoshihara, T. Iwashita, H. Komura, K. Nakanishi and Y. Hata.
304. The structure of castanaguyone, a biisocoumarin plant product, *Tetrahedron Lett*, **22**, 5015-18 (1981), by J. Snyder, K. Nakanishi, G. Chaverria, Y. Leal, C. C. Ochoa and X. A. Dominguez.

305. A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from *Nocardia* sp, *J. Chem. Soc., Chem. Commun.*, 1134-5 (1981), by K. Nakanishi, Z. Q. Wang, H. W. Liu, W. J. McGahren and G. A. Ellestad.
306. A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully-substituted aromatic structures, *J. Chem. Soc., Chem. Commun.*, 1271-2 (1981), by H. W. Liu, T. Kusumi and K. Nakanishi.
307. Pyranose benzoates: an additivity relation in the amplitudes of exciton-split CD curves, *J. Am. Chem. Soc.*, **104**, 1178-85 (1982), by H. W. Liu and K. Nakanishi.
308. Recent studies on bioactive compounds from plants, *J. Nat. Prod.*, **45**, 15-26 (1982), by K. Nakanishi.
309. A Southern army-worm antifeedant, 12.beta.-acetoxyharrisonin from an African shrub *Harrisonia abyssinica*, *Heterocycles*, **17**, 67-71 (1982), by H. Liu, I. Kubo and K. Nakanishi.
310. The structures of balanitins, potent molluscicides isolated from *Balanites aegyptiaca*, *Tetrahedron*, **38**, 513-19 (1982), by H. W. Liu and K. Nakanishi.
311. Synthesis and binding studies of a photoaffinity label for bovine rhodopsin, *J. Am. Chem. Soc.*, **104**, 3214-16 (1982), by R. Sen, J. D. Carriker, N. V. Balogh and K. Nakanishi.
312. The structure of brevetoxin C, *Tetrahedron Lett*, **23**, 2535-8 (1982), by J. Golik, J. C. James, K. Nakanishi and Y. Y. Lin.
313. The branching point in the pentasaccharides viridopentaoses A, B, and C, *Tetrahedron Lett*, **23**, 2485-6 (1982), by M. DiNovi, H. w. Liu and K. Nakanishi.
314. The stereochemistry of vision, in "New Compr. Biochem.", Ed. C. Tamm, Elsevier Biomedical Press, Amsterdam, 283-334 (1982), by N. V. Balogh and K. Nakanishi .
315. General method for determining absolute configuration of acyclic allylic alcohols, *J. Am. Chem. Soc.*, **104**, 3775-6 (1982), by N. C. Gonnella, K. Nakanishi, V. S. Martin and K. B. Sharpless.
316. Structures of cabenegrins A-I and A-II, potent anti-snake venoms, *Tetrahedron Lett*, **23**, 3855-8 (1982), by M. Nakagawa, K. Nakanishi, L. L. Darko and J. A. Vick.
317. Heavy atom labeling of retinal in bacteriorhodopsin, in "Methods in Enzymology", Ed. L. Packer, Academic Press, New York, 178-80 (1982), by M. G. Motto and K. Nakanishi .
318. Use of high-performance liquid chromatography to separate and identify retinals, in "Methods in Enzymology", Ed. L. Packer, Academic Press, New York, 491-6 (1982), by R. A. Blatchly and K. Nakanishi .
319. Synthetic analogs of retinal, bacteriorhodopsin, and bovine rhodopsin, in "Methods Enzymol", Ed. L. Packer, Academic Press, New York, 496-506 (1982), by N. V. Balogh and K. Nakanishi .
320. Studies on some new *Stemona* alkaloids. A diagnostically useful proton NMR line-broadening effect, *Tetrahedron*, **38**, 2667-70 (1982), by R. S. Xu, Y. J. Lu, J. H. Chu, T. Iwashita, H. Naoki, Y. Naya and K. Nakanishi.
321. Circular dichroic method for determining the position of glycosidic linkages of deoxy sugar moieties. Antitumor antibiotic chromomycin A3, *J. Org. Chem.*, **47**, 4589-92 (1982), by R. Riccio and K. Nakanishi.

322. 14-Deoxymuristerone, a compound exhibiting exceptional molting hormonal activity, *J. Chem. Soc., Chem. Commun.*, 1307-8 (1982), by P. Cherbas, D. A. Trainor, R. J. Stonard and K. Nakanishi.
323. Isolation and Structures of Insect and Plant Growth Regulators: Applications of Droplet Counter-Current Chromatography, 2-D-¹H-NMR and a New Circular Dichroic Correlation, in "Chem. of Natural Products, Proc. Sino-Amer. Symp. on Chem. Nat. Prod.", Gordon & Breach, Science Publishers, New York, 9-18 (1982), by K. Nakanishi .
324. Additivity relation in the amplitudes of exciton-split circular dichroism curves arising from interactions between different chromophores and its application in structural studies, *J. Am. Chem. Soc.*, **105**, 130-1 (1983), by R. J. Stonard, D. A. Trainor, M. Nakatani and K. Nakanishi.
325. Bacteriorhodopsins containing cyanine dye chromophores. Support for the external point-charge model, *J. Am. Chem. Soc.*, **105**, 646-8 (1983), by F. Derguini, C. G. Caldwell, M. G. Motto, N. V. Balogh and K. Nakanishi.
326. Symmetric charge distribution in the bacteriorhodopsin binding site, *J. Am. Chem. Soc.*, **105**, 648-50 (1983), by T. Kakitani, H. Kakitani, B. Honig and K. Nakanishi.
327. The structure of PB-1, an unusual toxin isolated from the red tide dinoflagellate *Ptychodiscus brevis*, *Tetrahedron Lett.*, **24**, 855-8 (1983), by M. DiNovi, D. A. Trainor, K. Nakanishi, R. Sanduja and M. Alam.
328. Protoanemonin, an antimutagen isolated from plants, *Mutat. Res.*, **116**, 317-22 (1983), by H. Minakata, H. Komura, K. Nakanishi and T. Kada.
329. Full structure of a mitomycin C dinucleoside phosphate adduct. Use of differential FT-IR spectroscopy in microscale structural studies, *J. Am. Chem. Soc.*, **105**, 2059-63 (1983), by M. Tomasz, R. Lipman, J. K. Snyder and K. Nakanishi.
330. Tropocoronands, a new class of metal-complexing macrocycles derived from aminotroponoiminates, *J. Am. Chem. Soc.*, **105**, 2071-3 (1983), by S. Imajo, K. Nakanishi, M. Roberts, S. J. Lippard and T. Nozoe.
331. The absolute configuration of (+)-ipomeamarone, *J. Chem. Soc., Chem. Commun.*, 352-3 (1983), by J. A. Schneider, K. Yoshihara and K. Nakanishi.
332. A new class of sweet potato phytoalexins, *J. Chem. Soc., Chem. Commun.*, (1983), by J. A. Schneider and K. Nakanishi.
333. Specionin, an iridoid insect antifeedant from *Catalpa speciosa*, *J. Chem. Soc., Chem. Commun.*, 605-6 (1983), by C. C. Chang and K. Nakanishi.
334. Factors affecting the absorption maxima of polyene iminium systems: a model study for rhodopsin and bacteriorhodopsin, *J. Am. Chem. Soc.*, **105**, 4033-9 (1983), by M. Sheves and K. Nakanishi.
335. Structures of sesterterpenoids from the scale insect *Ceroplastes ceriferus*. Revision of the 14-membered ceriferene skeleton from 2-t/6-c/10-t to 2-c/6-t/10-t, *Chem. Lett.*, 1069-72 (1983), by J. K. Pawlak, M. S. Tempesta, T. Iwashita, K. Nakanishi and Y. Naya.
336. Photoaffinity labeling of bacteriorhodopsin with 3-([1-¹⁴C]diazoacetoxy)-trans-retinal, *J. Am. Chem. Soc.*, **105**, 5160-2 (1983), by R. Sen, T. S. Widlanski, N. V. Balogh and K. Nakanishi.
337. Evidence for the necessity of double bond (13-ene) isomerization in the proton pumping of bacteriorhodopsin, *J. Am. Chem. Soc.*, **105**, 5162-4 (1983), by J. M. Fang, J. D. Carriker, N. V. Balogh and K. Nakanishi.

338. Structure and synthesis of 3-deoxy-D-glycero-pentos-2-ulose, an unusual sugar produced enzymatically from (ADP-ribosyl)histone H2B, *J. Am. Chem. Soc.*, **105**, 5164-5 (1983), by H. Komura, T. Iwashita, H. Naoki, K. Nakanishi, J. Oka, K. Ueda and O. Hayaishi.
339. Characterization of methyl glycosides at the pico- to nano-gram level, *Carbohydr. Res.*, **118**, 135-46 (1983), by J. Golik, H. W. Liu, M. Dinovi, J. Furukawa and K. Nakanishi.
340. Picosecond Kinetic Absorption and Fluorescence Studies of Bovine Rhodopsin with a Fixed 11-ene, *Biophys. J.*, **43**, 279-283 (1983), by J. Buchert, V. Stefancic, A. G. Doukas, R. R. Alfano, R. H. Callender, J. Pande, H. Akita, V. Balogh-Nair and K. Nakanishi.
341. Typhasterol (2-deoxycastasterone): a new plant growth regulator from cat-tail pollen, *Tetrahedron Lett.*, **24**, 3859-60 (1983), by J. A. Schneider, K. Yoshihara, K. Nakanishi and N. Kato.
342. A non-typical cyclobutane dimer photoproduct from 5-ethylorotate, *Photochem. Photobiol.*, **39**, 1-4 (1984), by E. Kulikowska, I. Miura, K. Nakanishi, Z. Zawadzki and D. Shugar.
343. Robustadiols A and B from *Eucalyptus robusta*, *J. Am. Chem. Soc.*, **106**, 734-6 (1984), by R. Xu, J. K. Snyder and K. Nakanishi.
344. Applications of Rotation Locular Countercurrent Chromatography in Natural Products Isolation, *J. Liq. Chromatog.*, **7**, 243-256 (1984), by J. K. Snyder, K. Nakanishi, K. Hostettmann and M. Hostettmann.
345. Photoaffinity labeling of bovine rhodopsin, *Tetrahedron*, **40**, 493-500 (1984), by R. Sen, A. K. Singh, N. V. Balogh and K. Nakanishi.
346. Retinylnitrones: a new class of retinoids with chemopreventive action, *Pharm. Res.*, 93-5 (1984), by N. V. Balogh and K. Nakanishi.
347. ADP-ribosyl protein lyase. Purification, properties, and identification of the product, *J. Biol. Chem.*, **259**, 986-95 (1984), by J. Oka, K. Ueda, O. Hayaishi, H. Komura and K. Nakanishi.
348. Cycloheptatrienylydene analog of 11-cis retinal. Formation of pigment in photoreceptor membranes, *Invest. Ophthalmol. Visual Sci.*, **25**, 419-28 (1984), by R. Crouch, B. R. Nides, J. I. Perlman, D. R. Pepperberg, H. Akita and K. Nakanishi.
349. The fate of the phytoalexin ipomeamarone: furanoterpenes and butenolides from *Ceratocystis fimbriata*-infected sweet potatoes, *Phytochemistry*, **23**, 759-64 (1984), by J. A. Schneider, J. Lee, Y. Naya, K. Nakanishi, K. Oba and I. Uritani.
350. Proton NMR of glycosaminoglycans and hyaluronic acid oligosaccharides in aqueous solution: the amide proton environment, *Arch. Biochem. Biophys.*, **230**, 203-12 (1984), by M. K. Cowman, D. Cozart, K. Nakanishi and E. A. Balazs.
351. Visual pigments and bacteriorhodopsins formed from aromatic retinal analogs, *Photochem. Photobiol.*, **39**, 661-5 (1984), by F. Derguini, C. F. Bigge, A. A. Croteau, N. V. Balogh and K. Nakanishi.
352. Bioactive Compounds from Nature, in "Natural Products and Drug Development Alfred Benzon Symposium, August 1983", Ed. P. Krosggaard-Larsen, S. B. Christensen and H. Kofod, Munksgaard, Denmark, 31-45 (1984), by K. Nakanishi .
353. Cubugene, a diterpenoid with a novel carbon skeleton from a termite soldier (Isoptera: Termitidae: Termitinae), *J. Org. Chem.*, **49**, 2077-9 (1984), by M. S. Tempesta, J. K. Pawlak, T. Iwasita, Y. Naya, K. Nakanishi and G. D. Prestwich.

354. Recent applications of circular dichroism to structural problems, especially oligosaccharide structures, *Pure Appl. Chem.*, **56**, 1031-48 (1984), by K. Nakanishi, M. Kuroyanagi, H. Nambu, E. M. Oltz, R. Takeda, G. L. Verdine and A. Zask.
355. Pavoninins: shark-repelling ichthyotoxins from the defense secretion of the Pacific sole, *Science*, **226**, 703-5 (1984), by K. Tachibana, M. Sakaitanai and K. Nakanishi.
356. A rhodopsin is the functional photoreceptor for phototaxis in the unicellular eukaryote *Chlamydomonas*, *Nature (London)*, **311**, 756-9 (1984), by K. W. Foster, J. Saranak, N. Patel, G. Zarilli, M. Okabe, T. Kline and K. Nakanishi.
357. Circular dichroism spectroscopy as a probe for the stereochemistry of aziridine cleavage reactions of mitomycin C. Application to adducts of mitomycin with DNA constituents, *J. Am. Chem. Soc.*, **106**, 7367-70 (1984), by M. Tomasz, M. Jung, G. Verdine and K. Nakanishi.
358. Biosynthetic studies of ipomeamarone, *J. Chem. Soc., Chem. Commun*, 372-4 (1984), by J. Schneider, J. Lee, K. Yoshihara, K. Mizukawa and K. Nakanishi.
359. Photochemical reaction of 7,8-dihydrorhodopsin at low temperatures, *Biochim. Biophys. Acta*, **766**, 597-602 (1984), by O. Muto, F. Tokunaga, T. Yoshizawa, V. Kamat, H. A. Blatchly, N. V. Balogh and K. Nakanishi.
360. Micro-scale Determination of Glycosidic Linkages of Oligosaccharides and Saponins by the CD Exciton Chirality Method, in "Proc. 5th Asian Symp. Med. Plants and Spices, August 1984, Seoul, Korea", 21-31 (1984), by K. Nakanishi, M. Kuroyanagi, H. Nambu, R. Takeda and A. Zask.
361. Absolute stereochemistry of (+)-1,8a-dihydro-3,8-dimethylazulene, a labile biosynthetic intermediate for 1,4-dimethylazulene. Determination by theoretical calculation of CD spectra and verification by synthesis of model compounds, *J. Am. Chem. Soc.*, **107**, 423-8 (1985), by N. Harada, J. Kohori, H. Uda, K. Nakanishi and R. Takeda.
362. Trans/13-Cis Isomerization is Essential for Both the Photocycle and Proton Pumping of Bacteriorhodopsin, *Biophys. J.*, **47**, 509-512 (1985), by C. H. Chang, R. Govindjee, T. Ebrey, K. A. Bagley, G. Dollinger, L. Eisenstein, J. Marque, H. Roder, J. Vittitow, J.-M. Fang and K. Nakanishi.
363. Bioorganic studies with rhodopsin, *Pure Appl. Chem.*, **57**, 769-76 (1985), by K. Nakanishi.
364. Pavoninins, shark-repelling and ichthyotoxic steroid N-acetylglucosaminides from the defense secretion of the sole *Pardachirus pavoninus* (Soleidae), *Tetrahedron*, **41**, 1027-37 (1985), by K. Tachibana, M. Sakaitani and K. Nakanishi.
365. Stereochemical and electronic spin state tuning of the metal center in the nickel(II) tropocoronands, *J. Am. Chem. Soc.*, **107**, 3864-70 (1985), by W. M. Davis, M. M. Roberts, A. Zask, K. Nakanishi, T. Nozoe and S. J. Lippard.
366. Resonance Raman Studies of Bacteriorhodopsin Analogues, *Photochem. Photobiol.*, **41**, 563-567 (1985), by R. Schiffmiller, R. H. Callender, W. H. Waddell, R. Govindjee, T. G. Ebrey, H. Kakitani, B. Honig and K. Nakanishi.
367. The chemistry of brevetoxins: a review, *Toxicon*, **23**, 473-9 (1985), by K. Nakanishi.
368. p-Dimethylaminocinnamate, a new red-shifted chromophore for use in the exciton chirality method. Its application to mitomycin C, *J. Chem. Soc., Chem. Commun*, 1093-5 (1985), by G. L. Verdine and K. Nakanishi.

369. Two-photon spectroscopy of locked-11-cis-rhodopsin: Evidence for a protonated Schiff base in a neutral protein binding site, *Proc. Natl. Acad. Sci. U. S. A.*, **82**, 4117-21 (1985), by R. R. Birge, L. P. Murray, B. M. Pierce, H. Akita, N. V. Balogh, L. A. Fjendsen and K. Nakanishi.
370. Isolation and structure of tunichrome B-1, a reducing blood pigment from the tunicate *Ascidia nigra* (Linnaeus), *J. Am. Chem. Soc.*, **107**, 5298-300 (1985), by R. C. Bruening, E. M. Oltz, J. Furukawa, K. Nakanishi and K. Kustin.
371. Use of differential second-derivative UV and FTIR spectroscopy in structural studies of multichromophoric compounds, *J. Am. Chem. Soc.*, **107**, 6118-20 (1985), by G. L. Verdine and K. Nakanishi.
372. Nature of the destruction of deoxyguanosine residues by mitomycin C, *J. Am. Chem. Soc.*, **107**, 6120-1 (1985), by M. Tomasz, R. Lipman, G. Verdine and K. Nakanishi.
373. Fourier-transform infrared difference spectroscopy of rhodopsin and its photoproducts at low temperature, *Biochemistry*, **24**, 6055-71 (1985), by K. A. Bagley, N. V. Balogh, A. A. Croteau, G. Dollinger, T. G. Ebrey, L. Eisenstein, M. K. Hong, K. Nakanishi and J. Vittitow.
374. Copper(II) tropocoronands: synthesis, structure, and properties of mononuclear complexes, *Inorg. Chem.*, **24**, 3737-43 (1985), by W. M. Davis, A. Zask, K. Nakanishi and S. J. Lippard.
375. Antimutagenic Unusual Amino Acids From Plants, *Experientia*, **41**, 1622-1623 (1985), by H. Minakata, H. Komura, S. Y. Tamura, Y. Ohfuné, K. Nakanishi and T. Kada.
376. 5'-ADP-3"-Deoxypentos-2"-Ulose. A Novel Product of ADP-Ribosyl Protein Lyase, in "ADP-Ribosylation of Proteins", Ed. F. R. Althaus, H. Hilz and S. Shall, Springer-Verlag, (1985), by K. Ueda, O. Hayaishi, J. Oka, H. Komura and K. Nakanishi .
377. 3-Deoxy-D-glycero-pentos-2-ulose, a novel pentose derived from poly(ADP-ribosyl) histones, *Curr. Top. Cell. Regul.*, **27**, 253-64 (1985), by O. Hayaishi, K. Ueda, J. Oka, H. Komura and K. Nakanishi.
378. Chromophore/protein interaction in bacterial sensory rhodopsin and bacteriorhodopsin, *Biophys. J.*, **49**, 479-83 (1986), by J. L. Spudich, D. A. McCain, K. Nakanishi, M. Okabe, N. Shimizu, H. Rodman, B. Honig and R. A. Bogomolni.
379. Recent Studies on Photoreceptors, in "Natural Products and Biological Activities", Ed. H. Imura, T. Goto, T. Murachi and T. Nakajima, Univ. Tokyo Press/Elsevier Science Publishers, 3-10 (1986), by K. Nakanishi .
380. Studies with retinal pigments: modified point charge model for bacteriorhodopsin and difference FTIR (Fourier transform infrared) studies, *Pure Appl. Chem.*, **58**, 719-24 (1986), by F. Derguini, D. Dunn, L. Eisenstein, K. Nakanishi, K. Odashima, V. J. Rao, L. Sastry and J. Termini.
381. CD additivity in trichothecene benzoates. Application as a microanalytical method for trichothecene characterization, *Tetrahedron*, **42**, 2615-24 (1986), by E. M. Oltz, K. Nakanishi, B. Yagen, D. G. Corley, G. E. Rottinghaus and M. S. Tempesta.
382. Isolation of tunichrome B-1, a reducing blood pigment of the sea squirt, *Ascidia nigra*, *J. Nat. Prod.*, **49**, 193-204 (1986), by R. C. Bruening, E. M. Oltz, J. Furukawa, K. Nakanishi and K. Kustin.
383. Melittin-like peptides from the shark-repelling defense secretion of the sole *Pardachirus pavoninus*, *Science*, **233**, 341-3 (1986), by S. A. Thompson, K. Tachibana, K. Nakanishi and I. Kubota.

384. Preparative scale isolation of 11-cis-retinal from isomeric retinal mixture by centrifugal partition chromatography, *J. Chromatogr.*, **357**, 340-3 (1986), by R. C. Bruening, F. Derguini and K. Nakanishi.
385. Rapid high-performance liquid chromatographic analysis of retinal mixtures, *J. Chromatogr.*, **437** (1986), by R. C. Bruening, F. Derguini and K. Nakanishi.
386. Reassignment of the guanine-binding mode of reduced mitomycin C, *Biochemistry*, **25**, 4337-44 (1986), by M. Tomasz, R. Lipman, G. L. Verdine and K. Nakanishi.
387. Syntheses and spectral properties of tropocoronands, a new class of versatile metal-complexing macrocycles derived from aminotropone imines, *Inorg. Chem.*, **25**, 3400-7 (1986), by A. Zask, N. Gonnella, K. Nakanishi, C. J. Turner, S. Imajo and T. Nozoe.
388. 5-(Trifluoromethyl)bacteriorhodopsin does not translocate protons, *J. Am. Chem. Soc.*, **108**, 6077-8 (1986), by V. J. Rao, F. Derguini, K. Nakanishi, T. Taguchi, A. Hosada, Y. Hanzawa, T. Kobayashi, C. Pande and R. H. Callender.
389. Additivity in complex CD curves of multichromophoric systems, *J. Am. Chem. Soc.*, **108**, 6811-13 (1986), by W. T. Wiesler, J. T. Vazquez and K. Nakanishi.
390. Characterization of compounds that induce symbiosis between sea anemone and anemone fish, *Science (Washington, D. C.)*, **234**, 585-7 (1986), by M. Murata, K. K. Miyagawa, K. Nakanishi and Y. Naya.
391. Bacteriorhodopsin: Fourier transform infrared methods for studies of protonation of carboxyl groups, in "Methods in Enzymology", 649-62 (1986), by G. Dollinger, L. Eisenstein, S. L. Lin, K. Nakanishi, K. Odashima and J. Termini .
392. Fourier transform infrared difference spectroscopy of bacteriorhodopsin and its photoproducts regenerated with deuterated tyrosine, *Biochemistry*, **25**, 6524-33 (1986), by G. Dollinger, L. Eisenstein, S. L. Lin, K. Nakanishi and J. Termini.
393. The crystal structure of a conformational isomer of teucrin P1 from *Teucrium gnaphalodes*, *Bull. Chem. Soc. Jpn.*, **59**, 2081-4 (1986), by Z. Zheng, T. Yamane, T. Ashida, M. Morita, N. Kato, T. Iwashita and K. Nakanishi.
394. Two stable conformational isomers of teucrin P1, a pentacyclic clerodane diterpene, *J. Chem. Soc., Chem. Commun*, 1087 (1986), by M. Morita, N. Kato, T. Iwashita, K. Nakanishi, Z. Zeyong, T. Yamane, T. Ashida and F. Piozzi.
395. Biosynthetic origins and assignments of carbon 13 NMR peaks of brevetoxin B, *J. Am. Chem. Soc.*, **108**, 7855-6 (1986), by M. S. Lee, D. J. Repeta, K. Nakanishi and M. G. Zagorski.
396. The Tunichromes, in "Chemistry and Biotechnology of Biologically Active Natural Products", Ed. B. Kurtev, Bulgarian Acad. Science, (1986), by R. C. Bruening, E. M. Oltz and K. Nakanishi .
397. Application of CD to Structural Studies of Bioactive Molecules, in "Circular Dichroic Spectroscopy Conference", Ed. B. Kurtev, Bulgarian Acad. Science, (1986), by K. Nakanishi .
398. Synthetic rhodopsin analogs, *Photobiochem. Photobiophys.*, **13**, 259-83 (1986), by F. Derguini and K. Nakanishi.
399. The Exciton Chirality Method and its Application to Oligosaccharide Structure Determination, in "Stereochemistry of Organic and Bioorganic Transformations", Ed. W. Bartmann, Verlag Chemie, 303-319 (1987), by K. Nakanishi, M. H. Park, R. Takeda, J. T. Vazquez and W. T. Wiesler .

400. Additivity in split Cotton effect amplitudes of p-phenylbenzyl ethers and p-phenylbenzoates, *J. Am. Chem. Soc.*, **109**, 914-15 (1987), by R. Takeda, A. Zask, K. Nakanishi and M. H. Park.
401. Unusual cis stereoselectivity in an aziridine cleavage reaction of mitomycin C, *Heterocycles*, **25**, 577-87 (1987), by G. L. Verdine, B. F. McGuinness, K. Nakanishi and M. Tomasz.
402. Structure of brevetoxin A as constructed from NMR and mass spectral data, *J. Am. Chem. Soc.*, **109**, 1144-50 (1987), by J. Pawlak, M. S. Tempesta, J. Golik, M. G. Zagorski, M. S. Lee, K. Nakanishi, T. Iwashita, M. L. Gross and K. B. Tomer.
403. Melittin-like amphiphilic peptides in the defense secretion of a sole *Pardachirus pavoninus*: isolation, structures, and bioactivity, in "Peptide Chemistry", Ed. T. Miyazawa, Protein Research Foundation, Osaka, Japan, 141 (1986), by S. A. Thompson, H. Minakata, W. H. Xu, K. Tachibana, K. Nakanishi and I. Kubota .
404. Isolation and structure of a covalent cross-link adduct between mitomycin C and DNA, *Science (Washington, D. C.)*, **235**, 1204-8 (1987), by M. Tomasz, R. Lipman, D. Chowdary, J. Pawlak, G. L. Verdine and K. Nakanishi.
405. Reaction of acid-activated mitomycin C with calf thymus DNA and model guanines: elucidation of the base-catalyzed degradation of N7-alkylguanine nucleosides, *Biochemistry*, **26**, 2010-27 (1987), by M. Tomasz, R. Lipman, M. S. Lee, G. L. Verdine and K. Nakanishi.
406. Role of intracellular symbiotes in planthoppers in "Pestic. Sci. Biotechnol., Proc. Int. Congr. Pestic. Chem., 6th, Meeting Date", 101-8 (1986), by A. Fredenhagen, P. Kenny, H. Kita, H. Komura, Y. Naya, K. Nakanishi, K. Nishiyama, M. Sugiura and S. Tamura.
407. A simplified isolation procedure for azadirachtin, *J. Nat. Prod.*, **50**, 241-4 (1987), by D. R. Schroeder and K. Nakanishi.
408. Andrimid, a new peptide antibiotic produced by an intracellular bacterial symbiont isolated from a brown planthopper, *J. Am. Chem. Soc.*, **109**, 4409-11 (1987), by A. Fredenhagen, S. Y. Tamura, P. T. M. Kenny, H. Komura, Y. Naya, K. Nakanishi, K. Nishiyama, M. Sugiura and H. Kita.
409. Stereochemical studies of polyols from the polyene macrolide lienomycin, *J. Org. Chem.*, **52**, 2896-901 (1987), by J. Pawlak, K. Nakanishi, T. Iwashita and E. Borowski.
410. NMR spectroscopic study of azadirachtin and its trimethyl ether, *Tetrahedron*, **43**, 2789-803 (1987), by C. J. Turner, M. S. Tempesta, R. B. Taylor, M. G. Zagorski, J. S. Termini, D. R. Schroeder and K. Nakanishi.
411. Acute insecticidal activity of quassin and its congeners against the American cockroach, *Chem. Pharm. Bull.*, **35**, 3082-5 (1987), by M. H. Park, M. Maeda, H. Komura, K. Nakanishi and K. Nomoto.
412. Pairwise additivity in exciton-coupled CD curves of multichromophoric systems, *J. Am. Chem. Soc.*, **109**, 5586-92 (1987), by W. T. Wiesler, J. T. Vazquez and K. Nakanishi.
413. FTIR difference studies on apoproteins. Protonation states of aspartic and glutamic acid residues during the photocycle of bacteriorhodopsin, *J. Am. Chem. Soc.*, **109**, 6860-2 (1987), by L. Eisenstein, S. L. Lin, G. Dollinger, K. Odashima, J. Termini, K. Konno, W. D. Ding and K. Nakanishi.
414. Microscale cleavage reaction of (phenyl)benzyl ethers by ferric chloride, *Tetrahedron Lett*, **28**, 3823-4 (1987), by M. H. Park, R. Takeda and K. Nakanishi.

415. Applications of Differential Second Derivative Ultraviolet and Infrared Spectroscopy in Bioorganic Chemistry, in "The Beckman Symposium on Biomedical Instrumentation", Ed. C. L. Moberg, Rockefeller University, 59-66 (1986), by K. Nakanishi .
416. Photoreception, in "McGraw-Hill Yearbook of Science and Technology 1988", McGraw-Hill Book Company, 313-316 (1987), by F. Derguini and K. Nakanishi .
417. Deprotonation of tyrosines in bacteriorhodopsin as studied by Fourier transform infrared spectroscopy with deuterium and nitrate labeling, *Biochemistry*, **26**, 8327-31 (1987), by S. L. Lin, P. Ormos, L. Eisenstein, R. Govindjee, K. Konno and K. Nakanishi.
418. FTIR Difference Studies of Retinal Proteins Carried out by Laura Eisenstein and Co-Workers, 1981-1985, in "Biophysical Studies of Retinal Proteins", Ed. T. G. Ebrey, H. Frauenfelder, B. Honig and K. Nakanishi, University of Illinois Press, 1-15 (1987), by K. Nakanishi .
419. Infrared Studies of Bovine Rhodopsin and its Low Temperature Photointermediates, Bathorhodopsin and Isorhodopsin, in "Biophysical Studies of Retinal Proteins", Ed. T. G. Ebrey, H. Frauenfelder, B. Honig and K. Nakanishi, University of Illinois Press, 110-119 (1987), by K. A. Bagley, L. Eisenstein, W.-D. Ding and K. Nakanishi .
420. The Role of Tyrosine in the Proton Pump of Bacteriorhodopsin, in "Biophysical Studies of Retinal Proteins", Ed. T. G. Ebrey, H. Frauenfelder, B. Honig and K. Nakanishi, University of Illinois Press, 120-125 (1987), by G. Dollinger, L. Eisenstein, S.-L. Lin, K. Nakanishi and J. Termini .
421. Protonation Changes of Aspartic and Glutamic Acid Residues in the BR Photocycle: An FTIR Study, in "Biophysical Studies of Retinal Proteins", Ed. T.G. Ebrey, H. Frauenfelder, B. Honig and K. Nakanishi University of Illinois Press, 149-155 (1987), by L. Eisenstein, S.-L. Lin, G. Dollinger, J. Termini, K. Odashima and K. Nakanishi .
422. Full proton assignment of BTX-A, C49H70O13, *New J. Chem.*, **11**, 753-6 (1987), by M. S. Lee, K. Nakanishi and M. G. Zagorski.
423. The Reaction of Mitomycin C With DNA, in "Biologically Active Natural Products", Ed. K. Hostettmann and P. J. Lea, Clarendon Press, Oxford, 261-276 (1987), by K. Nakanishi, G. L. Verdine and Tomasz .
424. Endogenous Inhibitor of Ecdysone Synthesis in Crabs, *Experientia*, **44**, 50-52 (1988), by Y. Naya, K. Kishida, M. Sugiyama, M. Murata, W. Miki, M. Ohnishi and K. Nakanishi.
425. Chromophore/protein and chromophore/anion interactions in halorhodopsin, *Biophys. J.*, **53**, 185-91 (1988), by J. K. Lanyi, L. Zimanyi, K. Nakanishi, F. Derguini, M. Okabe and B. Honig.
426. Marine Chemistry at the Suntory Institute for Bioorganic Research (SUNBOR) and Columbia University, in "Pharmaceuticals and the Sea", Ed. C. W. Jefford, K. L. Rinehart and L. S. Shield, Technomic Publishing Co., Lancaster/Basel, 79-82 (1988), by K. Nakanishi .
427. New Isolation Methods and Spectroscopic Techniques, in "Pharmaceuticals and the Sea", Ed. C. W. Jefford, K. L. Rinehart and L. S. Shield, Technomic Publishing Co., Lancaster/Basel, 125-134 (1988), by K. Nakanishi .
428. Regulation of the ecdysteroid titer of *Manduca sexta*: reappraisal of the role of the prothoracic glands, *Proc. Natl. Acad. Sci. U. S. A.*, **85**, 958-62 (1988), by J. T. Warren, S. Sakurai, D. B. Rountree, L. I. Gilbert, S. S. Lee and K. Nakanishi.
429. Analysis of the factors that influence the carbon:nitrogen stretching frequency of polyene Schiff bases. Implications for bacteriorhodopsin and rhodopsin, *Biophys. J.*, **53**, 261-9 (1988), by H. S. R. Gilson, B. H. Honig, A. Croteau, G. Zarrilli and K. Nakanishi.

430. Preferential Cytotoxicity On Tumor Cells By Caffeic Acid Phenethyl Ester Isolated From Propolis, *Experientia*, **44**, 230-232 (1988), by D. Grunberger, R. Banerjee, K. Eisinger, E. M. Oltz, L. Efron, M. Caldwell, V. Estevez and K. Nakanishi.
431. 26-[125I]Iodo-11 β -testosterone A is a potent ecdysone and a sensitive radioligand for ecdysone receptors, *Proc. Natl. Acad. Sci. U. S. A.*, **85**, 2096-100 (1988), by P. Cherbas, L. Cherbas, S. S. Lee and K. Nakanishi.
432. Synthesis of optically active 3-diazoacetylretinals with triisopropylphenylsulfonylhydrazide, *Tetrahedron Lett*, **29**, 2275-8 (1988), by H. Ok, C. Caldwell, D. R. Schroeder, A. K. Singh and K. Nakanishi.
433. Circular dichroism spectra of bichromophorically derivatized methyl-D-galactopyranosides, calculable by pairwise additivity, provide a basis for novel microanalysis of oligosaccharides, *Carbohydr. Res.*, **176**, 175-94 (1988), by J. T. Vazquez, W. T. Wiesler and K. Nakanishi.
434. Carbon-13 NMR study of taurine and chlorotaurine in human cells, *Biochim. Biophys. Acta*, **969**, 242-8 (1988), by Y. Y. Lin, C. E. Wright, M. Zagorski and K. Nakanishi.
435. Structure and synthesis of a potent glutamate receptor antagonist in wasp venom, *Proc. Natl. Acad. Sci. U. S. A.*, **85**, 4910-13 (1988), by A. T. Eldefrawi, M. E. Eldefrawi, K. Konno, N. A. Mansour, K. Nakanishi, E. Oltz and P. N. R. Usherwood.
436. Preparation, crystal structure, and physical properties of a pyrogallol-bridged vanadium(III) complex, *J. Chem. Soc., Chem. Commun.*, 785-786 (1988), by S. Lee, K. Nakanishi, M. Y. Chiang, R. B. Frankel and K. Spartalian.
437. Characterization of Factors that are Intimately Involved in the Life of Marine Organisms, in "Biomedical Importance of Marine Organisms", Ed. D. G. Fautin, California Academy of Sciences, San Francisco, 59-67 (1988), by K. Nakanishi .
438. Centrifugal droplet countercurrent chromatography in natural products chemistry, in "Countercurrent Chromatography: Theory and Practice", Ed. N. B. Mandava and Y. Ito, Marcel Dekker, Inc., New York, 509-24 (1988), by R. C. Bruening, F. Derguini and K. Nakanishi .
439. Assignment of carbon-13 NMR peaks of brevetoxin A: application of two-dimensional Hartmann-Hahn spectroscopy, *J. Org. Chem.*, **53**, 4156-8 (1988), by M. G. Zagorski, K. Nakanishi, G. W. Qin and M. S. Lee.
440. Isolation and characterization of a major adduct between mitomycin C and DNA, *J. Am. Chem. Soc.*, **110**, 5892-6 (1988), by M. Tomasz, R. Lipman, B. F. McGuinness and K. Nakanishi.
441. The necessity of an intact polyene for the biological isomerization of vitamin A, *J. Am. Chem. Soc.*, **110**, 5915-17 (1988), by W. C. Law, R. R. Rando, S. Canonica, F. Derguini and K. Nakanishi.
442. The tunichromes. A class of reducing blood pigments from sea squirts: isolation, structures, and vanadium chemistry, *J. Am. Chem. Soc.*, **110**, 6162-72 (1988), by E. M. Oltz, R. C. Bruening, M. J. Smith, K. Kustin and K. Nakanishi.
443. Rhodopsin activation: a novel view suggested by in vivo *Chlamydomonas* experiments, *J. Am. Chem. Soc.*, **110**, 6588-9 (1988), by K. W. Foster, J. Saranak, F. Derguini, V. J. Rao, G. R. Zarrilli, M. Okabe, J. M. Fang, N. Shimizu and K. Nakanishi.
444. Ginkgolides - Isolation and Structural Studies Carried out in the mid 1960's, in "Ginkgolides - Chemistry, Biology, Pharmacology and Clinical Perspectives", Ed. P. Braquet, J.R. Prous Science Publishers, Barcelona, 27-36 (1988), by K. Nakanishi .

445. Synthesis of guanine derivatives substituted in the O-6-position by mitomycin C, *Tetrahedron Lett.*, **29**, 4673-6 (1988), by B. F. McGuinness, K. Nakanishi, R. Lipman and M. Tomasz.
446. Structure of hydroazulenoid diterpenes from a marine alga and their absolute configuration based on circular dichroism, *J. Org. Chem.*, **53**, 4797-800 (1988), by J. T. Vazquez, M. Chang, K. Nakanishi, E. Manta, C. Perez and J. D. Martin.
447. Study of acetic acid/formic acid/water/chloroform solvent system application to the separation of two large and hydrophobic fragments of bacteriorhodopsin membrane protein by centrifugal partition chromatography, *J. Liq. Chromatogr.*, **11**, 2455-72 (1988), by A. Foucault and K. Nakanishi.
448. Photoaffinity Studies of Retinal Proteins, *Proceedings of the Yamada Conference XXI*, 37-42 (1988), by W.-D. Ding, T. Miyasaka, K. Nakanishi, H. Ok, L. Sastry and A. Tspirouras.
449. Activation of Chlamydomonas rhodopsin in vivo does not require isomerization of retinal, *Biochemistry*, **28**, 819-24 (1989), by K. W. Foster, J. Saranak, F. Derguini, G. R. Zarrilli, R. Johnson, M. Okabe and K. Nakanishi.
450. Theory of rhodopsin activation: probable charge redistribution of excited state chromophore, *Pure Appl. Chem.*, **61**, 361-4 (1989), by K. Nakanishi, F. Derguini, V. J. Rao, G. Zarrilli, M. Okabe, T. Lien, R. Johnson, K. W. Foster and J. Saranak.
451. Distribution of Tunichrome and Vanadium in Sea Squirt Blood Cells Sorted by Flow Cytometry, *Experientia*, **45**, 186-190 (1989), by E. M. Oltz, S. Pollack, T. Delohery, M. J. Smith, M. Ojika, S. Lee, K. Kustin and K. Nakanishi.
452. Wavelength Regulation in Iodopsin, a Cone Pigment, *Biophys. J.*, **55**, 725-729 (1989), by J. G. Chen, T. Nakamura, T. G. Ebrey, H. Ok, K. Konno, F. Derguini, K. Nakanishi and B. Honig.
453. Regeneration of Bovine and Octopus Opsins in Situ with Natural and Artificial Retinals, *Biochemistry*, **28**, 2732-2739 (1989), by Y. Koutalos, T. G. Ebrey, M. Tsuda, K. Odashima, T. Lien, M. H. Park, N. Shimizu, F. Derguini, K. Nakanishi, H. R. Gilson and B. Honig.
454. Chemical association in symbiosis. Sterol donors in planthoppers, *J. Chem. Ecol.*, **15**, 373-80 (1989), by B. K. Eya, P. T. M. Kenny, S. Y. Tamura, M. Ohnishi, Y. Naya, K. Nakanishi and M. Sugiura.
455. A simple spectroscopic method for assigning relative and absolute configuration in acyclic 1,2,3-triols, *J. Am. Chem. Soc.*, **111**, 3446-7 (1989), by W. T. Wiesler and K. Nakanishi.
456. Allosteric inhibition of nicotinic acetylcholine receptors of vertebrates and insects by philanthotoxin, *J. Pharmacol. Exp. Ther.*, **249**, 123-30 (1989), by R. Rozental, G. T. Scoble, E. X. Albuquerque, M. Idriss, S. Sherby, D. B. Sattelle, K. Nakanishi, K. Konno, A. T. Eldefrawi and M. E. Eldefrawi.
457. Microscale structure determination of oligosaccharides by the exciton chirality method, *Pure Appl. Chem.*, **61**, 1193-200 (1989), by M. Chang, H. V. Meyers, K. Nakanishi, M. Ojika, J. H. Park, M. H. Park, R. Takeda, J. T. Vazquez and W. T. Wiesler.
458. Regular and irregular sesquiterpenes containing a halogenated hydropyran from *Laurencia caespitosa*, *Phytochemistry*, **28**, 1417-24 (1989), by M. Chang, J. T. Vazquez, K. Nakanishi, F. Cataldo, D. M. Estrada, J. Fernandez, A. Gallardo, J. D. Martin, M. Norte, R. Perez and M. L. Rodriguez.
459. Puertitols: novel sesquiterpenes from *Laurencia obtusa*. Structure elucidation and absolute configuration and conformation based on circular dichroism, *J. Nat. Prod.*, **51**, 1257-60 (1988), by J. T. Vazquez, M. Chang, K. Nakanishi, J. D. Martin, V. S. Martin and R. Perez.

460. Stereocontrolled synthesis of andrimid and a structural requirement for the activity, *J. Chem. Soc., Chem. Commun.*, 299-301 (1989), by W. McWhorter, A. Fredenhagen, K. Nakanishi and H. Komura.
461. Endogenous Xanthurenic Acid as a Regulator of the Crustacean Molt Cycle, *Pure & Appl. Chem.*, **61**, 465-468 (1989), by Y. Naya, W. Miki, M. Ohnishi, M. Ikeda and K. Nakanishi.
462. Probes which reflect the distance between the retinal chromophore and membrane surface in bacteriorhodopsin (bR). Direction of retinal 9-methyl in bR, *J. Am. Chem. Soc.*, **111**, 4997-8 (1989), by M. H. Park, T. Yamamoto and K. Nakanishi.
463. Synthesis of unprotected (.+.)-tunicrome An-1, a tunicate blood pigment, *J. Am. Chem. Soc.*, **111**, 6242-6 (1989), by B. A. Horenstein and K. Nakanishi.
464. Biosynthetic studies of brevetoxins, potent neurotoxins produced by the dinoflagellate *Gymnodinium breve*, *J. Am. Chem. Soc.*, **111**, 6234-41 (1989), by M. S. Lee, G. Qin, K. Nakanishi and M. G. Zagorski.
465. Application of the bichromophoric exciton chirality method to the stereochemical elucidation of acyclic polyols, *Croat. Chem. Acta*, **62**, 211-26 (1989), by W. T. Wiesler and K. Nakanishi.
466. Synthesis of mosesin-4, a naturally occurring steroid saponin with shark repellent activity, and its analog 7- β -galactosyl ethyl cholate, *Tetrahedron*, **45**, 5423-32 (1989), by D. Gargiulo, T. A. Blizzard and K. Nakanishi.
467. Mechanism of isomerization of rhodopsin studied by use of 11-cis-locked rhodopsin analogs excited with a picosecond laser pulse, *Biochemistry*, **28**, 6460-7 (1989), by H. Kandori, S. Matuoka, Y. Shichida, T. Yoshizawa, M. Ito, K. Tsukida, N. V. Balogh and K. Nakanishi.
468. Philanthotoxins. A mass spectrometric investigation, *Rapid Commun. Mass Spectrom.*, **3**, 295-7 (1989), by P. T. M. Kenny, R. A. J. Goodnow, K. Konno and K. Nakanishi.
469. Microscale glycosidic cleavage of oligosaccharide bromobenzoates for circular dichroism analysis, *J. Am. Chem. Soc.*, **111**, 8944-6 (1989), by M. Ojika, H. V. Meyers, M. Chang and K. Nakanishi.
470. What is molt-inhibiting hormone? The role of an ecdysteroidogenesis inhibitor in the crustacean molting cycle, *Proc. Natl. Acad. Sci. U. S. A.*, **86**, 6826-9 (1989), by Y. Naya, M. Ohnishi, M. Ikeda, W. Miki and K. Nakanishi.
471. Benzyl ethers as chromophores in the exciton chirality method for absolute configurational studies of compounds with hindered hydroxyls, *Isr. J. Chem.*, **29**, 239-42 (1989), by R. Takeda, M. H. Park and K. Nakanishi.
472. Relative and absolute configurational assignments of acyclic polyols by circular dichroism. 1. Rationale for a simple procedure based on the exciton chirality method, *J. Am. Chem. Soc.*, **111**, 9205-13 (1989), by W. T. Wiesler and K. Nakanishi.
473. Natural Products Chemistry Past & Future, in "Nat. Prod. of Woody Plants", Ed. J. W. Rowe, Springer, Berlin, 13-25 (1989), by K. Nakanishi .
474. Fractionation and Proof of Structure of Natural Products, in "Natural Products of Woody Plants", Ed. J. W. Rowe, Springer-Verlag, Berlin, 27-124 (1989), by J. Snyder, R. Bruening, F. Derguini and K. Nakanishi .
475. Gradient elution in centrifugal partition chromatography: use of ternary diagrams to predict stability of the stationary liquid phase and calculate the composition of initial and final phases, *J. Liq. Chromatogr.*, **12**, 2587-600 (1989), by A. Foucault and K. Nakanishi.

476. Symbiotic microorganisms of insects: a potential new source for biologically active substances, *Pestic. Sci.*, **27**, 117-31 (1989), by P. T. M. Kenny, S. Y. Tamura, A. Fredenhagen, Y. Naya, K. Nakanishi, K. Nishiyama, M. Sugiura, H. Kita and H. Komura.
477. Separation of carotenes on cyclodextrin-bonded phases, *J. Chromatogr.*, **499**, 627-635 (1990), by A. M. Stalcup, H. L. Jin, D. W. Armstrong, P. Mazur, F. Derguini and K. Nakanishi.
478. Effects of modifications of the retinal .beta.-ionone ring on archaebacterial sensory rhodopsin I, *Biophys. J.*, **57**, 477-83 (1990), by B. Yan, T. Takahashi, D. A. McCain, V. J. Rao, K. Nakanishi and J. L. Spudich.
479. Synthesis of amphikuemin and analogs: a synomone that mediates partner-recognition between anemonefish and sea anemone, *Heterocycles*, **30**, 247-51 (1990), by K. Konno, G. W. Qin, K. Nakanishi, M. Murata and Y. Naya.
480. All-trans/13-cis isomerization of retinal is required for phototaxis signaling by sensory rhodopsins in *Halobacterium halobium*, *Biophys. J.*, **57**, 807-14 (1990), by B. Yan, T. Takahashi, R. Johnson, F. Derguini, K. Nakanishi and J. L. Spudich.
481. Visual Pigment & Bacteriorhodopsin Analogs, in "Chemistry & Biology of Synthetic Retinoids", Ed. M. I. Dawson and W. H. Okamura, CRC Press, Boca Raton, 147-176 (1990), by V. Balogh-Nair and K. Nakanishi .
482. Photoaffinity labeling of bacteriorhodopsin, *Biochemistry*, **29**, 4898-904 (1990), by W. D. Ding, A. Tsipouras, H. Ok, T. Yamamoto, M. A. Gawinowicz and K. Nakanishi.
483. The intracellular pH of tunicate blood cells: *Ascidia ceratodes* whole blood, morula cells, vacuoles and cytoplasm, *Biochim. Biophys. Acta*, **1033**, 311-17 (1990), by S. Lee, K. Nakanishi and K. Kustin.
484. A CD-spectroscopic alternative to methylation analysis of oligosaccharides: reference spectra for identification of chromophoric glycopyranoside derivatives, *Helv. Chim. Acta*, **73**, 509-51 (1990), by W. T. Wiesler, N. Berova, M. Ojika, H. V. Meyers, M. Chang, P. Zhou, L. C. Lo, M. Niwa, R. Takeda and K. Nakanishi.
485. Synthesis of Glutamate Receptor Antagonist Philanthotoxin-433 (PhTX-433) & Its Analogs, *Tetrahedron*, **46**, 3267-3286 (1990), by J. R. Goodnow, K. Konno, M. Niwa, T. Kallimopoulos, R. Bukownik, D. Lenares and K. Nakanishi.
486. Oligosaccharide microanalysis by CD spectroscopy. Reference curves for D-mannose derivatives, *Carbohydr. Res.*, **197**, 15-32 (1990), by H. V. Meyers, M. Ojika, W. T. Wiesler and K. Nakanishi.
487. Chemical regulation of crustacean molting, *Chem. Express*, **5**, 415-27 (1990), by Y. Naya, M. Ohnishi, M. Ikeda and K. Nakanishi.
488. Bovine rhodopsin with 11-cis-locked retinal chromophore neither activates rhodopsin kinase nor undergoes conformational change upon irradiation, *J. Am. Chem. Soc.*, **112**, 5387-8 (1990), by T. Zankel, H. Ok, R. Johnson, C. W. Chang, N. Sekiya, H. Naoki, K. Yoshihara and K. Nakanishi.
489. Relative and absolute configurational assignments of acyclic polyols by circular dichroism. 2. Determination of nondegenerate exciton coupling interactions by assignment of prochiral aryloxymethylene protons for proton NMR conformational analysis, *J. Am. Chem. Soc.*, **112**, 5574-83 (1990), by W. T. Wiesler and K. Nakanishi.
490. Spermine and Philanthotoxin Potentiate Excitatory Amino Acid Responses of *Xenopus* oocytes Injected with Rat and Chick Brain RNA, *Neuroscience Letters*, **114**, 51-56 (1990), by P. Brackley, J. R. Goodnow, K. Nakanishi, H. L. Sudan and P.N.R. Usherwood.

491. Structural elucidation of sporogenic fatty acid metabolites from *Aspergillus nidulans*, *Tetrahedron Lett*, **31**, 3837-40 (1990), by P. Mazur, H. V. Meyers, K. Nakanishi, Z. A. A. E. El and S. P. Champe.
492. 14-Fluorobacteriorhodopsin and Other Fluorinated and 14-Substituted Analogues. An Extra, Unusually Red-Shifted Pigment Formed during Dark Adaptation, *Biochemistry*, **29**, 5948-5953 (1990), by M. E. Tierno, D. Mead, A. E. Asata, R. S. H. Liu, N. Sekiya, K. Yoshihara, C.-W. Chang, K. Nakanishi, R. Govindjee and T. G. Ebrey.
493. Additivity in CD amplitudes of p-phenylbenzyl ethers and p-phenylbenzoates of 2-amino sugars, *Tetrahedron*, **46**, 5533-42 (1990), by R. Takeda, S. Y. Ryu, J. H. Park and K. Nakanishi.
494. Palladium catalyzed ScN^{I} reactions: stereoselective formation of cyclic carbamates from tert-butyltrimethylsilyl carbamates, *Tetrahedron Lett*, **31**, 5339-42 (1990), by G. W. Spears, K. Nakanishi and Y. Ohfuné.
495. Philanthotoxin-433 (PhTX-433), a non-competitive glutamate receptor inhibitor, *Pure Appl. Chem.*, **62**, 1223-30 (1990), by K. Nakanishi, R. Goodnow, K. Konno, M. Niwa, R. Bukownik, T. A. Kallimopoulos, P. Usherwood, A. T. Eldefrawi and M. E. Eldefrawi.
496. Sensitization of bleached rod photoreceptors by 11-cis-locked analogs of retinal, *Proc. Natl. Acad. Sci. U. S. A.*, **87**, 6823-7 (1990), by D. W. Corson, M. C. Cornwall, E. F. MacNichol, J. Jin, R. Johnson, F. Derguini, R. K. Crouch and K. Nakanishi.
497. Photoaffinity labeling studies of bacteriorhodopsin with [15-3H]-3-diazo-4-keto-all-trans-retinal, *J. Am. Chem. Soc.*, **112**, 7779-82 (1990), by M. F. Boehm, M. A. Gawinowicz, A. Foucault, F. Derguini and K. Nakanishi.
498. Structure-activity relationships of philanthotoxin analogs and polyamines on N-methyl-D-aspartate and nicotinic acetylcholine receptors, *J. Pharmacol. Exp. Ther.*, **254**, 764-73 (1990), by N. Anis, S. Sherby, R. J. Goodnow, M. Niwa, K. Konno, T. Kallimopoulos, R. Bukownik, K. Nakanishi, P. Usherwood, A. Eldefrawi and M. Eldefrawi.
499. Color regulation in the archaeobacterial phototaxis receptor phoborhodopsin (sensory rhodopsin II), *Biochemistry*, **29**, 8467-74 (1990), by T. Takahashi, B. Yan, P. Mazur, F. Derguini, K. Nakanishi and J. L. Spudich.
500. Substrate specificities and mechanism in the enzymic processing of vitamin A into 11-cis-retinol, *Biochemistry*, **29**, 9690-7 (1990), by F. J. Canada, W. C. Law, R. R. Rando, T. Yamamoto, F. Derguini and K. Nakanishi.
501. 4-Azido[3,5-[3H]]phenacylbromide, a versatile bifunctional reagent for photoaffinity radiolabeling. Synthesis of prostaglandin 4-azido[3,5-[3H]]phenacyl esters, *Bioconjugate Chem*, **1**, 363-4 (1990), by B. D. Smith, K. Nakanishi, K. Watanabe and S. Ito.
502. Structure-Activity Relationships of Analogues of the Wasp Toxin Philanthotoxin: Non-Competitive Antagonists of Quisqualate Receptors, *Toxicon*, **28**, 1333-1346 (1990), by M. Bruce, R. Bukownik, A. T. Eldefrawi, M. E. Eldefrawi, J. R. Goodnow, T. Kallimopoulos, K. Konno, K. Nakanishi, M. Niwa and P. N. R. Usherwood.
503. Synthesis of tunichromes Mm-1 and Mm-2, blood pigments of the iron-assimilating tunicate, *Molgula manhattensis*, *Tetrahedron Lett*, **31**, 7119-22 (1990), by D. Kim, Y. Li, B. A. Horenstein and K. Nakanishi.
504. Comparison of several aqueous two phase solvent systems (ATPS) for the fractionation of biopolymers by centrifugal partition chromatography (CPC), *J. Liq. Chromatogr.*, **13**, 2421-40 (1990), by A. Foucault and K. Nakanishi.

505. Gradient elution centrifugal partition chromatography: comparison with HPLC gradients and use of ternary diagrams to build gradients, *J. Liq. Chromatogr.*, **13**, 3583-602 (1990), by A. Foucault and K. Nakanishi.
506. 11-Cis-Retinal, a molecule uniquely suited for vision, *Pure Appl. Chem.*, **63**, 161-70 (1991), by K. Nakanishi.
507. p-[3H]-m-Azidophenyl acetic acid, a useful reagent for the synthesis of radioactive photoaffinity ligands. Synthesis of photoaffinity labeling ecdysones, *J. Chem. Soc., Chem. Commun.*, 52-53 (1991), by M. F. Boehm, K. Nakanishi and P. Cherbas.
508. Synthesis of 26-iodoponasterone, a new and very active ecdysteroid, *J. Chem. Soc., Chem. Commun.*, 51-52 (1991), by S. S. Lee, K. Nakanishi and P. Cherbas.
509. Isolation of unstable tunicchromes from tunicate blood via protection-deprotection, *J. Chem. Soc., Chem. Commun.*, 9-10 (1991), by D. Kim, Y. Li and K. Nakanishi.
510. Assignment of absolute stereochemistry of aminopolyols by the bichromophoric exciton chirality method, *J. Chem. Soc., Chem. Commun.*, 256-58 (1991), by P. Zhou, N. Berova, K. Nakanishi and M. Rohmer.
511. Unraveling the chemistry of tunicchrome, *Acc. Chem. Res.*, **24**, 117-24 (1991), by M. J. Smith, D. Kim, B. Horenstein, K. Nakanishi and K. Kustin.
512. ¹³C-NMR Assignments of Some Insect Molting Hormones, *Kaohsiung J. Medical Sciences*, **5**, 564-568 (1989), by S.-S. Lee and K. Nakanishi.
513. Microscale CD method for determining absolute configurations of acyclic amino tetrols and amino pentols. Structures of aminobacteriohopanepolyols from the methylotrophic bacterium *Methylococcus luteus*, *J. Am. Chem. Soc.*, **113**, 4040-2 (1991), by P. Zhou, N. Berova, K. Nakanishi, M. h. Knani and M. Rohmer.
514. Absolute configuration of hydroazulenoid diterpenes based on circular dichroism, *J. Org. Chem.*, **56**, 2671-5 (1991), by P. Arroyo, M. Norte, J. T. Vazquez and K. Nakanishi.
515. Inactivation of a Quisqualate-sensitive Glutamate Receptor by Photosensitive Analogues of Philanthotoxin, *Neuroscience Letters*, **125**, 62-64 (1991), by R. A. G. Jr., K. Nakanishi, H. L. Sudan and P. N. R. Usherwood.
516. Reductive alkylation of DNA by mitomycin A, a mitomycin with high redox potential, *Biochemistry*, **30**, 6444-53 (1991), by B. F. McGuinness, R. Lipman, J. Goldstein, K. Nakanishi and M. Tomasz.
517. Why 11-cis-retinal?, *Am. Zool.*, **31**, 479-89 (1991), by K. Nakanishi.
518. Reaction of sodium dithionite-activated mitomycin C with guanine at noncrosslinkable sequences of oligonucleotides, *J. Org. Chem.*, **56**, 4826-9 (1991), by B. F. McGuinness, R. Lipman, K. Nakanishi and M. Tomasz.
519. Down-Regulation of Ecdysteroidogenesis: Physiological Dynamics of Prothoracic and Y-Glands, *Chimicaoggi*, 53-56 (1991), by M. Ohnishi, K. Nakanishi and Y. Naya.
520. Synthesis and Binding of [¹²⁵I₂]Philanthotoxin-343, [¹²⁵I₂]Philanthotoxin-343-lysine, and [¹²⁵I₂]Philanthotoxin-343-arginine to Rat Brain Membranes, *J. Med. Chem.*, **34**, 2389-2394 (1991), by R. A. Goodnow, R. Bukownik, K. Nakanishi, P. N. R. Usherwood, A. T. Eldefrawi, N. A. Anis and M. E. Eldefrawi.

521. Photoisomerization of retinal at 13-ene is important for phototaxis of *Chlamydomonas reinhardtii*: simultaneous measurements of phototactic and photophobic responses, *Biochem. Biophys. Res. Commun.*, **178**, 1273-9 (1991), by T. Takahashi, K. Yoshihara, M. Watanabe, M. Kubota, R. Johnson, F. Derguini and K. Nakanishi.
522. Unique ultraviolet-visible and circular dichroism behavior due to exciton coupling in a biscyanine dye, *J. Am. Chem. Soc.*, **113**, 7046-7 (1991), by D. Gargiulo, F. Derguini, N. Berova, K. Nakanishi and N. Harada.
523. Biochemical characterization of histamine H1 receptors in bovine adrenal medulla, *Biochem. Biophys. Res. Commun.*, **177**, 1233-9 (1991), by M. Yamashita, S. Ito, K. Sugama, H. Fukui, B. Smith, K. Nakanishi and H. Wada.
524. Novel entry to a 3,4-disubstituted 2-azetidione derivative via palladium-assisted carbonylation of a 2-substituted 3-vinylaziridine, *Synlett*, **2**, 91-2 (1991), by G. W. Spears, K. Nakanishi and Y. Ohfuné.
525. Mechanism of activation of sensory rhodopsin I: evidence for a steric trigger, *Proc. Natl. Acad. Sci. U. S. A.*, **88**, 9412-16 (1991), by B. Yan, K. Nakanishi and J. L. Spudich.
526. All-trans-retinal is the chromophore bound to the photoreceptor of the alga *Chlamydomonas reinhardtii*, *Photochem. Photobiol.*, **54**, 1017-21 (1991), by F. Derguini, P. Mazur, K. Nakanishi, D. M. Starace, J. Saranak and K. W. Foster.
527. Structure and synthesis of sporogenic psi factors from *Aspergillus nidulans*, *J. Chem. Soc., Chem. Commun.*, 1486-1487 (1991), by P. Mazur, K. Nakanishi, E.-Z. A. A. Ebrahim and S. P. Champe.
528. Physiological Role of 3-Hydroxykynurenine and Xanthurenic Acid Upon Crustacean Molting, in "Kynurenine and Serotonin Pathways", Ed. R. Schwarcz et al., Plenum Press, New York, 309-318 (1991), by Y. Naya, M. Ohnishi, M. Ikeda, W. Miki and K. Nakanishi.
529. Heavy-Atom Labelled Retinal Analogues Located in Bacteriorhodopsin by X-Ray Diffraction, *Photochemistry and Photobiology*, **54**, 873-879 (1991), by G. Büldt, K. Konno, K. Nakanishi, H.-J. Plöhn, B. N. Rao and N. A. Dencher.
530. Retinal analog restoration of photophobic responses in a blind *Chlamydomonas reinhardtii* mutant. Evidence for an archaeobacterial like chromophore in a eukaryotic rhodopsin, *Biophys. J.*, **60**, 1490-8 (1991), by M. A. Lawson, D. N. Zacks, F. Derguini, K. Nakanishi and J. L. Spudich.
531. Intracellular signaling by 14-hydroxy-4,14-retro-retinol, *Science (Washington, D. C.)*, **254**, 1654-6 (1991), by J. Buck, F. Derguini, E. Levi, K. Nakanishi and U. Hammerling.
532. Natural Products and the Exciton Chirality Method--Part I: Brief Summary and Recent Results with Cyclic Compounds, *Fourth Int. Conference on CD, Bochum*, 115-131 (1991), by N. Berova and K. Nakanishi.
533. Natural Products and the Exciton Chirality Method--Part II: Bichromophoric Approach to Acyclic Polyols and Aminopolyols, *Fourth Int. Conference on CD, Bochum*, 1-17 (1991), by P. Zhou, W. T. Wiesler, Y. Chen, N. Berova and K. Nakanishi.
534. Scientific research and education in Japan, *Chem. Eng. News*, **69**, 30-45 (1991), by K. Nakanishi.
535. Quisqualate-sensitive glutamate receptors of the locust *Schistocerca gregaria* are antagonized by intracellularly applied philanthotoxin and spermine, *Neurosci. Lett.*, **131**, 196-200 (1991), by P. Brundell, R. G. Jr., C. J. Kerry, K. Nakanishi, H. L. Sudan and P. N. R. Usherwood.

536. Enantioselective synthesis of PsiA.beta., a sporogenic metabolite of *Aspergillus nidulans*, *J. Org. Chem.*, **57**, 1047-51 (1992), by P. Mazur and K. Nakanishi.
537. Isolation and structure of an intrastrand cross-link adduct of mitomycin C and DNA, *Biochemistry*, **31**, 3084-91 (1992), by R. Bizanek, B. F. McGuinness, K. Nakanishi and M. Tomasz.
538. In Vivo Incorporation of ^{14}C -Phenylalanine into Ascidian Tunichrome, *Experientia*, **48**, 311-422 (367-371?) (1992), by X. He, K. Kustin, D. L. Parry, W. E. Robinson, G. Ruberto and K. Nakanishi.
539. Synthesis of Novel and Photolabile Philanthotoxin Analogs: Glutamate Receptor Antagonists, *Tetrahedron*, **48**, 4793-4822 (1992), by S.-K. Choi, R. A. Goodnow, A. Kalivretenos, G. W. Chiles, S. Fushiya and K. Nakanishi.
540. Synthetic and bioorganic studies with philanthotoxin analogs, *Alfred Benzon Symp.*, **33**, 138-49 (1991), by K. Nakanishi, R. Goodnow, A. Kalivretenos, S. K. Choi, S. Fushiya, G. Chiles, A. Eldefrawi, M. Eldefrawi and P. Usherwood.
541. Philanthotoxin and Analogs, Noncompetitive Antagonists of Glutamate and Nicotinic Acetylcholine Receptors, in "Advances in New Drug Development", The Pharmaceutical Society of Korea, 299-308 (1992), by K. Nakanishi .
542. Ferric chloride, an anomerization catalyst for the preparation of alkyl .alpha.-glycopyranosides, *Tetrahedron Lett.*, **33**, 4295-8 (1992), by N. Ikemoto, O. K. Kim, L. C. Lo, V. Satyanarayana, M. Chang and K. Nakanishi.
543. Philanthotoxin-433 and analogs, noncompetitive antagonists of glutamate and nicotinic acetylcholine receptors in "Neurotox '91: Molecular Basis of Drug and Pesticide Action", Elsevier Applied Science, London, 3-17 (1991), by G. Chiles, S. K. Choi, A. Eldefrawi, M. Eldefrawi, S. Fushiya, R. J. Goodnow, A. Kalivretenos, K. Nakanishi and P. Usherwood.
544. Detection of Subpicomole Levels of Compounds Containing Hydroxyl and Amino Groups with the Fluorogenic Reagent, 2-Naphthoylimidazole, *Angewandte Chemie*, **31**, 890-891 (1992), by N. Ikemoto, L. C. Lo and K. Nakanishi.
545. Partial Purification of an Endogenous Elicitor from Suspension-cultured Cells of Red Bean, *Vigna Angularis*, *Experientia*, **48**, 683-687 (1992), by N. Phillips, S. Imoto, Y. Ohta and K. Nakanishi.
546. Determination of the absolute stereochemistry of nemadectins .alpha.2 and .alpha., *J. Am. Chem. Soc.*, **114**, 7371-4 (1992), by L. C. Lo, N. Berova, K. Nakanishi, G. Schlingmann, G. T. Carter and D. B. Borders.
547. Reactivity of tunicromes: reduction of vanadium(V) and vanadium(IV) to vanadium(III) at neutral pH, *J. Am. Chem. Soc.*, **114**, 9659-60 (1992), by D. E. Ryan, N. D. Ghatlia, A. E. McDermott, N. J. Turro, K. Nakanishi and K. Kustin.
548. Bioactive compounds from nature, *Acta Pharm. Nord.*, **4**, 319-28 (1992), by K. Nakanishi.
549. Diversion of the sign of phototaxis in a *Chlamydomonas reinhardtii* mutant incorporated with retinal and its analogs, *Febs Lett.*, **314**, 275-9 (1992), by T. Takahashi, M. Kubota, M. Watanabe, K. Yoshihara, F. Derguini and K. Nakanishi.
550. Past and present studies with ponasteroneponasterones, the first insect molting hormones from plants, *Steroids*, **57**, 649-57 (1992), by K. Nakanishi.
551. Structure and activity studies of pardaxin and analogs using model membranes of phosphatidylcholine, *Biochim. Biophys. Acta*, **1112**, 235-40 (1992), by C. J. Barrow, K. Nakanishi and K. Tachibana.

552. Diversity in steroidogenesis of symbiotic microorganisms from planthoppers, *J. Chem. Ecol.*, **18**, 2083-94 (1992), by J. M. Wetzel, M. Ohnishi, T. Fujita, K. Nakanishi, Y. Naya, H. Noda and M. Sugiura.
553. The triggering process of visual transduction, in "Structures and Functions of Retinal Proteins", Ed. J.-L. Rigaud, John Libbey and Co., London, 243-6 (1992), by A. H. Chen, F. Derguini, P. Franklin, S. Hu, K. Nakanishi, B. R. Silvo and J. Wang .
554. Cloning and expression of goldfish opsin sequences, *Biochemistry*, **32**, 208-14 (1993), by R. L. Johnson, K. B. Grant, T. C. Zankel, M. F. Boehm, S. L. Merbs, J. Nathans and K. Nakanishi.
555. Oligosaccharide microscale analysis by circular dichroic spectroscopy: reference spectra for chromophoric D-fructofuranoside derivatives, *Carbohydr. Res.*, **239**, 11-33 (1993), by N. Ikemoto, L. C. Lo, O. K. Kim, N. Berova and K. Nakanishi.
556. Circular dichroic studies of 2-amino-2-deoxygalactopyranosides - conformations of the 2-(N-acetyl-p-bromobenzamido) group, *Tetrahedron: Asymmetry*, **4**, 321-30 (1993), by L. C. Lo, N. Berova, K. Nakanishi, E. Q. Morales and J. T. Vazquez.
557. Photoisomerization mechanism of the rhodopsin chromophore: Picosecond photolysis of pigment containing 11-cis-locked eight-membered ring retinal, *Proc. Natl. Acad. Sci. U. S. A.*, **90**, 4072-6 (1993), by T. Mizukami, H. Kandori, Y. Shichida, A. H. Chen, F. Derguini, C. G. Caldwell, C. F. Bigge, K. Nakanishi and T. Toshizawa.
558. Isolation, structural, and mode-of-action studies on bioactive marine natural products, in "Mar. Biotechnol.", Ed. D. Attaway and O. Zaborsky, Plenum Press, New York, 45-76 (1993), by Y. Naya, K. Tachibana and K. Nakanishi .
559. Synthesis and assay of hybrid analogs of argiotoxin-636 and philanthotoxin-433: glutamate receptor antagonists, *Tetrahedron*, **49**, 5777-90 (1993), by S. K. Choi, K. Nakanishi and P. N. R. Usherwood.
560. Synthesis of retinals with eight- and nine-membered rings in the side chain. Models for rhodopsin photobleaching intermediates, *J. Org. Chem.*, **58**, 3533-7 (1993), by C. G. Caldwell, F. Derguini, C. F. Bigge, A. H. Chen, S. Hu, J. Wang, L. Sastry and K. Nakanishi.
561. Unique ultraviolet-vis absorption and circular dichroic exciton-split spectra of a chiral biscyanine dye: origin and nature, *J. Am. Chem. Soc.*, **115**, 4769-75 (1993), by N. Berova, D. Gargiulo, F. Derguini, K. Nakanishi and N. Harada.
562. CD Exciton Chirality Method: New Chromophores for Primary Amino Groups, *Angewandte Chemie*, **32**, 888-891 (1993), by D. Gargiulo, G. Cai, N. Ikemoto, N. Bozhkova, J. Odingo, N. Berova and K. Nakanishi.
563. Efficient synthesis of 4-methylene-L-glutamic acid and its analogs, *Synlett*, 409 (1993), by O. Ouerfelli, M. Ishida, H. Shinozaki, K. Nakanishi and Y. Ohfuné.
564. Circular dichroism exciton chirality method. New red-shifted chromophores for hydroxyl groups, *J. Am. Chem. Soc.*, **115**, 7192-8 (1993), by G. Cai, N. Bozhkova, J. Odingo, N. Berova and K. Nakanishi.
565. Assignment of relative and absolute configuration of acyclic polyols and aminopolyols by circular dichroism - trends follow Fischer's sugar family tree, *Tetrahedron*, **49**, 9343-52 (1993), by P. Zhou, N. Berova, W. T. Wiesler and K. Nakanishi.
566. Physicochemical characterization of a ouabain isomer isolated from bovine hypothalamus, *Proc. Natl. Acad. Sci. U. S. A.*, **90**, 8189-93 (1993), by A. A. Tymiak, J. A. Norman, M. Bolgar, G.

- C. DiDonato, H. Lee, W. L. Parker, L. C. Lo, N. Berova, K. Nakanishi, E. Haber and G. Haupt.
567. A chiroptical/chemical strategy for configurational assignments of acyclic 1,3-skipped polyols: model 1,2,4,6-tetrols, *J. Am. Chem. Soc.*, **115**, 9313-14 (1993), by P. Zhou, N. Zhao, D. N. Rele, N. Berova and K. Nakanishi.
568. Selective Antagonism of Native and Cloned Kainate and NMDA Receptors by Polyanamine-Containing Toxins, *Journal of Pharmacology and Experimental Therapeutics*, **266**, 1573-1580 (1993), by P. T. H. Brackley, D. R. Bell, D. K. Choi, K. Nakanishi and P. N. R. Usherwood.
569. Separation of the sticky peptides from membrane proteins by high-performance liquid chromatography in a normal-phase system, *Anal. Biochem.*, **215**, 38-44 (1993), by K. A. Lerro, R. Orlando, H. Zhang, P. N. R. Usherwood and K. Nakanishi.
570. Isolation of antho-RFamide related peptides from the eyestalks of blue crab, *Comp. Biochem. Physiol., B: Comp. Biochem.*, **104b**, 235-40 (1993), by A. Yasuda, Y. Naya and K. Nakanishi.
571. Synthesis of L-2-(2-Carboxy-4-methylenecyclopentyl)glycines (CPGs). Novel Conformationally Restricted Glutamate Analogues, *Tetrahedron Letters*, **34**, 5765-5768 (1993), by S. Raghavan, M. Ishida, H. Shinozaki, K. Nakanishi and Y. Ohfuné.
572. Synthesis of philanthotoxin analogs with a branched polyamine moiety, *J. Org. Chem.*, **58**, 6596-608 (1993), by A. G. Kalivretenos and K. Nakanishi.
573. Recent Applications of the Exciton Chirality Method to Cyclic and Acyclic Compounds. New Red Shifted Chromophores for Hydroxyl and Primary Amino Groups, in "Proc. Intl. CD Conf., Pingree Park", Ed. K. Nakanishi, R. W. Woody, N. Berova, and A-Y. M. Woody, Colorado State University, 106-116 (1993), by N. Berova and K. Nakanishi.
574. Comparative study of phototactic and photophobic receptor chromophore properties in *Chlamydomonas reinhardtii*, *Biophys. J.*, **65**, 508-18 (1993), by D. N. Zacks, F. Derguini, K. Nakanishi and J. L. Spudich.
575. Sequencing Membrane Proteins by Tandem Mass Spectrometry, *Org. Mass Spectrometry*, **28**, 1395-1402 (1993), by R. Orlando, P. T. M. Kenny, C. Moquin-Patthey, K. Lerro and K. Nakanishi.
576. Structures of insect antifeeding limonoids, trichilins F and G, from *Trichilia roka*, *Heterocycles*, **36**, 725-31 (1993), by M. Nakatani and K. Nakanishi.
577. Natural products as sources of pest management agents, in "Natural and Engineered Pest Management Agents (ACS Symp. Ser.)", Ed. P. A. Hedin, J. J. Menn and R. M. Hollingworth, ACS, Washington, DC, 11-24 (1994), by K. Nakanishi .
578. Unbleachable rhodopsin with an 11-cis-locked eight-membered ring retinal: The visual transduction process., *Biochemistry*, **33**, 408-16 (1994), by S. Hu, P. J. Franklin, J. Wang, B. E. R. Silva, F. Derguini and K. Nakanishi.
579. Intracellular signaling activity of synthetic (14R)-, (14S)-, and (14RS)-14-hydroxy-4,14-retroretinol, *Biochemistry*, **33**, 623-8 (1994), by F. Derguini, K. Nakanishi, U. Haemmerling and J. Buck.
580. Conformational Changes of Rapamycin and Analogs upon Complexing with FKBP Associated with Activity: An Application of Second Derivative CD Spectroscopy, *J. Am. Chem. Soc.*, **116**, 2683-4 (1994), by Y. Chen, P. Zhou, N. Berova, H. Zhang, K. Molnar-Kimber and T. J. Caggiano.

581. Synthesis of (+)-(4S)- and (-)-(4R)-11Z-4-Hydroxyretinals and determination of the absolute stereochemistry of a visual pigment chromophore in the bioluminescent squid, *Watasenia scintillans*, *Tetrahedron Lett.*, **35**, 905-8 (1994), by Y. Katsuta, K. Yoshihara, K. Nakanishi and M. Ito.
582. Malonofungin: an antifungal aminomalonic acid from *Phaeoamularia fusimaculans*, *Acta Chem. Scand.*, **48**, 240-51 (1994), by N. Berova, J. Breinholt, G. W. Jensen, A. Kjaer, L.-C. Lo, K. Nakanishi, R. I. Nielsen, C. E. Olsen, C. Pedersen and C. E. Stidsen.
583. Bioorganic studies of transmitter receptors with philanthotoxin analogs, *Pure Appl. Chem.*, **66**, 671-8 (1994), by K. Nakanishi, S. K. Choi, D. Hwang, K. Lerro, M. Orlando, A. G. Kalivretenos, A. Eldefrawi, M. Eldefrawi and P. N. R. Usherwood.
584. CD Exciton Chirality Method: Schiff Base and Cyanine Dye-Type Chromophores for Primary Amino Groups, *J. Am. Chem. Soc.*, **116**, 3760-7 (1994), by D. Gargiulo, N. Ikemoto, J. Odingo, N. Bozhkova, T. Iwashita, N. Berova and K. Nakanishi.
585. Rhodopsins containing 6- to 9-membered rings. The triggering process of visual transduction, *Pure Appl. Chem.*, **66**, 981-8 (1994), by K. Nakanishi, A. H. Chen, F. Derguini, P. Franklin, S. Hu and J. Wang.
586. Orientation of the Retinal 9-Methyl Group in Bacteriorhodopsin As Studied by Photoaffinity Labeling, *J. Am. Chem. Soc.*, **116**, 6823-31 (1994), by H. Zhang, K. A. Lerro, S. Takekuma, D.-J. Baek, C. Moquin-Patthey, M. F. Boehm and K. Nakanishi.
587. The Exciton Chirality Method, in "Circular Dichroism, Principles and Applications", Ed. K. Nakanishi, N. Berova and R. Woody, VCH Publishers, Inc., New York, 361-398 (1994), by K. Nakanishi and N. Berova.
588. Relief of opsin desensitization and prolonged excitation of rod photoreceptors by 9-desmethylretinal, *Proc. Natl. Acad. Sci. U. S. A.*, **91**, 6958-62 (1994), by D. W. Corson, M. C. Cornwall, E. F. MacNichol, S. Tsang, F. Derguini, R. K. Crouch and K. Nakanishi.
589. A putative sirolimus (rapamycin) effector protein, *Biochem. Biophys. Res. Commun.*, **203**, 1-7 (1994), by Y. Chen, H. Chen, A. E. Rhoad, L. Warner, T. J. Caggiano, A. Failli, H. Zhang and C.-L. Hsiao.
590. The Location of the Chromophore in Rhodopsin: A Photoaffinity Study, *J. Am. Chem. Soc.*, **116**, 10165-73 (1994), by H. Zhang, K. A. Lerro, T. Yamamoto, T. H. Lien, L. Sastry, M. A. Gawinowicz and K. Nakanishi.
591. SP-303 and Antiviral Oligomeric Proanthocyanidin from the Latex of *Croton Lechleri* (Sangre de Drago), *Phytomedicine*, **1**, 77-106 (1994), by R. Ubillas, S. D. Jolad, R. D. Bruening, M. R. Kernan, S. R. King, D. F. Sesin, M. Barrett, C. A. Stoddart, T. Flaster, J. Kuo, F. Ayala, E. Meza, M. Castanel, D. McMeekin, E. Rozhon, M. S. Tempesta, D. Barnard, J. Huffman, D. Smee, R. Sidwell, K. Soike, A. Brazier, S. Safrin, R. Orlando, P. T. M. Kenny, N. Berova and K. Nakanishi.
592. Spectroscopic study of anhydroretinol, an endogenous mammalian and insect retro-retinoid, *Angew. Chem.*, **33**, 1827-39 (1994), by F. Derguini, K. Nakanishi, J. Buck, U. Haemmerling and F. Gruen.
593. Synthesis of (+)-(4S)- and (-)-(4R)-(11Z)-4-Hydroxyretinals and Determination of the Absolute Stereochemistry of a Visual Pigment Chromophore in the Firefly Squid, *Watasenia scintillans*, *J. Org. Chem.*, **59**, 6917-21 (1994), by Y. Katsuta, M. Ito, K. Yoshihara, K. Nakanishi, T. Kikkawa and T. Fujiwara.

594. Absolute stereochemistry of natural 3,4-dihydroxy- β -ionone glycosides by the CD exciton chirality method, *J. Nat. Prod.*, **57**, 1761-5 (1994), by H.-U. Humpf, N. Zhao, N. Berova and K. Nakanishi.
595. Digitalis-like compounds of toad bile: sulfation and reduction of bufadienolides decrease potency of Na⁺,K⁺-ATPase inhibition, *Heterocycles*, **39**, 669-86 (1994), by S.-S. Lee, F. Derguini, R. C. Bruening, C. S. Rosenbaum and V. P. Butler, Jr.
596. Labeling studies of photolabile philanthotoxins with nicotinic acetylcholine receptors: Mode of interaction between toxin and receptor, *Chem. Biol.*, **2**, 23-32 (1995), by S.-K. Choi, A. G. Kalivretenos and P. N. R. Usherwood.
597. Vanadium in ascidians and the chemistry of tunichromes, in "Metal Ions in Biological Systems", Ed. H. Sigel and A. Sigel, Marcel Dekker, New York, 423-90 (1995), by M. J. Smith, D. E. Ryan, K. Nakanishi, P. Frank and K. O. Hodgson .
598. A new approach in exciton-coupled circular dichroism (ECCD)-insertion of an auxiliary stereogenic center, *Chirality*, **7**, 128-35 (1995), by R. Person, K. Monde, H.-U. Humpf and N. Berova.
599. Allylic and Homoallylic CD Exciton Chirality: A Sensitive Method for Determining the Absolute Stereochemistry of Natural Products, *J. Org. Chem.*, **60**, 3539-42 (1995), by H.-U. Humpf, N. Berova, K. Nakanishi, M. B. Jarstfer and C. D. Poulter.
600. Synthesis and bioactivity of photolabile sirolimus (rapamycin) analogs, *Bioorg. Med. Chem. Lett.*, **5**, 1355-8 (1995), by Y. Chen, K. Nakanishi, D. Merrill, C. P. Eng, K. L. Molnar-Kimber, A. Failii and T. J. Caggiano.
601. Methine-selective deuteration of V(acac)₃, [Co(acac)₂]₄, and Al(acac)₃, *J. Labelled Compd. Radiopharm.*, **36**, 595-8 (1995), by D. E. Ryan and K. Nakanishi.
602. Porphyrins: Powerful Chromophores for Structural Studies by Exciton-Coupled Circular Dichroism, *J. Am. Chem. Soc.*, **117**, 7021-2 (1995), by S. Matile, N. Berova, K. Nakanishi, S. Novkova, I. Philipova and B. Blagoev.
603. A two-step chemical and circular dichroic method for assigning the absolute configurations of sphingosines, *Tetrahedron Lett.*, **36**, 4959-62 (1995), by V. Dirsch, J. Frederico, N. Zhao, G. Cai, Y. Chen, S. Vunnam, J. Odingo, H. Pu, K. Nakanishi, N. Berova, D. Liotta, A. Bielawska and Y. Hannum.
604. Solid state NMR studies of paramagnetic coordination complexes: A comparison of protons and deuterons in detection and decoupling, *J. Am. Chem. Soc.*, **117**, 6897-906 (1995), by K. Liu, D. Ryan, K. Nakanishi and A. McDermott.
605. Quaternary Ammonium Salts as Chromophores for Exciton-Coupled Circular Dichroism: Absolute Configuration of Hypocholesterolemic Quinuclidines, *J. Am. Chem. Soc.*, **117**, 7844-5 (1995), by N. Zhao, N. Kumar, K. Neuenschwander, K. Nakanishi and N. Berova.
606. Na,K-ATPase Inhibitors from Bovine Hypothalamus and Human Plasma Are Different from Ouabain: Nanogram Scale CD Structural Analysis, *Biochemistry*, **34**, 9893-6 (1995), by N. Zhao, L.-C. Lo, N. Berova, K. Nakanishi, A. A. Tymiak, J. H. Ludens and G. T. Hauptert, Jr.
607. Photoaffinity labeling of rhodopsin and bacteriorhodopsin, *Biophys. Chem.*, **56**, 13-22 (1995), by K. Nakanishi, H. Zhang, K. A. Lerro, S.-i. Takekuma, T. Yamamoto, T. H. Lien, L. Sastry, D.-J. Baek, C. Moquin-Patthey, M. Boehm, F. Derguini and M. Gawinowicz.
608. 13,14-Dihydroxy-retinol, a new bioactive retinol metabolite, *J. Biol. Chem.*, **270**, 18875-80 (1995), by F. Derguini, K. Nakanishi, U. Haemmerling, R. Chua, T. Eppinger, E. Levi and J. Buck.

609. The action of philanthotoxin-343 and photolabile analogues on locust (*Schistocerca gregaria*) muscle, *Invertebrate Neuroscience*, **1**, 159-172 (1995), by H. L. Sudan, C. J. Kerry, I. R. Mellor, S.-K. Choi, D. Huang, K. Nakanishi and P. N. R. Usherwood.
610. Structural studies of vinblastine alkaloids by exciton coupled circular dichroism, *Phytochemistry*, **40**, 1821-4 (1995), by J.-G. Dong, W. Bornmann, K. Nakanishi and N. Berova.
611. Spectral tuning in bacteriorhodopsin in the absence of counterion and coplanarization effects, *J. Biol. Chem.*, **270**, 29668-70 (1995), by B. Yan, J. L. Spudich, P. Mazur, S. Vunnam, F. Derguini and K. Nakanishi.
612. Combined synthetic/CD strategy for the preparation and configurational assignments of model acyclic 1,3-polyols with a 1,2-diol terminal, *Chirality*, **7**, 636-51 (1995), by N. Zhao, P. Zhou, N. Berova and K. Nakanishi.
613. Application of artificial pigments to structure determination and study of photoinduced transformations of retinal proteins, *Isr. J. Chem.*, **35**, 253-272 (1995), by K. Nakanishi and R. Crouch.
614. Synthesis of philanthotoxin analogs with bulky heads including porphyrins. Self-assembly monitored by circular dichroism, *Heterocycles*, **42**, 723-36 (1996), by D. Huang, S. Matile, N. Berova and K. Nakanishi.
615. Absolute stereochemistry of the diepoxins, *Tetrahedron*, **52**, 435-46 (1996), by G. Schlingmann, S. Matile, N. Berova and Nakanishi.
616. Real-time detection of 60-fs isomerization in a rhodopsin analog containing eight-membered-ring retinal, *J. Am. Chem. Soc.*, **118**, 1002-5 (1996), by H. Kandori, H. Sasabe, K. Nakanishi, T. Yoshizawa, T. Mizukami and Y. Shichida.
617. A Laser Flash Photolysis Study of 11-Cis-Locked Retinal Analogs, *J. Phys. Chem.*, **100**, 646-54 (1996), by P. F. McGarry, J. Cheh, B. Ruiz-Silva, S. Hu, J. Wang, K. Nakanishi and N. J. Turro.
618. Ocular Age Pigment "A2-E": An Unprecedented Pyridinium Bisretinoid, *J. Am. Chem. Soc.*, **118**, 1559-60 (1996), by N. Sakai, J. Decatur, K. Nakanishi and G. E. Eldred.
619. Acyclic 1,2-/1,3-mixed pentols. Synthesis and general trends in bichromophoric exciton coupled circular dichroic spectra, *Tetrahedron*, **52**, 2759-76 (1996), by D. Rele, N. Zhao, K. Nakanishi and N. Berova.
620. Structures of two bacteriohopanoids with acyclic pentol side-chains from the cyanobacterium Nostoc PCC 6720, *Tetrahedron*, **52**, 2777-88 (1996), by N. Zhao, N. Berova, K. Nakanishi, M. Rohmer, P. Mougnot and U. J. Jurgens.
621. First Encounter with NOE in Natural Products - The Ginkgolides, in "Encyclopedia of NMR", John Wiley, (1996), by K. Nakanishi .
622. Selective cation movement across lipid bilayers containing brevetoxin B, *Angew. Chem., Int. Ed. Engl.*, **35**, 757-9 (1996), by S. Matile and K. Nakanishi.
623. Intramolecular porphyrin .pi.,.pi.-stacking: absolute configurational assignment of acyclic compounds with single chiral centers by exciton coupled circular dichroism, *Enantiomer*, **1**, 1-12 (1996), by S. Matile, N. Berova and K. Nakanishi.
624. Circular dichroic spectroscopy (CD) from the viewpoint of an organic chemist, *Enantiomer*, **1**, 83-84 (1996), by K. Nakanishi.

625. Structural Studies by Exciton Coupled Circular Dichroism over a Large Distance: Porphyrin Derivatives of Steroids, Dimeric Steroids, and Brevetoxin B, *J. Am. Chem. Soc.*, **118**, 5198-5206 (1996), by S. Matile, N. Berova, K. Nakanishi, J. Fleischhauer and R. W. Woody.
626. Exciton coupled circular dichroic studies of self-assembled brevetoxin-porphyrin conjugates in lipid bilayers and polar solvents, *Chem. Biol.*, **3**, 379-392 (1996), by S. Matile, N. Berova and K. Nakanishi.
627. Natural Products NMR, in "Encyclopedia of NMR", John Wiley, 3212-3222 (1996), by K. Nakanishi and T. Iwashita .
628. Polyamine Amides are Neuroprotective in Cerebellar Granule Cell Cultures Challenged with Excitatory Amino Acids, *Brain Research*, **717**, 135-146 (1996), by A. C. Green, K. Nakanishi and P. N. R. Usherwood.
629. Picomole scale stereochemical analysis of sphingosines and dihydrosphingosines, *Bioorg. Med. Chem.*, **4**, 1035-1043 (1996), by A. Kawamura, N. Berova, V. Dirsch, A. Mangoni, Yusuf and I. Kitagawa.
630. Reactions between Tunichrome Mm-1, a Tunicate Blood Pigment, and Vanadium Ions in Acidic and Neutral Media, *Biochemistry*, **35**, 8640-8650 (1996), by D. E. Ryan, K. B. Grant and K. Nakanishi.
631. Reactions between Vanadium Ions and Biogenic Reductants of Tunicates: Spectroscopic Probing for Complexation and Redox Products in Vitro, *Biochemistry*, **35**, 8651-8661 (1996), by D. E. Ryan, K. B. Grant, K. Nakanishi, P. Frank and K. O. Hodgson.
632. Search for an endogenous mammalian cardiogenic factor, in "Saponins used in Traditional and Modern Medicine", Ed. G. R. Walter and K. Yamasaki, Plenum Press, New York, 219-224 (1996), by K. Nakanishi, N. Berova, L.-C. Lo, N. Zhao, J. H. Ludens, A. A. Tymiak, B. Warrack and G. T. Haupt, Jr. .
633. 4-Oxoretinol, a new natural ligand and transactivator of the retinoic acid receptors, *Proc. Natl. Acad. Sci. U. S. A.*, **93**, 4879-4884 (1996), by C. C. Achkar, F. Derguini, B. Blumberg, A. Langston, A. A. Levin, J. Speck, R. M. Evans, J. Bolado, Jr., K. Nakanishi, J. Buck and L. Gudas.
634. Nanogram-scale derivatization of hydroxy groups for highly sensitive HPLC/MS/CD detection, *Chem. Commun.*, 43-44 (1997), by N. Zhao, J.-S. Guo, L.-C. Lo, N. Berova and A. Adrienne.
635. Philanthoxins and the nicotinic acetylcholine receptor, *ACS Symp. Ser.*, **658**, 339-353 (1997), by K. Nakanishi, D. Huang, K. Monde, Y. Tokiwa, K. Fang, Y. Liu, H. Jiang, X. Huang, S. Matile and et al.
636. Total Synthesis of the Ocular Age Pigment A2-E: A Convergent Pathway, *J. Am. Chem. Soc.*, **119**, 3619-3620 (1997), by R. X. F. Ren, N. Sakai and K. Nakanishi.
637. Lessons from nature and natural products chemistry, *Proc. Robert A. Welch Found. Conf. Chem. Res.*, 0557-1588 (1996), by K. Nakanishi.
638. Chemoenzymic Synthesis of 11-cis-Retinal Photoaffinity Analog by Use of Squid Retinochrome, *J. Am. Chem. Soc.*, **119**, 5758-5759 (1997), by B. Borhan, R. Kunz, A. Y. Wang and Nakanishi.
639. Synthesis of (25R)-cholest-5-ene-3.beta.,26-diol and its radiolabeled analog, *Tetrahedron Lett.*, **38**, 3801-3804 (1997), by T. E. D'Ambra, N. B. Javitt, K. Nakanishi and T. Warchol.