

HETEROCYCLES, Vol. 93, No. 1, 2016, pp. 9 - 46. © The Japan Institute of Heterocyclic Chemistry
DOI: 10.3987/COM-15-S(T)Publications

LIST OF PUBLICATIONS (Prof. Dr. Dr. *h.c.* Lutz F. Tietze)

- 1 B. Franck, L.F. Tietze Aporphines from laudanosoline and norlaudanosoline. *Angew. Chem.* **1967**, *79*, 815; *Angew. Chem. Int. Ed. Engl.* **1967**, *6*, 799-800.
- 2 L.F. Tietze Untersuchungen zur gezielten Oxidation von Laudanosolin-Derivaten. Dissertation Kiel **1968**.
- 3/4 G. Büchi, J.A. Carlson, J.E. Powell, Jr., L.F. Tietze Total synthesis of loganin. *J. Am. Chem. Soc.* **1970**, *92*, 2165-2167; *J. Am. Chem. Soc.* **1973**, *95*, 540-545.
- 5 L.F. Tietze Total synthesis of hydroxyloganin and hydroxyloganic acid. *Angew. Chem.* **1973**, *85*, 763-765; *Angew. Chem. Int. Ed. Engl.* **1973**, *12*, 757-758.
- 6 L.F. Tietze Fragmentation of Hydroxyloganin Derivates. An Easy Access to Secologanin Type Compounds. *J. Am. Chem. Soc.* **1974**, *96*, 946.
- 7 L.F. Tietze Synthesis of iridoids. *Chem. Ber.* **1974**, *107*, 2491-2498.
- 8 L.F. Tietze Total synthesis of hydroxyloganin and hydroxyloganic acid. *Chem. Ber.* **1974**, *107*, 2499-2512.
- 9 L.F. Tietze Secologanin, Schlüsselverbindung in der Biosynthese der Indol-Ipecacuanha- und Cinchona-Alkaloide. Untersuchungen zur Biogenese und Synthese. Habilitationsschrift, Münster **1975**.
- 10 G. Kinast, L.F. Tietze A new variant of the Mannich reaction. *Angew. Chem.* **1976**, *88*, 261-262; *Angew. Chem. Int. Ed. Engl.* **1976**, *15*, 239-240.
- 11 L.F. Tietze Synthesis and structural proof of bakankosine. *Tetrahedron Lett.* **1976**, 2535-2538.
- 12 G. Kinast, L.F. Tietze Biogenetic type synthesis of secologanin- and sweroside aglycon O-methyl ether. *Chem. Ber.* **1976**, *109*, 3626-3639.
- 13 G. Kinast, L.F. Tietze Enzymic cleavage of secologanin. A model for the biosynthesis of the indole alkaloids. *Chem. Ber.* **1976**, *109*, 3640-3645.
- 14 L.F. Tietze, U. Niemeyer, P. Marx Stereoselective synthesis of iridoid glycosides. *Tetrahedron Lett.* **1977**, 3441-3444.
- 15 L.F. Tietze, U. Niemeyer Synthese von Iridoidglucosiden. *Planta Medica* **1977**, *32A*, 47.
- 16 L.F. Tietze, U. Niemeyer Investigation toward the synthesis of iridoidglucosides. *Chem. Ber.* **1978**, *111*, 2423-2440.
- 17 L.F. Tietze, P. Marx Stereospecific synthesis of iridoid- α -glucosides. *Chem. Ber.* **1978**, *111*, 2441-2444.

- 18 L.F. Tietze, K. Brüggemann Synthesis of 1,4-dihydronicotinic acid derivatives by photochemical cycloaddition. *Angew. Chem.* **1979**, *91*, 575; *Angew. Chem. Int. Ed. Engl.* **1979**, *18*, 540.
- 19 L.F. Tietze, H.C. Uzar Use of biogenetic key compounds for the biomimetic synthesis of natural products: (S)-elenolide from secologanin. *Angew. Chem.* **1979**, *91*, 574-575; *Angew. Chem. Int. Ed. Engl.* **1979**, *18*, 539-540.
- 20 L.F. Tietze, G. Kinast, H.C. Uzar Fragmentation of γ -hydroxyammonium compounds to unsaturated aldehydes by short-time thermolysis. *Angew. Chem.* **1979**, *91*, 576; *Angew. Chem. Int. Ed. Engl.* **1979**, *18*, 541-542.
- 21 L.F. Tietze, U. Reichert Fluoride-induced fragmentation of trimethylsilyloxy sulfonates to *cis*-bonded hexahydroazulenones. *Angew. Chem.* **1980**, *92*, 832-833; *Angew. Chem. Int. Ed. Engl.* **1979**, *19*, 830.
- 22 K. Harms, P.G. Jones, G.M. Sheldrick L.F. Tietze, H.C. Uzar Methyl (1*S*,5*S*,6*S*,7*R*)-6-formyl-7-methyl-2,8-dioxabicyclo[3.3.1]non-3-ene-4-carboxylate. *Acta Crystallogr., Sect. B.* **1980**, *36*, 3156-3157.
- 23 W. Clegg, K. Harms, G.M. Sheldrick, G. v. Kiedrowski, L.F. Tietze (2*S*,6*aR*,9*R*,10*aR*)-6,6,9-trimethyl-1-oxo-2-phenylseleno-1,2,3,4,6*a*,7,8,9,10,10*a*-decahydro-6*H*-dibenzo[*b,d*]pyran. *Acta Crystallogr., Sect. B.* **1980**, *36*, 3159-3162.
- 24 P.G. Jones, G.M. Sheldrick, K.H. Glüsenkamp, L.F. Tietze Loganin. *Acta Crystallogr., Sect. B.* **1980**, *36*, 481-483.
- 25 L.F. Tietze, U. Niemeyer, P. Marx, K.H. Glüsenkamp Determination of the relative configuration and conformation of isomeric iridoid glycosides by proton and carbon-13 NMR and mass spectroscopy. *Tetrahedron* **1980**, *36*, 1231-1236.
- 26 L.F. Tietze, U. Niemeyer, P. Marx, K.H. Glüsenkamp, L. Schwenen Determination absolute configuration and conformation of iridoid glycoside isomers by chiroptical methods. *Tetrahedron* **1980**, *36*, 735-739.
- 27 L.F. Tietze, G. Kinast Transformation of acyclic ketones into aldehydes and ketones with substituted side chains. *Liebigs Ann. Chem.* **1980**, 451-460.
- 28 L.F. Tietze, G.v. Kiedrowski, K. Harms, W. Clegg, G.M. Sheldrick Stereocontrolled intramolecular Diels-Alder reaction of heterodienes; studies on the synthesis of cannabinoids. *Angew. Chem.* **1980**, *92*, 130-131; *Angew. Chem. Int. Ed. Engl.* **1980**, *19*, 134-135.
- 29 K. Harms, G.M. Sheldrick, R. Fischer, L.F. Tietze [(1*R**S*,2*R**S*,3*S**R*)-3-hydroxy-2-methylcyclopentyl]trimethylammonium chloride. *Acta Crystallogr., Sect. B.* **1980**, *36*, 3206-3208.
- 30 L.F. Tietze, G. v. Kiedrowski Syntheses of enantiomeric dihydropyrans through stereocontrolled intramolecular cycloaddition. *Tetrahedron Lett.* **1981**, *22*, 219-222.
- 31 L.F. Tietze, R. Fischer Stereoselective synthesis of α -glucosides with α 1,1'-diacetal structure. *Tetrahedron Lett.* **1981**, *22*, 3239-3242.

- 32 L.F. Tietze, R. Fischer Stereoselective synthesis of β -glucosides with 1,1'-diacetal structure. *Angew. Chem.* **1981**, *93*, 1002; *Angew. Chem. Int. Ed. Engl.* **1981**, *20*, 969.
- 33 L.F. Tietze, S. Henke Synthesis of [10-13C]secologanin. *Angew. Chem.* **1981**, *93*, 1005; *Angew. Chem. Int. Ed. Engl.* **1981**, *20*, 970.
- 34 A.R. Battersby, M. Thompson, K.-H. Glösenkamp, L.F. Tietze Studies on the biogenesis of indole alkaloids. Synthesis and feeding of radioactively labeled monoterpene aldehydes. *Chem. Ber.* **1981**, *114*, 3430-3438.
- 35 A.R. Battersby, N.D. Westcott, K.-H. Glösenkamp, L.F. Tietze Studies on the biogenesis of indole alkaloids. Synthesis and feeding of radioactively labeled hydroxyloganin derivatives. *Chem. Ber.* **1981**, *114*, 3439-3447.
- 36 L.F. Tietze, K.-H. Glösenkamp, M. Nakane, C.R. Hutchinson Stereocontrolled synthesis of (+)-sarracenin by photochemical cycloaddition. *Angew. Chem.* **1982**, *94*, 81-82; *Angew. Chem. Int. Ed. Engl.* **1982**, *21*, 70-71.
- 37 L.F. Tietze, G. v. Kiedrowski, B. Berger Aromatization of cyclohexenone derivatives via selenoorganic intermediates. *Tetrahedron Lett.* **1982**, *23*, 51-54.
- 38 L.F. Tietze, G. v. Kiedrowski, B. Berger Stereo- and regioselective syntheses of enantiomerically pure (+)- and (-)-hexahydrocannabinol by intramolecular cycloaddition. *Angew. Chem.* **1982**, *94*, 222-223; *Angew. Chem. Int. Ed. Engl.* **1982**, *21*, 221-222.
- 39 L.F. Tietze, G. v. Kiedrowski, B. Berger A new method of aromatization of cyclohexenone derivatives: synthesis of cannabichromene. *Synthesis* **1982**, 683-684.
- 40 L.F. Tietze, K.-H. Glösenkamp, K. Harms, G. Remberg, G.M. Sheldrick Diels-Alder reactions of malondialdehyde derivatives with reversed electron demand; an easy approach to structurally unique carbohydrates and compounds of the thromboxane type. *Tetrahedron Lett.* **1982**, *23*, 1147-1150.
- 41 L.F. Tietze, K.-H. Glösenkamp, W. Holla Simple stereoselective access to secoiridoids by [4 + 2]-cycloaddition of alkylidene-1,3-dicarbonyl compounds. *Angew. Chem.* **1982**, *94*, 793; *Angew. Chem. Int. Ed. Engl.* **1982**, *21*, 793.
- 42 L.F. Tietze, R. Fischer, H.-J. Guder Stereoselective synthesis of protected 1-O-trimethylsilyl- α -D-glucopyranosides. *Synthesis* **1982**, 946-948.
- 43 L.F. Tietze, K. Brüggemann Photochemically obtained 1,4-dihydropyridines and 2-hydroxytetrahydropyridines as first steps to benzo[a]quinolizidine alkaloids. *Angew. Chem.* **1982**, *94*, 550-551; *Angew. Chem. Int. Ed. Engl.* **1982**, *21*, 539-540.
- 44 L.F. Tietze, H. Stegelmeier, K. Harms, T. Brumby Control of the conformation of transition states in intramolecular Diels-Alder reactions with inverse electron demand. *Angew. Chem.* **1982**, *94*, 868-869; *Angew. Chem. Int. Ed. Engl.* **1982**, *21*, 863-864.

- 45 L.F. Tietze, R. Fischer, H.-J. Guder Simple and stereoselective synthesis of α - and β -phenylglycosides. *Tetrahedron Lett.* **1982**, 23, 4661-4664.
- 46 L.F. Tietze Aldehyde, Nachweismethoden und quantitative Bestimmung. Houben-Weyl-Ergänzungsband "Aldehyde", Thieme Verlag, **1983**, 673-680.
- 47 L.F. Tietze, A. Bergmann, K. Brüggemann Regioselective photochemical cycloaddition of enaminecarbaldehydes and alkenes; synthesis of 1,4-dihydropyridines and 2-hydroxy-1,2,3,4-tetrahydropyridines. *Tetrahedron Lett.* **1983**, 24, 3579-3582.
- 48 L.F. Tietze, R. Fischer Stereoselective synthesis of iridoid glycosides. *Angew. Chem.* **1983**, 95, 902-903; *Angew. Chem. Int. Ed. Engl.* **1983**, 22, 888.
- 49 L.F. Tietze Secologanin, a biogenetic key compound - synthesis and biogenesis of iridoidal and secoiridoidal glycosides. *Angew. Chem.* **1983**, 95, 840-853; *Angew. Chem. Int. Ed. Engl.* **1983**, 22, 828-841.
- 50 L.F. Tietze, K.H. Glüsenkamp Reaction acceleration and asymmetric induction in intermolecular Diels-Alder reactions of triacyl compounds. *Angew. Chem.* **1983**, 95, 901-902; *Angew. Chem. Int. Ed. Engl.* **1983**, 22, 887-888.
- 51 L.F. Tietze, A. Bergmann, K. Brueggemann Photochemical cycloadditions of enamine carboxaldehydes. Mechanism studies using carbon-13 labeled precursors. *Vortragstag. Fachgruppe Photochem. [Ges. Dtsch. Chem.]*, 8th **1983**, 101-104.
- 52 L.F. Tietze Diastereoselectivity and Asymmetric Induction in the Diels-Alder Reaction with inverse Electron Demand in: Selectivity - A Goal for Synthetic Efficiency. Edited by W. Bartmann and B.M. Trost, Verlag Chemie **1984**, p. 299-316.
- 53 T. Ikeda, C.R. Hutchinson, H. Meier, L.F. Tietze Stereochemical correlations of secoiridoid aglucones. *Tetrahedron Lett.* **1984**, 25, 2427-2430.
- 54 L.F. Tietze, A. Bergmann Synthesis of 1,4-dihydropyridine nucleosides by photochemical cycloaddition. *Angew. Chem.* **1985**, 97, 135-136; *Angew. Chem. Int. Ed. Engl.* **1985**, 24, 127-128.
- 55 L.F. Tietze, E. Voß, K. Harms, G.M. Sheldrick Hetero-Diels-Alder reaction of enaminecarbaldehydes. An entry to branched amino sugars. *Tetrahedron Lett.* **1985**, 26, 5273-5276.
- 56 L.F. Tietze, S. Brand, T. Pfeiffer Highly enantioselective intramolecular hetero Diels-Alder reactions for the synthesis of enantiomer-pure tricyclic lactones. *Angew. Chem.* **1985**, 97, 790-791; *Angew. Chem. Int. Ed. Engl.* **1985**, 24, 784-786.
- 57 L.F. Tietze, U. Beifuss Noninduced, highly diastereoselective, intramolecular ene reaction of 1,7-dienes to give trans-substituted cyclohexanes. *Angew. Chem.* **1985**, 97, 1067-1068; *Angew. Chem. Int. Ed. Engl.* **1985**, 24, 1042-1043.

- 58 L.F. Tietze, A. Bergmann, K. Brüggemann Synthesis of 4,4-disubstituted 1,4-dihydropyridines by photochemical cycloaddition of enaminocarboxaldehydes and alkenes. *Synthesis* **1986**, 190-192.
- 59 L.F. Tietze, S. Henke, G. Remberg Synthesis of ¹³C-Secologanin. *Liebigs Ann. Chem.* **1986**, 1413-1427.
- 60 L.F. Tietze, U. Beifuss Asymmetric induction in intramolecular ene reactions of 1,7-dienes. *Tetrahedron Lett.* **1986**, 27, 1767-1770.
- 61 L.F. Tietze, R. Seele Stereoselective synthesis of 1-O-trimethylsilyl- α - and - β -D-glucopyranuronate. *Carbohydr. Res.* **1986**, 148, 349-352.
- 62 K. Harms, G.M. Sheldrick, K. Brüggemann, L.F. Tietze Structure of an unexpected indole photolysis product. *Acta Crystallogr., Sect. C.* **1986**, 42, 1264-1266.
- 63 K. Harms, G.M. Sheldrick, K.-H. Glüsenkamp, L.F. Tietze An enantiospecific hetero-Diels-Alder product. *Acta Crystallogr., Sect. C.* **1986**, 42, 1268-1269.
- 64 W. Offermann, W. Kuhn, J. Stelten, D. Leibfritz, G. v. Kiedrowski, L.F. Tietze Towards automated structure elucidation. 1. Stereostructure of a synthetic cannabinoid. *Tetrahedron* **1986**, 42, 2215-2220.
- 65 K. Harms, G.M. Sheldrick, K.-H. Glüsenkamp, L.F. Tietze Structure of a Photolysis Product. *Acta Crystallogr., Sect. C.* **1986**, 42, 1269-1271.
- 66 K. Harms, G.M. Sheldrick, U. Reichert, L.F. Tietze Structure of a cycloheptenone derivative. *Acta Crystallogr., Sect. C.* **1986**, 42, 1662-1663.
- 67 K. Harms, G.M. Sheldrick, L.F. Tietze Stereochemistry of a hetero-Diels-Alder product. *Acta Crystallogr., Sect. C.* **1986**, 42, 1664-1665.
- 68 K. Harms, G.M. Sheldrick, W. Schul, L.F. Tietze Structure of an indolochinolizine derivative. *Acta Crystallogr., Sect. C.* **1986**, 42, 1665-1667.
- 69 L.F. Tietze, E. Voß Synthesis of 3-amino sugars of the daunosamine type through hetero-Diels-Alder reaction of enamines. *Tetrahedron Lett.* **1986**, 27, 6181-6184.
- 70 L.F. Tietze, S. Brand, T. Pfeiffer, J. Antel, K. Harms, G.M. Sheldrick Asymmetric induction in Grignard and hetero-Diels-Alder reactions of chiral α,β -unsaturated carbonyl compounds. *J. Am. Chem. Soc.* **1987**, 109, 921-923.
- 71 L.F. Tietze, G. Brill Nucleophilic acylation of 3,4-dihydroisoquinolinium salts. Diastereoselective synthesis of the protoberberine alkaloid (\pm)-corydaline and analogous compounds. *Liebigs Ann. Chem.* **1987**, 311-319.
- 72 L.F. Tietze, M. Bratz, R. Machinek, G.v. Kiedrowski Stereospecificity in intramolecular hetero-Diels-Alder reactions of 2-benzylidene-1,3-dicarbonyl compounds. *J. Org. Chem.* **1987**, 52, 1638-1640.

- 73 L.F. Tietze, T. Brumby, M. Pretor Intramolecular hetero-Diels-Alder reaction of 3-benzylidene-1,2-dicarbonyl compounds. *Synthesis* **1987**, 700-703.
- 74 L.F. Tietze, R. Fischer, H.J. Guder, A. Goerlach, M. Neumann, T. Krach Synthesis of acetal- α -glucosides. A stereoselective entry into a new class of compounds. *Carbohydr. Res.* **1987**, 146, 177-194.
- 75 L.F. Tietze, R. Fischer, H.-J. Guder, M. Neumann Development of selective cytostatica for cancer therapy. Synthesis of acetal- β -glucosides from cytotoxic aldehydes. *Liebigs Ann. Chem.* **1987**, 847-856.
- 76 L.F. Tietze, R. Fischer, G. Remberg Glucosidation of hemiacetals. Highly stereoselective synthesis of iridoid glucosides. *Liebigs Ann. Chem.* **1987**, 971-975.
- 77 L.F. Tietze, H. Denzer, X. Holdgrün, M. Neumann Stereocontrolled synthesis of anellated cyclopentanes by intramolecular hetero-Diels-Alder reaction. Synthesis of deoxyloganin from citronellal. *Angew. Chem.* **1987**, 99, 1309-1310; *Angew. Chem. Int. Ed. Engl.* **1985**, 26, 1295-1297.
- 78 L.F. Tietze, R. Seele, B. Leiting, T. Krach Stereoselective synthesis of (1-alkoxyalkyl) α - and β -D-glucopyranosiduronates (acetal-glucopyranosiduronates): a new approach to specific cytostatics for the treatment of cancer. *Carbohydr. Res.* **1988**, 108, 253-262.
- 79 L.F. Tietze, U. Beifuss New and efficient Lewis acid catalysts in intramolecular ene reactions. *Synthesis* **1988**, 359-362.
- 80 M. Buback, W. Tost, L.F. Tietze, E. Voß Hetero-Diels-Alder reactions of enamine carboxaldehydes at high pressure studied by on-line IR detection. *Chem. Ber.* **1988**, 121, 781-785.
- 81 L.F. Tietze, H. Meier, E. Voß Highly efficient syntheses of alkyl 3,3-dialkoxypropanoates, alkyl 4-ethoxy-2-oxo-3-butenates, and monoprotected malonaldehydes. *Synthesis* **1988**, 274-277.
- 82 L.F. Tietze, U. Beifuss, J. Antel, G.M. Sheldrick Stereoselective synthesis of *trans*-decalin by intramolecular ene reaction. Synthesis of enantiomeric pure cadinane-sesquiterpene veticadinol. *Angew. Chem.* **1988**, 100, 739-741; *Angew. Chem. Int. Ed. Engl.* **1988**, 27, 703-705.
- 83 L.F. Tietze, T. Brumby, T. Pfeiffer Stereoselective synthesis of five- and seven-membered annulated ring systems by intramolecular hetero-Diels-Alder reaction. *Liebigs Ann. Chem.* **1988**, 9-12.
- 84 L.F. Tietze, T. Brumby, S. Brand, M. Bratz Intramolecular hetero Diels-Alder reaction of alkylidene-1, 3-dicarbonyl compounds. Experimental evidence for an asymmetric transition state. *Chem. Ber.* **1988**, 121, 499-506.
- 85 L.F. Tietze, U. Beifuss Diastereoselective formation of cyclohexanes by intramolecular ene reactions of 1,7-dienes. *Liebigs Ann. Chem.* **1988**, 321-329.

- 86 L.F. Tietze, T. Hübsch, E. Voß, M. Buback, W. Tost Intermolecular hetero-Diels-Alder reactions of enamino ketones at high pressure. The first significant pressure-induced diastereoselectivity in organic transformations. *J. Am. Chem. Soc.* **1988**, 4065-4066.
- 87 L.F. Tietze, A. Görlach, M. Beller Synthesis of functionalised acetals for coupling with monoclonal antibodies and other biopolymers. *Liebigs Ann. Chem.* **1988**, 559-563.
- 88 L.F. Tietze, A. Görlach, M. Beller Synthesis of glycoconjugates of acetal glycosides with lysine and tripeptides for selective cancer therapy. *Liebigs Ann. Chem.* **1988**, 565-577.
- 89 J. Antel, G.M. Sheldrick, J. Bachmann, L.F. Tietze Structure of an indoloquinolizine derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 1679-1681.
- 90 J. Antel, G.M. Sheldrick, J. Bachmann, L.F. Tietze Crystal and molecular structure of an indoloquinolizine derivative, C₂₃H₂₈N₄O₃CH₂Cl₂. *Cryst. u. Spectrosc. Res.* **1988**, 18, 619-624.
- 91 L.F. Tietze, J. Bachmann, W. Schul Synthesis of strictosidine analogs by hetero-Diels-Alder reaction and their biomimetic conversion to indole alkaloids. *Angew. Chem.* **1988**, 100, 983-985; *Angew. Chem. Int. Ed. Engl.* **1988**, 27, 971-973.
- 92 L.F. Tietze, U. Beifuss, M. Ruther, A. Rühlmann, J. Antel, G.M. Sheldrick Induced and non-induced diastereoselective intramolecular ene reaction of 1,6-dienes: the unusual formation of *trans*-1,2-disubstituted cyclopentanes. *Angew. Chem.* **1988**, 100, 1200-1201; *Angew. Chem. Int. Ed. Engl.* **1988**, 27, 1186-1187.
- 93 J. Antel, G.M. Sheldrick, G. Brill, L.F. Tietze Structure of hexahydrobenzo[a]quinolizine derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 1690-1692.
- 94 J. Antel, G.M. Sheldrick, T. Pfeiffer, L.F. Tietze Structure of a 1,4-oxazepin-5-one derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 1860-1861.
- 95 J. Antel, G.M. Sheldrick, P. Schäfer, L.F. Tietze Structure of a 2,4-dithiinopyran derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 2037-2039.
- 96 J. Antel, G.M. Sheldrick, T. Pfeiffer, L.F. Tietze Structure of an oxazepinone derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 2226-2227.
- 97 J. Antel, G.M. Sheldrick, M. Bratz, L.F. Tietze Structure of a furo[3,4-b]azepine derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 2227-2229.
- 98 J. Antel, G.M. Sheldrick, L.F. Tietze, J. Wölfling Structure of a D-homoestrone derivative. *Acta Crystallogr., Sect. C.* **1988**, 44, 2229-2230.
- 99 L.F. Tietze Concepts for a selective chemotherapy of malignant tumors. *Nachrichten aus Chemie, Technik und Laboratorium* **1988**, 36, 728-737.

- 100 L.F. Tietze, S. Henke, C. Bärtels Biomimetic transformations of the biogenetic key intermediate secologanin. First synthesis of the secoiridoid secogalioside. *Tetrahedron* **1988**, *44*, 7145-7153.
- 101 L.F. Tietze, T. Brumby, M. Pretor, G. Remberg Intramolecular hetero-Diels-Alder reaction of alkylidene- and benzylidenepyrazolones and benzylideneisoxazolones. Investigations toward the conformation of the transition state. *J. Org. Chem.* **1988**, *53*, 810-820.
- 102 L.F. Tietze, A. Bergmann, G. Brill, K. Brüggemann, U. Hartfiel, E. Voß Synthesis and structure of enaminecarboxaldehydes and enamino ketones. *Chem. Ber.* **1988**, *122*, 83-94.
- 103 J. Antel, G.M. Sheldrick, B. Leiting, L.F. Tietze Structure of a 2,3,4-tri-O-acetyl- β -D-glucopyranosuronic acid derivative. *Acta Crystallogr., Sect. C.* **1989**, *45*, 60-62.
- 104 J. Antel, G.M. Sheldrick, T. Brumby, L.F. Tietze Structure of a hetero-Diels-Alder adduct. *Acta Crystallogr., Sect. C.* **1989**, *45*, 167-168.
- 105 L.F. Tietze, H. Meier, H. Nutt The tandem-Knoevenagel hetero-Diels-Alder reaction with a formylacetic acid equivalent. Synthesis of dihydropyrancarboxylates. *Chem. Ber.* **1989**, *122*, 643-650.
- 106 L.F. Tietze, C. Bärtels Synthesis of the monoterpene alkaloid bakankosin from secologanin. *Tetrahedron* **1989**, *45*, 681-686.
- 107 L.F. Tietze, M. Bratz The tandem-Knoevenagel hetero-Diels-Alder reaction with a formylacetic acid equivalent. Synthesis of dihydropyrancarboxylates. *Chem. Ber.* **1989**, *122*, 997-1002.
- 108 L.F. Tietze, M. Neumann, R. Fischer, T. Möllers, K.-H. Glüsenkamp, M.F. Rajewsky, E. Jähde Proton-mediated liberation of aldophosphamide from a nontoxic prodrug: a strategy for tumor-selective activation of cytotoxic drugs. *Cancer Res.* **1989**, *49*, 4179-4184.
- 109 L.F. Tietze, R. Fischer, M. Lögers, M. Beller Stereoselective synthesis of 1,1-dialkyl-1-methoxymethyl glucosides (acetal-glucosides). *Carbohydr. Res.* **1989**, *194*, 155-162.
- 110 L.F. Tietze, M. Bratz Electrophilic cyclization of doubly activated imines with Lewis acids and trialkylsilyl triflates. Synthesis of pyrrole and azepine derivatives. *Liebigs Ann. Chem.* **1989**, 559-564.
- 111 M. Buback, W. Tost, T. Hübsch, E. Voß, L.F. Tietze Diastereoselectivity and kinetics of intermolecular hetero Diels-Alder reactions under high pressure. A significant pressure-induced increase in stereoselectivity. *Chem. Ber.* **1989**, *122*, 1179-1186.
- 112 L.F. Tietze, M. Bratz Diastereoselective formation of substituted cyclic non-proteinogenic α -amino acids by cyclization of activated imines. *Synthesis* **1989**, 439-442.

- 113 L.F. Tietze, U. Beifuss, M. Ruther Asymmetric induction in intramolecular ene reactions of chiral 1,7-dienes: a diastereo- and enantioselective synthesis of substituted cyclohexanes. *J. Org. Chem.* **1989**, *54*, 3120-3129.
- 114 L.F. Tietze, J. Fennen, E. Anders Mechanism of the hetero-Diels-Alder reactions of oxadienes and alkenes. The acrolein-ethene system. *Angew. Chem.* **1989**, *101*, 1420-1422; *Angew. Chem. Int. Ed. Engl.* **1989**, *28*, 1371-1373.
- 115 L.F. Tietze, C. Bärtels, J. Fennen Biomimetic synthesis of the monoterpene alkaloids xylostosidine and loxylostosidine A and of similar unnatural compounds by transformations of the monoterpene glycoside secologanin. *Liebigs Ann. Chem.* **1989**, 1241-1245.
- 116 E. Jähde, K.-H. Glüsenkamp, I. Klünder, D.F. Hülser, L.F. Tietze, M.F. Rajewsky Hydrogen ion-mediated enhancement of cytotoxicity of bis-chloroethylating drugs in rat mammary carcinoma cells in vitro. *Cancer Res.* **1989**, *49*, 2965-2972.
- 117 J. Antel, G.M. Sheldrick, U. Beifuss, L.F. Tietze Structure of methyl 2-cyano-2-(2'-isopropenyl-5'-methylcyclohexyl)acetate. *Acta Crystallogr., Sect. C.* **1989**, *45*, 1833-1834.
- 118 J. Antel, G.M. Sheldrick, U. Hartfiel, L.F. Tietze Structure of a 3,4-dihydro-2H-pyran derivative. *Acta Crystallogr., Sect. C.* **1989**, *45*, 1834-1836.
- 119 L.F. Tietze, M. Bratz, M. Pretor Stereoselective electrophilic cyclization of doubly activated imines with allylsilanes and simple alkenes. *Chem. Ber.* **1989**, *122*, 1955-1961.
- 120 L.F. Tietze, T. Hübsch, M. Buback, W. Tost Diastereoselectivity and Kinetics of Hetero-Diels-Alder Reactions under High Pressure. *High Pressure Res.* **1990**, *5*, 638-640.
- 121 L.F. Tietze, R. Fischer, M. Beller, R. Seele Novel stable bioactivated cyclophosphamide derivatives for selective cancer chemotherapy. Synthesis of aldophosphamide acetal-glycosides and their glycoconjugates. *Liebigs Ann. Chem.* **1990**, 151-157.
- 122 J. Antel, G.M. Sheldrick, T. Pfeiffer, L.F. Tietze Structure of a benzopyranopyranooxazepinone. *Acta Crystallogr., Sect. C.* **1990**, *46*, 158-159.
- 123 L.F. Tietze, H. Meier, H. Nutt Synthesis of (±)-secologanin aglucone *o*-ethyl ether and derivatives by tandem Knoevenagel hetero Diels-Alder reaction. *Liebigs Ann. Chem.* **1990**, 253-260.
- 124 L.F. Tietze, M. Lögers Stereoselective synthesis of acetal-β-glucosides by reaction of 2,3,4,6-tetra-O-acetyl-β-D-glucopyranose with enol ethers. *Liebigs Ann. Chem.* **1990**, 261-265.
- 125 L.F. Tietze Domino-reactions: The tandem-Knoevenagel-hetero-Diels-Alder reaction and its application in natural product synthesis. *Journal of Heterocyclic Chem.* **1990**, *27*, 47-69.

- 126 L.F. Tietze, M. Ruther Stereoselective formation of trans-1,2-disubstituted cyclopentanes by intramolecular cyclization of allylsilane-alkylidene-1,3-dioxo-compounds. *Chem. Ber.* **1990**, *123*, 1387-1395.
- 127 L.F. Tietze, U. Beifuss, M. Lökös, M. Rischer, A. Göhrt, G.M. Sheldrick Synthesis of enantiomerically pure heterosteroids by intramolecular hetero-Diels-Alder reaction. *Angew. Chem.* **1990**, *102*, 545-547; *Angew. Chem. Int. Ed. Engl.* **1990**, *29*, 527-529.
- 128 L.F. Tietze, U. Hartfiel Hetero-Diels-Alder reaction of substituted 1-oxabutadienes and 2-ethoxyvinyl acetate. An entry to various natural occurring carbohydrates. *Tetrahedron Lett.* **1990**, *31*, 1697-1700.
- 129 L.F. Tietze, M. Beller Development of selective anticancer agents. Synthesis of acetal β -glucosides from cytotoxic alcohols. *Liebigs Ann. Chem.* **1990**, 587-591.
- 130 L.F. Tietze, M. Beller, R. Fischer, M. Löggers, E. Jähde, K. Glüsenkamp, M.F. Rajewsky Development of custom-made, acid-catalytically activatable cytostatics for selective tumor therapy. *Angew. Chem.* **1990**, *102*, 812-813; *Angew. Chem. Int. Ed. Engl.* **1990**, *29*, 782-783.
- 131 L.F. Tietze, S. Brand, T. Brumby, J. Fennen Effect of substituents in the chain between diene and dienophile moieties on the intramolecular hetero-Diels-Alder reaction of oxadienes. *Angew. Chem.* **1990**, *102*, 675-677; *Angew. Chem. Int. Ed. Engl.* **1990**, *29*, 665-667.
- 132 L.F. Tietze, J.R. Wunsch Photochemically induced synthesis of allylsilane carboxaldehydes. *Synthesis* **1990**, *11*, 985-990.
- 133 L.F. Tietze New Concepts for the development of selective Anticancer Agents in "Molecular Aspects of Chemotherapy. (E. Borowski, D. Shugar, Eds.) Pergamon Press. **1990**.
- 134 L.F. Tietze, G. v. Kiedrowski, K.G. Fahlbusch, E. Voß Diastereoselective formation of α -methoxycarbonyl lactones through an intramolecular Diels-Alder reaction: (4RS,4aRS,6RS,8aRS)-, (4S,4aS,6S,8aS)- and (4R,4aR,6R,8aR)-4-(methoxycarbonyl)-1,1,6-trimethyl-1,4,4a,5,6,7,8,8a-octahydro-2,3-benzopyrone. *Organic Syntheses* **1990**, *69*, 31-37.
- 135 L.F. Tietze, E. Voß, U. Hartfiel Synthesis of alkyl propanoates by a haloform reaction of a trichloro ketone: preparation of ethyl 3,3-diethoxypropanoate. *Organic Syntheses* **1990**, *69*, 238-244.
- 136 H.-J. Gabius, C. Schröter, S. Gabius, U. Brinck, L.F. Tietze Binding of T-antigen-bearing neoglycoprotein and peanut agglutinin to cultured tumor cells and breast carcinomas. *J. Histochem. and Cytochem.* **1990**, *38*, 1625-1631.
- 137 L.F. Tietze New concepts for the development of selective anticancer drugs. *Mol. Aspects Chemother., Proc. Int. Symp., 2nd 1990, Meeting Date 1988*, 55-70.
- 138 L.F. Tietze, U. Beifuss The Knoevenagel Reaction in "Comprehensive Organic Synthesis", ed. B.M. Tost, Pergamon Press. **1991**.

- 139 L.F. Tietze, J. Wölfling, G. Schneider
Synthesis of D-homoestrone derivatives by tandem Knoevenagel hetero Diels-Alder reactions from natural estrone. *Chem. Ber.* **1991**, *124*, 591-594.
- 140 L.F. Tietze, C. Bärtels
Synthesis of bridged homoiridoids from secologanin by tandem Knoevenagel-hetero-Diels-Alder reactions. *Liebigs Ann. Chem.* **1991**, 155-160.
- 141 L.F. Tietze, C. Schneider
Enantioselective total synthesis of the mycotoxin (-)-talaromycin B by a hetero Diels-Alder reaction. *J. Org. Chem.* **1991**, *56*, 2476-2481.
- 142 L.F. Tietze, U. Hartfiel, T. Hübsch, E. Voß, J. Wichmann
Synthesis of dihydropyrans by hetero Diels-Alder reaction of enamines. An efficient route to 3-amino sugar derivatives. *Chem. Ber.* **1991**, *124*, 881-888.
- 143 L.F. Tietze, M. Arlt, M. Beller, K.H. Glüsenkamp, E. Jähde, M.F. Rajewsky
Squaric acid diethyl ester: a new coupling reagent for the formation of drug biopolymer conjugates. Synthesis of squaric acid ester amides and diamides. *Chem. Ber.* **1991**, *124*, 1215-1221.
- 144 L.F. Tietze, U. Hartfiel, T. Hübsch, E. Voß, K. Bogdanowicz-Szwed, J. Wichmann
Synthesis of the 3-amino sugar glycosides rac-4-deoxydaunosaminide, rac-4-deoxyristosaminide, and rac-acosaminide. *Liebigs Ann. Chem.* **1991**, 275-281.
- 145 L.F. Tietze, C. Schröter, S. Gabius, U. Brinck, A. Goerlach, H.-J. Gabius
Conjugation of *p*-aminophenyl glycosides with squaric acid diester to a carrier protein and the use of the neoglycoprotein in the histochemical detection of lectins. *Bioconjugate Chemistry* **1991**, *2*, 148-153.
- 146 L.F. Tietze, T. Krach, M. Beller, M. Arlt
A new highly efficient method for the synthesis of 1'-alkyl and 1'-phenyl-substituted pyrimidine acyclonucleosides. *Chem. Ber.* **1991**, *124*, 2019-2024.
- 147 L.F. Tietze, M. Beller
Stereoselective synthesis of β,β -diglucoside acetals, a new class of glycosides and chiral acetals. *Angew. Chem.* **1991**, *103*, 878-880; *Angew. Chem. Int. Ed. Engl.* **1991**, *30*, 868-869.
- 148 L.F. Tietze, J.R. Wunsch
Stereoselective formation of annelated piperidines via photochemical cycloaddition and iminium ion-allylsilane cyclization. *Angew. Chem.* **1991**, *103*, 1665-1667; *Angew. Chem. Int. Ed. Engl.* **1991**, *30*, 1697-1699.
- 149 L.F. Tietze, H. Heinzen, P. Moyna, M. Rischer, H. Neunaber
Synthesis of [13C]- and [2H]betulin for biological transformations. *Liebigs Ann. Chem.* **1991**, 1245-1249.
- 150 L.F. Tietze, M. Beller, A. Terfort, A. Dölle
First synthesis and structural determination of blepharin and 1'-epiblepharin. *Synthesis* **1991**, *12*, 1118-1120.
- 151 H.J. Gabius, T. Grote, S. Gabius, U. Brinck, L.F. Tietze
Neoglycoprotein binding to colorectal tumour cells: comparison between primary and secondary lesions. *Pathol. Anat.* **1991**, *419*, 217-222.

- 152 L.F. Tietze, J.R. Wünsch, M. Noltemeyer Stereoselective sequential photochemical cycloaddition-iminium ion-propargylsilane cyclization. Synthesis of quinolizidines and pyrido[1,2-a]azepines. *Tetrahedron*. **1992**, 48, 2081-2099.
- 153 L.F. Tietze, P. Saling Enantioselective intramolecular hetero Diels-Alder reactions of 1-oxa-1,3-butadienes with a new chiral Lewis acid. *Synlett* **1992**, 281-282.
- 154 L.F. Tietze, J. Wichmann A short and diastereoselective access to indole alkaloids of the corynantheine type via intramolecular ene reactions. *Angew. Chem.* **1992**, 104, 1091-1092; *Angew. Chem. Int. Ed. Engl.* **1992**, 31, 1079-1080.
- 155 L.F. Tietze, J. Fennen, J. Wichmann Influence of phenylthio and alkylthio substituents on the reactivity of 1-oxa-1,3-butadienes in hetero Diels-Alder reactions. *Chem. Ber.* **1992**, 125, 1507-1511.
- 156 L.F. Tietze, T. Hübsch, J. Oelze, C. Ott, W. Tost G. Wörner, M. Buback Effect of high pressure on the stereoselectivity of intermolecular hetero-Diels-Alder reactions. *Chem. Ber.* **1992**, 125, 2249-2258.
- 157 L.F. Tietze, J. Utecht Unusual stereocontrol in intramolecular hetero Diels-Alder reactions of 2-aza-1,3-butadienes. A stereoselective sequential synthesis of annulated tetrahydropyridines. *Chem. Ber.* **1992**, 125, 2259-2263.
- 158 L.F. Tietze, R. Schimpf, J. Wichmann Synthesis of 1-substituted 1,2,3,4-tetrahydroisoquinolines from enamino ketones. *Chem. Ber.* **1992**, 125, 2571-2576.
- 159 L.F. Tietze, C. Schneider Efficient control of the endo/exo-selectivity in intermolecular hetero Diels-Alder reactions of a new 1-oxa-1,3-butadiene with different Lewis acids. *Synlett* **1992**, 755-756.
- 160 L.F. Tietze, A. Dölle and K. Schiemann Diastereoselective addition of allylsilanes to aldehydes in the synthesis of pure enantiomers of homoallylic alcohols. *Angew. Chem.* **1992**, 104, 1366-1367; *Angew. Chem. Int. Ed. Engl.* **1992**, 31, 1372-1373.
- 161 L.F. Tietze, M. Rischer The tandem-Sakurai-carbonyl-ene reaction: A new, highly selective sequential transformation for synthesis of steroid derivatives. *Angew. Chem.* **1992**, 104, 1269-1270; *Angew. Chem. Int. Ed. Engl.* **1992**, 31, 1221-1222.
- 162 M. Buback, J. Bünger, L.F. Tietze Pressure-induced diastereoselectivity in photochemical [2 + 2] cycloaddition reactions. *Chem. Ber.* **1992**, 125, 2577-2582.
- 163 L.F. Tietze, J. Wichmann Synthesis of functionalized 1,2,3,4-tetrahydro- β -carbolines from enamino ketones. *Liebigs Ann. Chem.* **1992**, 1063-1067.
- 164 L.F. Tietze, P. Saling Enantioselective sequential transformations by use of metal complexes: Tandem-Knoevenagel-hetero-Diels-Alder reactions with new chiral Lewis acids. *Chirality* **1993**, 5, 329-333.

- 165 L.F. Tietze, U. Beifuss Sequential transformations in organic chemistry: a synthetic strategy with a future. *Angew. Chem.* **1993**, *105*, 137-170; *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 131-163.
- 166 L.F. Tietze, R. Schimpf Efficient synthesis of 2,3,4,5-tetrahydro-1H-3-benzazepines by intramolecular Heck reaction. *Synthesis* **1993**, 876-880.
- 167 L.F. Tietze, H. Geissler Why is porphobilinogen the biological substrate for the formation of porphyrins? Determination of the conformation of acyclic tetrapyrroles as well as acid catalyzed cyclization of hydroxymethylpyrroles. *Angew. Chem.* **1993**, *105*, 1087-1089; *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 1038-1040.
- 168 L.F. Tietze, H. Geissler Study of the biosynthesis of biological pigments: determination of the formation of uroporphyrinogen III from hydroxymethylbilane and description of a mechanisms for D-ring-inversion. *Angew. Chem.* **1993**, *105*, 1090-1091; *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 1040-1042.
- 169 L.F. Tietze, P.S.V. Subba Rao Selective synthesis of a functionalized enantiopure cyclopentane derivative for the preparation of steroids. *Synlett* **1993**, 291-292.
- 170 H.-J. Gabius, T.V.Zemlyanukhina, N.V. Bovin, U. Brinck, A. Danguy, S.S. Joshi, K. Kayser, J. Schottelius F. Sinowatz, L.F. Tietze, F. Vidal Vanaclocha, J.P. Zanetta Reverse lectin histochemistry: Design and application of glycoligands for detection of cell and tissue lectins. *Histol. Histopath.* **1993**, *8*, 369-383.
- 171 L.F. Tietze, C. Ott, K. Gerke and M. Buback Enhancement of enantioselectivity of chemical reactions in the presence of chiral Lewis acids via high pressure. *Angew. Chem.* **1993**, *105*, 1536-1538; *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 1485-1486.
- 172 L.F. Tietze, J. Utecht Improved preparation of enantiomerically pure (+)-(4aS,5S)-5-tert-butoxy-4a-methyl-4,4a,5,6,7,8-hexahydro-2(3H)-naphthalenone. *Synthesis* **1993**, 957-958.
- 173 L.F. Tietze, C. Schneider, M. Pretor Improved synthesis of (E)-3-alkoxy- and (E)-3-phenoxyacryloyl chlorides. *Synthesis* **1993**, 1079-1080.
- 174 Pohl, R. Herbst-Irmer, M. Noltemeyer, C. Schneider. L.F. Tietze Structures of endo- and exo-3-acetoxy-2,4-diethoxy-6-(2-oxo-1,3-oxazolidin-3-ylcarbonyl)-3,4-dihydro-2H-pyran. *Acta Crystallogr., Sect. C.* **1993**, *49*, 1850-1852.
- 175 L.F. Tietze, T. Grote Synthesis of the reduced A-unit (CI) of the antitumor antibiotic CC-1065. *Chem. Ber.* **1993**, *126*, 2733-2737.

- 176 L.F. Tietze, U. Beifuss Diastereoselective formation of trans-1,2-disubstituted cyclohexanes from alkylidenemalonates by an intramolecular ene reaction: dimethyl (1'R,2'R,5'R)-2-(2'-isopropenyl-5'-methylcyclohex-1'-yl)-propane-1,3-dioate. *Organic Syntheses* **1993**, *71*, 167-174.
- 177 L.F. Tietze, M. Bratz Dialkyl mesoxalates by ozonolysis of dialkyl benzalmalonates: preparation of dimethyl mesoxalate. *Organic Syntheses* **1993**, *71*, 214-219.
- 178 L.F. Tietze, A. Fischer-Beller Stereoselective Synthesis of 2-Alkynyl and 2-Alkenyl-1-Ethoxy Glucosides - New Types of Acetal-Glycosides for the Use in the Treatment of Cancer. *Carbohydr. Res.* **1994**, *254*, 169-182.
- 179 L.F. Tietze, H. Geissler, J. Fennen, T. Brumby, S. Brand, G. Schulz Simple and Induced Diastereoselectivity in Intramolecular Hetero-Diels-Alder Reactions of 1-Oxa-1,3-butadienes. Experimental Data and Calculations. *J. Org. Chem.* **1994**, *59*, 182-191.
- 180 L.F. Tietze, T. Grote Synthesis of (*)-N₂ - (Benzenesulfonyl)-CPI, the Protected A-Unit of the Antitumor Antibiotic CC-1065, by Two Metal-Initiated Cyclisations. *J. Org. Chem.* **1994**, *59*, 192-196.
- 181 L.F. Tietze, K. Böge, V. Vill Liquid Crystalline D-Glucose Dialkyl Acetals and Dodecyl D-Glucofuranosides. *Chem. Ber.* **1994**, *127*, 1065-1068.
- 182 M. Noltemeyer, L.F. Tietze, J. Wölfling, Gy. Schneider Structure of a D-Homotestosterone Derivative. *Acta Crystallogr., Sect. C.* **1994**, *50*, 726-727.
- 183 J. Wölfling, Gy. Schneider, M. Noltemeyer, L.F. Tietze Structure of 3-Methoxy-16-16-dimethyl-5*androstan-17-one. *Acta Crystallogr., Sect. C.* **1994**, *50*, 964- 965.
- 184 L.F. Tietze, J. Wölfling, Gy. Schneider, M. Noltemeyer Synthesis of New 16-Spirosteroids. *Steroids* **1994**, 305-309.
- 185 L.F. Tietze, R. Schimpf Regio- and Enantioselective Silicon-terminated Intramolecular Heck- Reactions. *Angew. Chem.* **1994**, *106*, 1138-1139; *Angew. Chem. Int. Ed. Engl.* **1994**, *33*, 1089-1091.
- 186 L.F. Tietze, H. Geissler, G. Schulz Biosynthesis of the Pigments of Life. The Mystery of the Cyclisation and Ring D-Formation of Uroporphyrinogen III. *Pure. Appl. Chem.* **1994**, *66*, 2303.
- 187 L.F. Tietze, C. Schneider, A. Montenbruck Asymmetric 1,6-induced Hetero-Diels-Alder-Reaction of chiral Oxabutadiene for a de- novo-Synthesis of Enantiomerically pure Carbohydrates: Reversal of Lateral Differentiation by Variation of Lewis-Acid-Initiators. *Angew. Chem.* **1994**, *106*, 1031-103; *Angew. Chem. Int. Ed. Engl.* **1994**, *33*, 980-981.

- 188- L.F. Tietze and C. Schneider; Contribution to "Encyclopedia of Reagents for Organic Syntheses"
190 L.F. Tietze and H. Geissler (Hrsg. L.A. Paquette, R.M. Coates, S.E. Denmark) Ethyl nitro
191- acetate, Diethyl oxo malonate, Diethyl ethylidenemalonate, Ethyl
195 3,3-diethoxy-propanoate, Ethyl ethoxymethylenecyanoacetate,
Diethyl ethoxymethylenemalonate, Methyl diformylacetate. John
Wiley & Sons, London **1994**.
- 196 L.F. Tietze, A. Montenbruck, De Novo Synthesis of Enantiopure Carbo-hydrates: Preparation of
C. Schneider Ethyl β -D- and β -L- Mannopyranosides by an Asymmetrically
Induced Hetero Diels-Alder Reaction. *Synlett* **1994**, 509-510.
- 197 L.F. Tietze, H. Geissler, J.A. Tandem-Bisalkylation of 2-Trimethylsilyl-1,3-dithiane: A New
Gewert, U. Jakobi Sequential Transformation for the Synthesis of C2-Symmetrical
Enantiopure 1,5-Diols and β,β' -Dihydroxyketones as well as of
Enantiopure 1,3,5-Triols. *Synlett* **1994**, 511- 512.
- 198 L.F. Tietze, R. Schimpf Stereoselective Synthesis of Exocyclic Allyl- silanes by
Intramolecular Reductive Heck Cyclisation of Propargylsilanes.
Chem. Ber. **1994**, 127, 2235-2250.
- 199 M. Buback, K. Gerke, C. Ott, Kinetics and Selectivity of the Intramolecular and Hetero-Diels-
L.F. Tietze Alder Reaction of 1-Oxa-1,3-butadienes using a
Benzylidenebarbituric Acid Derivative. Effect of Pressure,
Temperature and Solvent. *Chem. Ber.* **1994**, 127, 2241-2248.
- 200 L.F. Tietze, O. Burkhardt Efficient Synthesis of Enantiopure Tetrahydro- isoquinolines by
Diastereoselective Intra- molecular Heck Reaction Using α -Amino
Acid Derivatives. *Synthesis* **1994**, 1331-1336.
- 201 L.F. Tietze, J. Bachmann, J. Domino Reactions in Organic Chemistry: The Knoevenagel-
Wichmann, O. Burkhardt Hetero-Diels- Alder Hydrogenation Sequence for the Biomimetic
Synthesis of Indole Alkaloids via Strictosidine Analogues.
Synthesis **1994**, 1185-1196.
- 202 E. Pohl, R. Herbst-Irmer, R. (+)-*N*-Trichloroacetyl-7,8-dimethoxy 1-vinyl-2,3,4,5-tetrahydro-
Schimpf, L.F. Tietze 1H-3- benzazepine at 3K. *Acta Crystallogr., Sect. C.* **1994**, 50,
1978-1980.
- 203- L.F. Tietze, C. Bärtels Secologanin, Loganin, Kingside, Loxylostosidine
207 A Xylostosidine Roth Collection of Natural Products Data. VCH
Verlagsgesellschaft Weinheim **1994**.
- 208 L.F. Tietze, T. Hübsch, Intermolecular Hetero-Diels-Alder Reactions of Enamino Ketones.
C. Ott, G. Kuchta, M. Buback Effect of High Pressure on the Kinetics and Diastereoselectivity.
Liebigs. Ann. Chem. **1995**, 1-7.
- 209 M. Buback, J. Abeln, Effect of High Pressure on the Kinetics and Selectivity of the
T. Hübsch, C. Ott, L.F. Tietze Intramolecular Hetero-Diels- Alder Reaction of a 1-Oxa-1,3-
butadiene. *Liebigs Ann. Chem.* **1995**, 9-11.

- 210 L.F. Tietze, W. Buhr Efficient Total Synthesis of the Pharmacophore of the Anticancer Antibiotic CC-1065 by Zirconocene-and Palladium- Initiated Cyclizations. *Angew. Chem.* **1995**, *107*, 1485-1487; *Angew. Chem. Int. Ed. Engl.* **1995**, *34*, 1366-1368.
- 211 L.F. Tietze, K. Schiemann, C. Wegner Enantioselective Synthesis of Tertiary Homoallylic Alcohols via Diastereoselective Addition of Allylsilanes to Ketones. *J. Am. Chem. Soc.* **1995**, *117*, 5851-5852.
- 212 L.F. Tietze, J. Fennen, H. Geissler, G. Schulz, E. Anders Ab Initio and Semiempirical Calculations of the Hetero-Diels-Alder Reaction of 1-Aza-1,3-butadiene with Ethene. *Liebigs Ann. Chem.* **1995**, 1681-1687.
- 213 L.F. Tietze, T. Raschke Enantioselective Total Synthesis of a Natural Norsesquiterpene of the Calamenene Group by a Silane-Terminated Intramolecular Heck Reaction. *Synlett* **1995**, 597-598.
- 214 L.F. Tietze, C. Schünke Intramolecular Allylsilane-Addition to chiral Alkylidene-1,3-dicarbonyl compounds for the Synthesis of enantiomerically pure trans-1,2-disubstituted Cyclopentanes and Cyclohexanes. *Angew. Chem.* **1995**, *107*, 1901-1903; *Angew. Chem. Int. Ed. Engl.* **1995**, *34*, 1731-1733.
- 215 L.F. Tietze, O. Burkhardt Stereo- und Regioselective Intramolecular Heck Reaction of α -Amino Acid Derivatives for the Synthesis of Enantiopure 3,4-Dihydroisoquinolines. *Liebigs Ann. Chem.* **1995**, 1153-1157.
- 216 L.F. Tietze, T. Neumann, M. Kajino, M. Pretor Efficient Synthesis of Branched Propargyl- and Allylsilanes. *Synthesis* **1995**, 1003-1006.
- 217 L.F. Tietze Domino Reactions in Organic Synthesis. *Chemistry and Industry* **1995**, 453-457.
- 218 L.F. Tietze, G. Schulz Molecular Switches: Calculations on the Stereodivergent Hetero-Diels-Alder Reaction of Chiral 1-Oxa-1,3-butadienes with Different Lewis Acids. *Liebigs Ann. Chem.* **1995**, 1921-1924.
- 219 L.F. Tietze, C. Ott, U. Frey Enantioselective Diels-Alder Reactions: NMR- Spektroskopie of a chiral Titanium-Lewis-Acid under high pressure. *Liebigs Ann. Chem.* **1996**, 63-67.
- 220 L.F. Tietze, C. Schneider, A. Grote Stereodivergent Hetero-Diels-Alder Reactions of Chiral 1-Oxa-1,3-butadienes through a Conformational Switch with Lewis Acids. *Chem. Eur. J.* **1996**, *2*, 139-148.
- 221 L.F. Tietze Domino Reactions in Organic Synthesis. *Chem. Rev.* **1996**, *96*, 115-136.
- 222 E. Pohl, C. Schünke, L.F. Tietze (2E, 4'S)-2-(4'-Benzyl-2'-oxo-3'-oxazolidinyl)-3-phenylacrylic Acid Methyl Ester. *Acta Crystallogr., Sect. C.* **1996**, *52*, 246-248.

- 223 L.F. Tietze, G. Schulz Ab Initio Molecular Orbital Calculations on Allylic 1,3- strain of Electron-acceptor-Substituted Alkenes. *Liebigs Ann. Chem.* **1996**, 1575-1079.
- 224 L.F. Tietze, A. Steinmetz Stereoselective Solid-phase Synthesis of Cyclopentane and Cyclohexanene derivatives by Two-component-Domino-Reactions : Generation of Combinatorial Libraries. *Angew. Chem.* **1996**, *108*, 682; *Angew. Chem. Int. Ed. Engl.* **1996**, *35*, 651-652.
- 225 L.F. Tietze, G. Kettschau, K. Heitmann Synthesis of N-Protected 2-Hydroxymethyl-pyrroles and Transformation into Acyclic Oligomers. *Synthesis* **1996**, 851-857.
- 226 L.F. Tietze, K. Schiemann, C. Wegner, C. Wulff Synthesis of Enantiopure Homoallylic Alcohols and Ethers via Diastereoselective Allylation of Aldehydes. *Chem. Eur. J.* **1996**, *2*, 1164-1172.
- 227 L.F. Tietze, C. Wegner, C. Wulff New Improved Reagents for the Asymmetric Allylation of Ketones. *Synlett* **1996**, *5*, 471-472.
- 228 M. Buback, G. Kuchta, A. Niklaus, M. Henrich, I. Rothert, L.F. Tietze Intermolecular Hetero-Diels-Alder Reactions of Enamino Ketones with Highly Substituted Vinyl Ethers. Effect of High Pressure on the Kinetics and Diastereoselectivity. *Liebigs Ann.* **1996**, 1151-1158.
- 229 L.F. Tietze, A. Steinmetz A General and Expedient Method for the Solid- Phase Synthesis of Structurally Diverse 1- Phenyl-Pyrazolone Derivatives. *Synlett* **1996**, 667-668.
- 230 L.F. Tietze, T. Nöbel, M. Spescha Stereoselective Synthesis of Steroids with the Heck-Reaction. *Angew. Chem.* **1996**, *108*, 2385; *Angew. Chem. Int. Ed. Engl.* **1996**, *35*, 2259-2261.
- 231 L.F. Tietze, J. Görlitzer Synthesis of Enantiopure Vitamin E via Sharpless Bishydroxylation of an Enyne. *Synlett* **1996**, 1041-1042.
- 232 L.F. Tietze, T. Hippe, A. Steinmetz Solid-Phase Three-Component Domino Reactions: Combinatorial Approach to Substituted 3,4-Dihydro-2H-pyrans. *Synlett* **1996**, 1043-1044.
- 233 M. Noltemeyer, T. Raschke, L.F. Tietze 2-(6-Methoxy-7-methyl-1,2,3,4-tetrahydro-1- naphthyl)ethyl 4,7,7-Trimethyl-3-oxo-2-oxa- bicyclo[2.2.1]heptane-1-carboxylate. *Acta Crystallogr., Sect. C.* **1996**, *52*, 2256-2258.
- 234 M. Noltemeyer, L.F. Tietze, J. Wölfling E. Frank, G. Schneider A Fluorinated D-Homoestrone Derivative. *Acta Crystallogr., Sect. C.* **1996**, *52*, 2258-2259.
- 235 L.F. Tietze, T. Raschke Enantioselective Total Synthesis and Absolute Configuration of a Natural Norsesquiterpene 7- Desmethyl-2-Methoxycalamene by a Silane-Terminated Intramolecular Heck Reaction. *Liebigs Ann. Chem.* **1996**, 1981-1987.

- 236 L.F. Tietze, R. Hannemann, W. Buhr, M. Lögers, P. Menningen, M. Lieb, D. Starck, T. Grote, A. Döring, I. Schuberth Prodrugs of the Cytostatic CC-1065 that can be activated in a Tumor-Selective Manner. *Angew. Chem.* **1996**, 108, 2840; *Angew. Chem. Int. Ed. Engl.* **1996**, 35, 2674-2677.
- 237 H. Heinzen, J.X. de Vries, P. Moyna, G. Remberg, R. Martinez, L.F. Tietze Mass Spectrometrie of Labelled Triterpenoids: Thermospray and Electron Impact Ionisation Analysis. *Phytochemical Analysis* **1996**, 7, 237-244.
- 238 M. Schaefer, R. Herbst-Irmer, E. Pohl, C. Schuenke, L.F. Tietze (2R)-3-[(4S)-4-Benzyl-2-oxo-3-oxazolidinyl]-3-oxo-2-[(1R,2S)-2-vinylcyclohexyl]propionic acid methyl ester and (2R)-3-[(4S)-4-benzyl-2-oxo-3-oxazolidinyl]-3-oxo-2-[(1R,2S)-2-vinylcyclopentyl]propionic acid methyl ester. *Acta Crystallogr., Sect. C.* **1996**, 8, 2029-2032.
- 239 L.F. Tietze, G. Schulz Investigations into the Biosynthesis of Porphyrins and Corrins - Calculations on 1,3- Allylic Strain and [1,5]-Sigmatropic Rearrangements in Pyrroles, Furans and Thiophenes. *Chem. Eur. J.* **1997**, 3, 523-529.
- 240 L.F. Tietze, G. Kettschau Hetero-Diels-Alder Reactions. *Topics in Current Chemistry* **1997**, 189, 1-120.
- 241 L.F. Tietze, A. Steinmetz, F. Balkenhohl Solid-Phase Synthesis of Polymer-bound *beta*-Ketoesters and their Application in the Synthesis of Structurally Diverse Pyrazolones. *Bioorg. Med. Chem. Lett.* **1997**, 7, 1303-1306.
- 242 L.F. Tietze, K. Heitmann, T. Raschke Allylsilane Terminated Domino Heck Reaction. *Synlett* **1997**, 35-37.
- 243 L.F. Tietze, O. Burkhardt, M. Henrich Intramolecular Heck Reaction for the Synthesis of Isochromanes under Ambient and High Pressure. *Liebigs. Ann.* **1997**, 887-891.
- 244 L.F. Tietze, O. Burkhardt, M. Henrich Diastereo- and Regioselective Intramolecular Heck Reaction of *alpha*-Amino Alcohol Derivatives for the Synthesis of Enantiomerically Pure Isoquinolines and Benzazepines at Ambient and High Pressure. *Liebigs. Ann.* **1997**, 1407-1413.
- 245 L.F. Tietze, J. Bachmann, J. Wichmann, Y. Zhou, T. Raschke Efficient Biomimetic Synthesis of Indole Alkaloids of the Vallesiachotamine Group by a Domino Knoevenagel Hetero-Diels-Alder Hydrogenation Sequence. *Liebigs Ann.* **1997**, 881-886.
- 246 L.F. Tietze, H. Schirok Highly Efficient Synthesis of Cephalotaxine by Two Palladium-Catalyzed Cyclizations. *Angew. Chem.* **1997**, 109, 1159; *Angew. Chem. Int. Ed. Engl.* **1997**, 36, 1124-1125.
- 247 L.F. Tietze, H. Keim Synthesis of a Novel Stable GM3-Lactone Analogue as Hapten for a Possible Immunization against Cancer. *Angew. Chem.* **1997**, 109, 1704; *Angew. Chem. Int. Ed. Engl.* **1997**, 36, 1615-1617.
- 248 L.F. Tietze, J. Görlitzer Enantioselective Synthesis of Chromanes for the Preparation of Enantiopure Vitamin E and Analogues. *Synthesis* **1997**, 877-885.

- 249 L.F. Tietze, J. Görlitzer Preparation of Enantiopure Precursors Vitamin E Synthesis. A Comparison of the Asymmetric Allylation of Ketones and the Sharpless Bishydroxylation. *Synlett* **1997**, 1049-1050.
- 250 L.F. Tietze, M. Henrich, I. Rothert, G. Kuchta, M. Buback Solvent Effects on the Kinetics and Diastereoselectivity of the Intermolecular Hetero-Diels-Alder- Reaction of an Enamino Ketone with Isopropenyl Methyl Ether and High Pressure. *Polish J. Chem.* **1997**, *71*, 1749-1762.
- 251 L.F. Tietze Dominoreaktionen. *Nachr. Chem. Tech. Lab.* **1997**, *45*, 1181-1187.
- 252 L.F. Tietze Die Biosynthese der Porphyrine. Berechnungen und Experimentellen Ergebnisse in Software - Entwicklung in der Chemie 11. Proceedings of the 11th Workshop "Computer in Chemistry", Paderborn, G. Fels (ED), V. Schubert (ED) **1997**, 3-10.
- 253 L. F. Tietze, J. Görlitzer Efficient Enantioselective Synthesis of Chiral Precursors for the Preparation of Vitamin E. *Liebigs Ann.* **1997**, 2221-2225.
- 254 L. F. Tietze, T. Noebel, M. Spescha, W. Buhr, H. Schirock Efficient domino-type transition metal catalyzed synthesis of natural products. *Book of Abstracts, 213th ACS National Meeting, San Francisco, April 13-17 1997*, ORGN-392.
- 255 L.F. Tietze, G. Kettschau, J.A. Gewert, A. Schuffenhauer Hetero-Diels-Alder Reactions of 1-Oxa-1,3-butadienes. *Current Organic Chemistry* **1998**, *2*, 19-62.
- 256 L.F. Tietze, R. Ferraccioli Efficient Synthesis of Aza-Heterocycles by a Domino Process using an Inter- and an Intra- molecular Heck Reaction. *Synlett* **1998**, 145-146.
- 257 L.F. Tietze, C. Wulff, C. Wegner, A. Schuffenhauer, K. Schiemann Mechanistic Investigations on the Highly Stereoselectiv Allylation of Aldehydes with a Norpseudoephedrine Derivative. *J. Am. Chem. Soc.* **1998**, *120*, 4276-4280.
- 258 L.F. Tietze, T. Hippe, A. Steinmetz Palladium-Catalyzed Allylic Substitution on Solid Support. *Chem. Comm.* **1998**, 793-794.
- 259 L.F. Tietze, J. Görlitzer Preparation of Chiral Building Blocks for a Highly Convergent Vitamin E Synthesis. Systematic Investigations on the Enantioselectivity of the Sharpless Bishydroxylation. *Synthesis* **1998**, 873-878.
- 260 L.F. Tietze, U. Bothe *Ortho*-Carboranyl Glycosides of Glucose, Mannose, Maltose and Lactose for Cancer Treatment by Boron Neutron-Capture Therapy. *Chem. Eur. J.* **1998**, *4*, 1179-1183.
- 261 L.F. Tietze, M. Lieb Domino Reactions for Library Synthesis of Small Molecules in Combinatorial Chemistry. *Curr. Opin. Chem. Biol.* **1998**, *2*, 363-371.

- 262 L.F. Tietze, C.O. Janssen, J. Gewert
Synthesis of Neolacto Ganglioside LM1. *Eur. J. Org. Chem.* **1998**, 1887-1894.
- 263 L.F. Tietze, D. Gretzke
Synthesis of Specifically Labelled Ganglioside [1c-13C]-GM3. *Eur. J. Org. Chem.* **1998**, 1895-1899.
- 264 L.F. Tietze,
A. Schuffenhauer,
P.R. Schreiner
The Conformations of Chiral α,β -Unsaturated Sulfoxides and their Complexes with Lewis Acids. *J. Am. Chem. Soc.* **1998**, *120*, 7952-7958.
- 265 L.F. Tietze, C. Wegner,
C. Wulff
Highly Selective Allylation of Alkyl Methyl Ketones in the Presence of Chiral 2-Amino Alcohols-Derivatives. *Eur. J. Org. Chem.* **1998**, 1639-1644.
- 266 L.F. Tietze, A. Schuffenhauer
Synthesis of Tetrahydro- and Dihydropyridines by Hetero-Diels-Alder Reactions of Enantiopure α,β -Unsaturated Sulfinimines. *Eur. J. Org. Chem.* **1998**, 1629-1637.
- 267 L.F. Tietze, W. Buhr,
J. Looft, T. Grote
Efficient Synthesis of the Pharmacophore of the Highly Potent Antitumor Antibiotic CC-1065. *Chem. Eur. J.* **1998**, *4*, 1554-1560.
- 268 L.F. Tietze, K. Schiemann, C. Wegner and C. Wulff
Synthesis of Enantiopure Homoallylic Alcohols by a Highly Selective Asymmetric Allylation of Ketones. *Chem. Eur. J.* **1998**, *4*, 1862-1869.
- 269 L.F. Tietze, T. Pfeiffer,
A. Schuffenhauer
Stereoselective Intramolecular Hetero-Diels-Alder Reactions of Cyclic Benzyldenesulfoxides and DFT Calculations on the Transition Structure. *Eur. J. Org. Chem.* **1998**, 2733-2741.
- 270 L.F. Tietze, T. Nöbel,
M. Spescha
Synthesis of Enantiopure Estrone via a Double Heck-Reaction. *J. Am. Chem. Soc.* **1998**, *35*, 8971-8977.
- 271 J. Wölfling, E. Frank, Gy. Schneider, M.T. Bes,
L.F. Tietze
Synthesis of Azasteroids and D-Homosteroids by Intramolecular Cyclization Reactions of Steroid Arylimines. *Synlett* **1998**, 1205-1206.
- 272 L.F. Tietze, Gy. Schneider, J. Wölfling, T. Nöbel, C. Wulff,
I. Schuberth, A. Rübeling
Efficient Synthesis of a Novel Estrone-Talaromycine Hybrid Natural Product. *Angew. Chem.* **1998**, *110*, 2644-2646; *Angew. Chem. Int. Ed. Engl.* **1998**, *37*, 2469-2470.
- 273 L. F. Tietze, C. Schünke
Synthesis of Enantiomerically pure trans-1,2-disubstituted Cyclopentanes and Cyclohexanes by Intramolecular Allylsilane Addition to Chiral Alkylidene 1,3-dicarbonyl Compounds. *Eur. J. Org. Chem.* **1998**, 2089-2099.
- 274 J. Wölfling, E. Frank,
Gy. Schneider, M.T. Bes,
L.F. Tietze
A Hexacyclic Estrone Derivative. *Acta Crystallogr., Sect. C.* **1998**, *54*, 1341-1343.
- 275 L. F. Tietze, K. Böge
Synthesis of Alkyl Polycycosides. Effect of Catalyst-type on Reaction Rate and Product Composition. *Fett/Lipid.* **1998**, *100*, 36-41.

- 276 L.F. Tietze, M. Henrich, A. Niklaus, M. Buback Effect of High Pressure on the Diastereoselectivity of Intermolecular Diels-Alder-Reactions. *Chem. Eur. J.* **1999**, *5*, 297-304.
- 277 J. Wölfling, E. Frank, Gy. Schneider, L.F. Tietze Synthesis of Unusual Bridged Steroid Alkaloids by an Iminium Ion Induced 1,5-Shift of a Benzylic Hydride. *Angew. Chem.* **1999**, *111*, 151-152; *Angew. Chem. Int. Ed. Engl.* **1999**, *38*, 200-201.
- 278 L.F. Tietze, J. Görlitzer, A. Schuffenhauer, M. Hübner Enantioselective Synthesis of the Chromane Moiety of Vitamin E. *Eur. J. Org. Chem.* **1999**, 1075-108.
- 279 L.F. Tietze, Y. Zhou Highly Efficient, Enantioselective Total Synthesis of the Active Anti-Influenza A Virus Indole Alkaloid Hirsutine and Related Compounds by Domino Reactions. *Angew. Chem.* **1999**, *111*, 2076-2078; *Angew. Chem. Int. Ed. Engl.* **1999**, *38*, 2045-2047.
- 280 L.F. Tietze, C. Wegener, C. Wulff First Total Synthesis and Determination of the Absolute Configuration of the Stress Factor (+)-Hydroxymyoporone. *Chem. Eur. J.* **1999**, *111*, 2076-2078.
- 281 L.F. Tietze, K. Thede, F. Sannicolo Regio- and enantioselective Heck reactions of aryl and alkenyl triflates with the new chiral ligand (R)-BITIANP. *Chem. Comm.* **1999**, 1811-1812.
- 282 J. Wölfling, E. Frank, Gy. Schneider, L.F. Tietze Synthesis of Novel Steroid Alkaloids by Cyclization of Arylimines from Estrone. *Eur. J. Org. Chem.* **1999**, 3013-3020.
- 283 L.F. Tietze, H. Schirok Enantioselective Highly Efficient Synthesis of (-)-Cephalotaxine Using Two Palladium-Catalyzed Transformations. *J. Am. Chem. Soc.* **1999**, *121*, 10264-10269.
- 284 O.A. Attanasi, P. Filippone, B. Guido, T. Hippe, F. Mantellini, L.F. Tietze First Preparation and Reaction of Polymer-Bound 1,2-diaza-1,3-butadienes. A Convenient Entry to 4-Triphenylphosphoranylidene-4,5-dihydropyrazol-5-ones. *Tetrahedron Lett.* **1999**, *40*, 9277-9280.
- 285 L.F. Tietze, B. Weigand, C. Wulff A Mild and Efficient Method for the Preparation of 1,3-Dithianes from Aldehydes and Ketones. *Synthesis* **2000**, 69-71.
- 286 L.F. Tietze, U. Bothe and I. Schuberth Preparation of a New Carboranyl Lactoside for the Treatment of Cancer by Boron Neutron Capture Therapy: Synthesis and Toxicity of Fluoro Carboranyl Glycosides for in vivo ¹⁹F NMR Spectroscopy. *Chem. Eur. J.* **2000**, *6*, 836-842.
- 287 L.F. Tietze, H. Schirok, M. Wöhrmann Palladium Catalyzed Synthesis of Cephalotaxine Analogues. *Chem. Eur. J.* **2000**, *6*, 510-518.
- 288 L.F. Tietze, K. Thede, R. Schimpf, F. Sannicolo Enantioselective Synthesis of Tetrahydroisoquinolines and Benzazepines by Silane Terminated Heck Reactions with the New Chiral Ligands (+)-TMBTP and (R)-BITIANP. *Chem. Comm.* **2000**, 583-584.
- 289 L.F. Tietze, S. Petersen Stereoselective Total Synthesis of a Novel D-Homosteroid by a Two-Fold Heck Reaction. *Eur. J. Org. Chem.* **2000**, 1827-1830.

- 290 L.F. Tietze, A. Modi Regioselective Silane-Terminated Intramolecular Heck Reaction with Alkenyl Triflates and Alkenyl Iodides. *Eur. J. Org. Chem.* **2000**, 1959-1964.
- 291 L.F. Tietze, H. Keim, C.O. Janßen, C. Tappertzhofen, J. Olschimke Synthesis of a Novel Ether-Bridged GM3-Lactone Analogue as a Target for an Antibody-Based Cancer Therapy. *Chem. Eur. J.* **2000**, *6*, 2801-2808.
- 292 L.F. Tietze, Y. Zhou, E. Töpken Synthesis of Simple Enantiopure Tetrahydro- β -carbolines and Tetrahydroisoquinolines. *Eur. J. Org. Chem.* **2000**, 2247-2252.
- 293 L.F. Tietze, H. Schirok, M. Wöhrmann, K. Schrader Efficient Synthesis of Six-Membered Ring D Analogues of the Pentacyclic Cephalotaxine by Two Palladium-Catalyzed Reactions. *Eur. J. Org. Chem.* **2000**, 2433-2444.
- 294 L.F. Tietze, A. Modi Multi-component Domino Reactions for the Synthesis of Biological Active Natural Products and Drugs. *Medicinal Research Reviews* **2000**, *20*, 304-322.
- 295 L.F. Tietze, G. Schneider, J. Wölfling, A. Fecher, T. Nöbel, S. Petersen, I. Schuberth, C. Wulff A Novel Approach in Combinatorial Chemistry. Synthesis of Estrone-Talaromycin Natural Product Hybrids. *Chem. Eur. J.* **2000**, *6*, 3755-3760.
- 296 L.F. Tietze, K. Thede Highly Regio- and Enantioselective Heck Reactions of *N*-Substituted 2-Pyrroline with the Novel Chiral Ligand BITIANP. *Synlett* **2000**, *10*, 1470-1472.
- 297 L.F. Tietze, F. Haurert Domino Reactions in Organic Synthesis. An Approach to Efficiency, Elegance, Ecological Benefit, Economic Advantage and Preservation of our Resources in Chemical Transformations in "Stimulating Concepts in Chemistry" (Eds.: M. Shibasaki, J.F. Stoddart and F. Vögtle). Wiley-VCH, Weinheim, **2000**, p. 39-64.
- 298 A. Kirschning, Guang-wu Chen, G. Dräger, I. Schuberth, L.F. Tietze Syntheses and Biological Evaluation of New Glyco-modified Angucyclin-antibiotics. *Bioorg. Med. Chem.* **2000**, *8*, 2347-2354.
- 299 F. Alves, U. Borchers, B. Padge, H. Augustin, K. Nebendahl, G. Klöppel, L.F. Tietze Inhibitory Effect of a Matrix Metalloproteinase Inhibitor on Growth and Spread of Human Pancreatic Ductal Adenocarcinoma Evaluated in an Orthotopic SCID-Mouse Model. *Cancer Lett.* **2001**, *165*, 161-170.
- 300 L.F. Tietze, B. Weigand, L. Völkel, C. Wulff, C. Bittner Synthesis of Enantiopure Homoallylic Ethers by Reagent Controlled Facial Selective Allylation of Chiral Ketones. *Chem. Eur. J.* **2001**, *7*, 161-168.
- 301 L.F. Tietze, G. Kettschau, U. Heuschert, G. Nordmann Highly Efficient Synthesis of Linear Pyrrol Oligomers by Two-Fold Heck Reactions. *Chem. Eur. J.* **2001**, *7*, 368-373.

- 302 L.F. Tietze, U. Bothe, U. Griesbach, M. Nakaichi, T. Hasegawa, H. Nakamura, Y. Yamamoto Carboranyl Bisglycosides for the Treatment of Cancer by Boron Neutron Capture Therapy. *ChemBioChem*. **2001**, 2, 326-334.
- 303 L.F. Tietze, L. Völkel Total Synthesis of the Macrolide Antibiotic 5,6-Dihydrocineromycin B. *Angew. Chem.* **2001**, 113, 925-927; *Angew. Chemie Int. Ed. Engl.* **2001**, 40, 901-902.
- 304 L.F. Tietze, S. Petersen Stereoselective Synthesis of Novel 19-Nor-Steroids by a Double Heck Reaction. *Eur. J. Org. Chem.* **2001**, 1619-1624.
- 305 L.F. Tietze, H. Evers, E. Töpken A Novel Concept in Combinatorial Chemistry in Solution with the Advantages of Solid-Phase Synthesis: Formation of N-Betaines by Multicomponent Domino Reactions. *Angew. Chem.* **2001**, 113, 927-929; *Angew. Chem. Int. Ed. Engl.* **2001**, 40, 903-905.
- 306 L.F. Tietze, L. Völkel, C. Wulff, B. Weigand, C. Bittner, P. McGrath, K. Johnson, M. Schäfer Facial Selective Allylation of Methyl Ketones for the Asymmetric Synthesis of α -Substituted Tertiary Homoallylic Ethers. *Chem. Eur. J.* **2001**, 7, 1304-1308.
- 307 L.F. Tietze, G. Nordmann Synthesis of a Linear Oligomeric Styrylpyrrole Using Multiple Heck and Wittig Reactions. *Synlett* **2001**, 337-340.
- 308 L.F. Tietze, C. Ott, H. Geißler and F. Haunert Regioselective Reduction and Ring Cleavage of Polycyclic Barbituric Acid Analogues Derived from Intramolecular Hetero-Diels-Alder Reactions. *Eur. J. Org. Chem.* **2001**, 1625-1630.
- 309 L.F. Tietze, H. Evers, T. Hippe, A. Steinmetz, E. Töpken Solid Phase Synthesis of Substituted Pyrazolones from Polymer bound β -keto Esters. *Eur. J. Org. Chem.* **2001**, 1631-1634.
- 310 L.F. Tietze, W.R. Krahnert Stereoselective Synthesis of Structurally Simplified Cephalostatin Analogues by Morefold Heck Reactions. *Synlett* **2001**, 560-562.
- 311 L.F. Tietze, U. Bothe, U. Griesbach, M. Nakaichi, T. Hasegawa, H. Nakamura, Y. Yamamoto Ortho-Carboranyl Glycosides for the Treatment of Cancer by Boron Neutron Capture Therapy, *Bioorg. Med. Chem.* **2001**, 9, 1747-1752.
- 312 L.F. Tietze, M. Lieb, T. Herzig, F. Haunert, I. Schuberth A Strategy for Tumor-Selective Chemotherapy by Enzymatic Liberation of seco-Duocarmycin SA-Derivatives from Non-toxic Prodrugs. *Bioorg. Med. Chem.* **2001**, 9, 1929-1939.
- 313 O. A. Attanasi, L. De Crescentini, P. Filippone, F. Mantellini, L.F. Tietze Solid-phase synthesis of 4-triphenylphosphoranylidene-4,5-dihydropyrazol-5-ones, 4-aminocarbonyl-pyrroles, 4-methoxy-1H-pyrazol-5(2H)-ones and 2-thiazolin-4-ones from polymer-bound 1,2-diaza-1,3-butadienes. *Tetrahedron* **2001**, 5855-5863.
- 314 L.F. Tietze, G. Nordmann A Novel Palladium-Catalyzed Domino-Tsuji-Trost-Process for the Synthesis of Tetrahydroanthracenes. *Eur. J. Org. Chem.* **2001**, 3247-3253.

- 315 L.F. Tietze, T. Herzig, A. Fecher, F. Hauernert, I. Schuberth Highly Selective Glycosylated Prodrugs of Cytostatic CC-1065 Analogs for Antibody Directed Enzyme Tumor therapy. *ChemBioChem*. **2001**, 758-765.
- 316 L.F. Tietze, P.L. Steck A domino spirocyclization to form lactams. *Eur. J. Org. Chem.* **2001**, 4353-4356.
- 317 L.F. Tietze, C. Ott, F. Hauernert Efficient and regioselective synthesis of bridged ring systems by domino Knoevenagel hetero-Diels-Alder reaction *Can. J. Chem.* **2001**, 79, 1511-1514.
- 318 P.L. Steck, M. Wöhrmann, L.F. Tietze Synthesis of oxo-cephalotaxine analogs applying two palladium-catalyzed transformations. *Abstracts of Papers, 221st ACS National Meeting, San Diego, CA, United States, April 1-5 2001*, 79, ORGN-380.
- 319 L.F. Tietze, K. Kahle, T. Raschke Efficient Synthesis of Tetrasubstituted Alkenes by Allylsilane-Terminated Domino-Heck Double Cyclisation. *Chem. Eur. J.* **2002**, 8, 401-407.
- 320 L.F. Tietze, U. Griesbach, U. Bothe, H. Nakamura, Y. Yamomoto Novel Carboranes with a DNA Binding Unit for the Treatment of Cancer by Boron Neutron Capture Therapy. *ChemBioChem*. **2002**, 3, 219-225.
- 321 L.F. Tietze, T. Feuerstein, A. Fecher, F. Hauernert, O. Panknin, U. Borchers, I. Schuberth, F. Alves Proof of Principle in the Selective Treatment of Cancer by Antibody Directed Enzyme Prodrug Therapy. The Development of a Highly Potent Prodrug. *Ang. Chem.* **2002**, 114, 785-787; *Ang. Chem. Int. Ed. Engl.* **2002**, 41, 759-761.
- 322 L.F. Tietze, W.-R. Krahnert Stereoselective Synthesis of Simplified Cephalostatin Analogues by Multifold Heck Reactions and their Biological Evaluation, *Chem.Eur.J.* **2002**, 8, 2116-2125.
- 323 L.F. Tietze, T. Herzig, T. Feuerstein, I. Schuberth Synthesis and Biological Evaluation of Novel Analogs and Prodrugs of the Cytotoxic Antibiotic CC-1065 for a Selective Cancer Therapy. *Eur. J. Org. Chem.* **2002**, 1634-1645.
- 324 F. Alves, U. Borchers, H. Keim, R. Fortte, J. Olschimke, W.F. Vogel, H. Halfter, L.F. Tietze Inhibition of EGF mediated receptor acitivity and cell proliferation by HK1-ceramide, a stable analogue of the ganglioside GM3-lactone. *Glycobiology* **2002**, 12, 517-522.
- 325 L.F. Tietze, U. Griesbach, O. Elsner Efficient Synthesis of *ortho* -Carborane by Reaction of Propiolic acid *tert*-butyl ester with Decaborane(14). *Synlett* **2002**, 1109-1110.
- 326 L.F. Tietze, H. Evers, E. Töpken A Novel Concept for Combinatorial Chemistry in Solution. Synthesis of Highly Substituted Pyrrolidines by Multicomponent Domino Reactions. *Helvetica Chimica Acta* **2002**, 85, 4200-4205.

- 327 L.F. Tietze, J.K. Lohmann Synthesis of Novel Chiral Thiophene-, Benzothiophene- and Benzofuran-Oxazoline Ligands and their Use in the Enantioselective Pd-Catalyzed Allylation. *Synlett* **2002**, 2083-2085.
- 328 L.F. Tietze, A. Cascaval Highly Functionalized Chroman-4-Ones via Four-Component Domino Reaction of Substituted 2-Bromoacetophenones. *Analele Stiintifice Ale Universitatii "Al. I. Cuza" Iasi, Seria Chimie*, tomul X, nr. 2, **2002**.
- 329 L.F. Tietze, P. Steck High pressure in organic synthesis: Influence on selectivity in "High Pressure Chemistry" (Eds.: R. Eldik, F.-G. Klärner), Wiley-VCH, Weinheim, **2002**, p. 239-283.
- 330 L.F. Tietze, F. Haunert, T. Feuerstein, T. Herzig A Concise and Efficient Synthesis of *seco*-Duocarmycin SA. *Eur. J. Org. Chem.* **2003**, 562-566.
- 331 L.F. Tietze, T. Ramachandar, C. Vock Stereoselective Synthesis of New Enantiopure Building Blocks for the Preparation of Steroids. *Synlett* **2003**, 118-120.
- 332 L.F. Tietze, U. Griesbach, I. Schuberth, U. Bothe, A. Marra, A. Dondoni Novel Carboranyl C-Glycosides for the Treatment of Cancer by Boron Neutron Capture Therapy. *Chem. Eur. J.* **2003**, 9, 1296-1302.
- 333 L.F. Tietze, J. Looft, T. Feuerstein Synthesis of Ring Size *seco*-Analogues of the Antitumor Antibiotic CC-1065 by Two Consecutive Transition Metal-Initiated Transformations. *Eur. J. Org. Chem.* **2003**, 2749-2755.
- 334 L.F. Tietze, K.M. Sommer, G. Schneider, P. Tapolcsanyi, J. Woelfling, P. Mueller, M. Noltemeyer, H. Terlau Novel medium ring sized estradiol derivatives by intramolecular Heck reactions. *Synlett* **2003**, 1494-1496.
- 335 L.F. Tietze, T. Feuerstein Highly Selective Compounds for the Antibody-Directed Enzyme Prodrug Therapy of Cancer. *Aust. J. Chem.* **2003**, 56, 841-854.
- 336 L.F. Tietze, S. Chandrasekhar, H. Bell Natural Product Hybrids as New Leads for Drug Discovery. *Angew. Chem.* **2003**, 115, 4128-4160; *Angew. Chem. Int. Ed. Engl.* **2003**, 42, 3996-4028.
- 337 L.F. Tietze, N. Rackelmann and G. Sekar Catalyst-Controlled Stereoselective Combinatorial Synthesis. *Angew. Chem.* **2003**, 115, 4386-4389; *Angew. Chem. Int. Ed. Engl.* **2003**, 42, 4254-4257.
- 338 K. Marten, T. Feuerstein, M. Funke, C. Engelke, L.F. Tietze, K. Nebendahl, L. Trümper, C. Jakob, E. Grabbe Multislice spiral computed tomography of an orthotopic severe combined immunodeficient mouse model for lung adenocarcinoma. *J. Exp. Anim. Sci.* **2003**, 42, 181-191.
- 339 J.J. Vanden Eynde, N. Labuche, Y. Van Haverbeke, L.F. Tietze Polymer-assisted synthesis of ethyl 2-amino-4,6-diarylpyrimidine-5-carboxylates. *Arkivok* **2003**, 22-28.

- 340 L.F. Tietze, J.M. Wiegand, C. Vock Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations. *J. Organomet. Chem.* **2003**, 346-352.
- 341 L.F. Tietze, T. Feuerstein Enzyme and Proton-Activated Prodrugs for a Selective Cancer Therapy. *Curr. Pharm. Des.* **2003**, 9, 2155-2175.
- 342 J. Wölfling, E. Frank, G. Schneider, L.F. Tietze Synthesis of Novel D-Secoestrone Isoquinuclidines by an Unpredicted Iminium Ion-Induced 1,5-Hydride Shift. *Eur. J. Org. Chem.* **2004**, 90-100.
- 343 L.F. Tietze, N. Rackelmann Enantioselective Synthesis of *Epi*-Emetine Analogues: Control of the Facial Selectivity in a Three-Component Domino Knoevenagel-Hetero-Diels-Alder Reaction. *Z. Naturforsch., B: Chem. Sci.* **2004**, 59, 468-477.
- 344 L.F. Tietze, J.K. Lohmann, C. Stadler Synthesis of Novel Highly Active Thiophene and Benzothiophene Containing Diphosphine Ligands and their Use in the Asymmetric Allylation of Catechol. *Synlett* **2004**, 6, 1113-1116.
- 345 L.F. Tietze, N. Rackelmann, I. Müller Enantioselective Total Syntheses of the *Ipecacuanha* Alkaloid Emetine, the *Alangium* Alkaloid Tubulosine and a Novel Benzoquinolizidine Alkaloid by Using a Domino Process. *Chem. Eur. J.* **2004**, 10, 2722-2731.
- 346 L.F. Tietze, L.P. Lücke, F. Major, P. Müller Efficient Synthesis of an Enantiopure Thiasteroid by a Double Heck Reaction. *Aust. J. Chem.* **2004**, 57, 635-640.
- 347 L.F. Tietze, S. Hölsken, J. Adrio, T. Kinzel, C. Wegner Facial-Selective Allylation of Methyl Ketones for the Asymmetric Synthesis of Tertiary Homoallylic Ethers. *Synthesis* **2004**, 13, 2236-2239.
- 348 L.F. Tietze, H. Ila, H.P. Bell Enantioselective Palladium Catalyzed Transformations. *Chem. Rev.* **2004**, 104, 3453-3516.
- 349 S.A.A. El Bialy, H. Braun, L.F. Tietze Synthesis of Azaspiro[4,4]nonanes as Key Structures of Several Bioactive Natural Products. *Synthesis* **2004**, 14, 2249-2262.
- 350 S.A.A. El Bialy, H. Braun, L.F. Tietze A Highly Efficient Synthesis of the Erythrina and B-Homoerythrina Skeleton by an AlMe₃-Mediated Domino Reaction. *Angew. Chem. Int. Ed.* **2004**, 43, 5391-5393.
- 351 L.F. Tietze, J.M. Wiegand, C.A. Vock Synthesis of a Novel Enantiopure Spiro-B-norestradiol Analogue by Multiple Pd-Catalyzed Transformations. *Eur. J. Org. Chem.* **2004**, 4107-4112.
- 352 L.F. Tietze, S.G. Stewart, M.E. Polomska, A. Modi, A. Zeeck Towards a Total Synthesis of the New Anticancer Agent Mensacarcin: Synthesis of the Carbocyclic Core. *Chem. Eur. J.* **2004**, 10, 5233-5242.
- 353 L.F. Tietze, N. Rackelmann Domino reactions in the synthesis of heterocyclic natural products and analogs. *Pure Appl. Chem.* **2004**, 76, 1967-1983.

- 354 L.F. Tietze, K.M. Sommer, J. Zinngrebe, F. Stecker Palladium-Catalyzed Enantioselective Domino Reaction for the Efficient Synthesis of Vitamin E. *Angew. Chem., Int. Ed.* **2005**, *44*, 257-259.
- 355 L.F. Tietze, S.G. Stewart, M.E. Polomska Intramolecular Heck Reactions for the Synthesis of the Novel Antibiotic Mensacarcin: Investigation of Catalytic, Electronic and Conjugative Effects in the Preparation of the Hexahydroanthracene Core, *Eur. J. Org. Chem.* **2005**, 1752-1759.
- 356 L.F. Tietze, C. Güntner, K.M. Gericke, I. Schuberth, G. Bunkoczi A Diels-Alder Reaction for the Total Synthesis of the Novel Antibiotic Antitumor Agent Mensacarcin, *Eur. J. Org. Chem.*, **2005**, 2459-2467.
- 357 I. Elghamry, L.F. Tietze Linearly $-\pi-$ Extended Porphyrins: Synthesis of Novel Tetrabenzoylporphyrins, *J. Heterocycl. Chem.*, **2005**, *42*, 503-508.
- 358 S.A.A. El Bialy, H. Braun, L.F. Tietze Enantioselective Synthesis of α -Alkylmalates as the Pharmacophoric Group of Several Natural Alkaloids and Glycosides. *Eur. J. Org. Chem.* **2005**, 2965-2972.
- 359 S.-B. Yang, F. Major, L.F. Tietze, M. Rupnik Block of Delayed-Rectifier Potassium Channels by Reduced Haloperidol and Related Compounds in Mouse Cortical Neurons. *J. Pharmacol. Exp. Ther.* **2005**, *315*, 352-362.
- 360 L.F. Tietze, A. Cascaval Highly Functionalized Chroman-4-Ones by a Three-Component Domino Reaction of some Halogenated 2-Hydroxypropiophenones. *Analele Stiintifice ale Universitatii "Al. I. Cuza" din Iasi, Chimie* **2005** *13*, 45-50.
- 361 L.F. Tietze, M.L. Birsa, A. Cascaval New 3-Amino-Chroman-4-Ones by a Three-Component Domino Reaction (3CDR) of Halogenated 2-Bromo-2'-Hydroxy-Propiophenones. *Analele Stiintifice ale Universitatii "Al. I. Cuza" din Iasi, Chimie* **2005** *13*, 91-95.
- 362 L.F. Tietze, N. Rackelmann The Domino-Knoevenagel-hetero-Diels-Alder Reaction and Related Transformations in "Multicomponent Reactions" (Eds.: Zhu, Bienaymé) Wiley-VCH, Weinheim, **2005**, p. 121-168.
- 363 L.F. Tietze, F. Major Synthesis of New Water-Soluble DNA-Binding Subunits for Analogues of the Cytotoxic Antibiotic CC-1065 and Their Prodrugs. *Eur. J. Org. Chem.* **2006**, 2314-2321.
- 364 L.F. Tietze, G. Brasche, C. Stadler, A. Grube, N. Böhnke Multiple Palladium-Catalyzed Reactions for the Synthesis of Analogues of the Highly Potent Insecticide Spinosyn A. *Angew. Chem.* **2006**, *118*, 5137-5140; *Angew. Chem. Int. Ed.* **2006**, *45*, 5015-5018.
- 365 L.F. Tietze, T. Kinzel, S. Schmatz Origin of syn/anti-Diastereoselectivity in Aldehyde and Ketone Crotylation Reactions – A Combined Theoretical and Experimental Study. *J. Am. Chem. Soc.* **2006**, *128*, 11483-11495.

- 366 L.F. Tietze, B. Krewer, H. Frauendorf, F. Major, I. Schuberth Investigation of Reactivity and Selectivity of DNA-Alkylating Duocarmycin Analogues by High-Resolution Mass Spectrometry. *Angew. Chem.* **2006**, *118*, 6720-6724; *Angew. Chem., Int. Ed.* **2006**, *45*, 6570-6574.
- 367 L.F. Tietze, F. Major, I. Schuberth Antitumor Agents: Development of Highly Potent Glycosidic Duocarmycin Analogues for Selective Cancer Therapy. *Angew. Chem.* **2006**, *118*, 6724-6727; *Angew. Chem., Int. Ed.* **2006**, *45*, 6574-6577.
- 368 L.F. Tietze, F. Lotz Pd-Catalysed Domino Arylation/CH Activation for the Synthesis of Acenaphthylenes. *Eur. J. Org. Chem.* **2006**, 4676-4684.
- 369 L.F. Tietze, F. Stecker, J. Zinngrebe, K.M. Sommer Enantioselective Palladium-Catalyzed Total Synthesis of Vitamin E by Employing a Domino Wacker–Heck Reaction. *Chem. Eur. J.* **2006**, *12*, 8770-8776.
- 370 L.F. Tietze, K.M. Gericke, R. Singidi Enantioselective Total Synthesis and Structure Determination of the Antiherpetic Anthrapyran Antibiotic AH-1763 IIa. *Angew. Chem.* **2006**, *118*, 7146-7150; *Angew. Chem., Int. Ed.* **2006**, *45*, 6990-6993.
- 371 L.F. Tietze, K.M. Gericke, C. Güntner First Total Synthesis of the Bioactive Anthraquinone Kwanzoquinone C and Related Natural Products by a Diels-Alder Approach. *Eur. J. Org. Chem.* **2006**, 4910-4915.
- 372 L.F. Tietze, R.R. Singidi, K.M. Gericke First Enantioselective Total Synthesis and Structure Determination of the Anthrapyran Metabolite γ -Indomycinone. *Org. Lett.* **2006**, *8*, 5873-5876.
- 373 L.F. Tietze, K.F. Wilckens, S. Yilmaz, F. Stecker, J. Zinngrebe Synthesis of 2,3-Dihydrobenzo[1,4]dioxins and -oxazines via a Domino Wacker-Heck Reaction. *Heterocycles* **2006**, *70*, 309-319.
- 374 L.F. Tietze, F. Lotz Asymmetric Heck and other Palladium Catalysed Reactions in "Asymmetric Synthesis – The Essentials"(Eds.: Christmann, Bräse) Wiley-VCH, Weinheim, **2006**, p. 147-152.
- 375 L.F. Tietze, N. Böhnke, G. Brasche Preparation of (2R)-2-acetoxy-D-forosamine for the total synthesis of spinosyns, *Arkivoc* **2007**, *vii*, 12-21.
- 376 L.F. Tietze, C. Stadler, N. Böhnke, G. Brasche, A. Grube Synthesis of Enantiomerically Pure Cyclopentene Building Blocks. *Synlett* **2007**, 485-487.
- 377 L.F. Tietze, K.M. Gericke, R.R. Singidi, I. Schuberth Novel strategies for the synthesis of anthrapyran antibiotics: discovery of a new antitumor agent and total synthesis of (S)-espicefolin. *Org. Biomol. Chem.* **2007**, *5*, 1191-1200.
- 378 L.F. Tietze, T. Kinzel Synthesis of natural products and analogs using multiple Pd-catalyzed transformations. *Pure Appl. Chem.* **2007**, *79*, 629-650.

- 379 L.F. Tietze, F. Major, I. Schuberth, D.A. Spiegl, B. Krewer, K. Maksimenka, G. Bringmann, J. Magull Selective Treatment of Cancer: Synthesis, Biological Evaluation and Structural Elucidation of Novel Analogues of the Antibiotic CC-1065 and the Duocarmycins. *Chem. Eur. J.* **2007**, *13*, 4396-4409.
- 380 L.F. Tietze, H. Braun, P.L. Steck, S.A.A. El Bialy, N. Tölle, A. Düfert Efficient synthesis of cephalotaxine- and deoxyharringtonine analogues by a trimethylaluminium-mediated domino reaction. *Tetrahedron* **2007**, 6437-6445.
- 381 L.F. Tietze, G. Brasche, A. Grube, N. Böhnke, C. Stadler Synthesis of Novel Spinosyn A Analogues by Pd-Mediated Transformations. *Chem. Eur. J.* **2007**, *13*, 8543-8563.
- 382 L.F. Tietze, K.M. Gericke, I. Schuberth Synthesis of Highly Functionalized Anthraquinones and Evaluation of Their Antitumor Activity. *Eur. J. Org. Chem.* **2007**, 4563-4577.
- 383 L.F. Tietze, R.R. Singidi, K.M. Gericke Total Synthesis of the Proposed Structure of the Anthrapyran Metabolite δ -Indomycinone. *Chem. Eur. J.* **2007**, *13*, 9939-9947.
- 384 L.F. Tietze, R.R. Singidi, K.M. Gericke, H. Böckemeier, H. Laatsch Isolation, Enantioselective Total Synthesis and Structure Determination of the Anthrapyran Metabolite. *Eur. J. Org. Chem.* **2007**, 5875-5878.
- 385 L.F. Tietze, J. Zinngrebe, D.A. Spiegl, F. Stecker Palladium-catalyzed Domino-Wacker-Carbonylation Reaction for the Enantioselective Synthesis of Chromans and Benzodioxins. *Heterocycles* **2007**, *74*, 473-489.
- 386 L.F. Tietze, C. Raith, C.C. Brazel, S. Hölsken, J. Magull Enantioselective Synthesis of 2-Substituted Alcohols Using (+)-(1*S*,2*S*)-Pseudoephedrine as Chiral Auxiliary. *Synthesis* **2008**, 229-236.
- 387 L.F. Tietze, H.J. Schuster, S.M. Hampel, S. Rühl, R. Pfoh Enantio- and Diastereoselective Synthesis of Duocarmycine-Based Prodrugs for a Selective Treatment of Cancer by Epoxide Opening. *Chem. Eur. J.* **2008**, *14*, 895-901.
- 388 L.F. Tietze, I. Krimmelbein Enantioselective Total Synthesis of the Oral Contraceptive Desogestrel via a Double Heck Reaction. *Chem. Eur. J.* **2008**, *14*, 1541-1551.
- 389 L.F. Tietze, N. Tölle, C. Noll Highly Efficient Domino Reaction for the Synthesis of the Erythrina and B-Homoerythrina Alkaloid Skeleton. *Synlett* **2008**, 525-528.
- 390 L.F. Tietze, T. Redert, H.P. Bell, S. Hellkamp, L.M. Levy Efficient Synthesis of the Structural Core of Tetracyclines by a Palladium-Catalyzed Domino Tsuji–Trost–Heck–Mizoroki Reaction. *Chem. Eur. J.* **2008**, *14*, 2527-2535.
- 391 L.F. Tietze, O. Panknin, F. Major, B. Krewer Synthesis of a Novel Pentagastrin-Drug Conjugate for a Targeted Tumor Therapy. *Chem. Eur. J.* **2008**, *14*, 2811-2818.

- 392 L.F. Tietze, T. Kinzel, S. Schmatz
Determination of the Origin of Stereoselectivity in Multiple-Transition-State Reactions Using DFT Calculations: Enantioselective Synthesis of Homoallylic Alcohols from Aliphatic Methyl Ketones via an Auxiliary-Mediated Allylation. *J. Am. Chem. Soc.* **2008**, *130*, 4386-4395.
- 393 L.F. Tietze, C.A. Vock, I.K. Krimmelbein, J.M. Wiegand, L. Nacke, T. Ramachandar, K.M.D. Islam, C. Gatz
Synthesis of Novel Structurally Simplified Estrogen Analogues *Chem. Eur. J.* **2008**, *14*, 3670-3679.
- 394 L.F. Tietze, D. Liu
Continuous-flow microreactor multi-step synthesis of an aminonaphthalene derivative as starting material for the preparation of novel anticancer agents *Arkivoc* **2008**, 193-210.
- 395 I. Elghamry, L.F. Tietze
Microwave assisted synthesis of novel annealed porphyrins. *Tetrahedron Lett.* **2008**, *49*, 3972-3975.
- 396 L.F. Tietze, O. Panknin, B. Krewer, F. Major, I. Schuberth
Synthesis and Biological Evaluation of a Novel Pentagastrin-Toxin Conjugate Designed for a Targeted Prodrug Monotherapy of Cancer. *Int. J. Mol. Sci.* **2008**, *9*, 821-837.
- 397 L.F. Tietze, C.C. Brazel, S. Hölsken, J. Magull, A. Ringe
Totalsynthese polyoxygenierter Cembrene. *Angew. Chem.* **2008**, *120*, 5324-5327; *Angew. Chem., Int. Ed.* **2008**, *47*, 5246-5249.
- 398 L.F. Tietze, H.J. Schuster, K. Schmuck, I. Schuberth, F. Alves
Duocarmycin based Prodrugs for Cancer Prodrug-Monotherapy. *Bioorg. Med. Chem.* **2008**, *16*, 6312-6318.
- 399 D.B. Werz, H. Schuster, L.F. Tietze
Fast and Efficient Preparation of an α -Fucosyl Building Block by Reductive 1,2-Benzylidene Ring Opening Reaction. *Synlett* **2008**, 1969-1972.
- 400 L.F. Tietze, D.A. Spiegl, F. Stecker, J. Major, C. Raith, C. Grosse
Stereoselective Synthesis of 4-Dehydroxydiversonol Employing Enantioselective Palladium-Catalysed Domino Reactions. *Chem. Eur. J.* **2008**, *14*, 8956-8963.
- 401 L. Tietze, J.M. von Hof, B. Krewer, M. Müller, F. Major, H.J. Schuster, I. Schuberth
Asymmetric Synthesis and Biological Evaluation of New Glycosidic Prodrugs for a Selective Cancer Therapy. *ChemMedChem* **2008**, *3*, 1946-1955.
- 402 L.F. Tietze, T. Kinzel, S. Schmatz
Stereoselective Allylation of Ketones: Explanation for the Unusual Inversion of the Induced Stereochemistry in the Auxiliary-Mediated Crotylation and Pentenylation of Butanone by DFT Calculations. *Chem. Eur. J.* **2009**, *15*, 1706-1712.
- 403 K.M.D. Islam, M. Dilcher, C. Thurow, C. Vock, I.K. Krimmelbein, L.F. Tietze, V. Gonzalez, H. Zhao, C. Gatz
Directed evolution of estrogen receptor proteins with altered ligand-binding specificities. *PEDS* **2009**, *22*, 45-52.

- 404 L.F. Tietze, H.J. Schuster, B. Krewer, I. Schuberth Synthesis and Biological Studies of Different Duocarmycin based Glycosidic Prodrugs for their use in Antibody-Directed Enzyme Prodrug Therapy. *J. Med. Chem.* **2009**, *52*, 537-543.
- 405 L.F. Tietze, L. Levy The Mizoroki-Heck Reaction in Domino Processes in "The Mizoroki-Heck Reaction" (Ed.: M. Oestreich) Wiley-VCH, Chichester, **2009**, p. 281-344.
- 406 L.F. Tietze, T. Kinzel, C. Brazel The Domino Multicomponent Allylation Reaction for the Stereoselective Synthesis of Homoallylic Alcohols. *Acc. Chem. Res.* **2009**, *42*, 367-378.
- 407 L.F. Tietze, B. Krewer Novel Analogues of CC-1065 and the Duocarmycins for the Use in Targeted Tumour Therapies. *Anti-Cancer Agents Med. Chem.* **2009**, *9*, 304-325.
- 408 L.F. Tietze, A. Heins, M. Soleiman-Beigi, C. Raith Synthesis of Annulated 1,4-Dioxanes and Perhydro-1,4-oxazines by Domino-Wacker-Carbonylation and Domino-Wacker-Mizoroki-Heck Reactions. *Heterocycles* **2009**, *77*, 1123-1146.
- 409 C. Dullin, M. Zientkowska, J. Napp, J. Missbach-Guentner, H.-W. Krell, F. Müller, E. Grabbe, L.F. Tietze, F. Alves Semi-automatic landmark-based 2D-3D image fusion in living mice: Correlation of near-infrared fluorescence imaging of Cy5.5 labeled antibodies with flat-panel volume computed tomography. *Molecular Imaging* **2009**, 2-14.
- 410 L.F. Tietze, D.A. Spiegl, C.C. Brazel Domino Reactions for the Efficient Synthesis of Natural Products in "Experiments in Green and Sustainable Chemistry" (Ed.: H.W. Roesky, D.K. Kennepohl) Wiley-VCH, Weinheim, **2009**, p. 158-167.
- 411 F. Alves, C. Dullin, J. Napp, J. Missbach-Guentner, K. Jannasch, J. Mathejczyk, L.A. Pardo, W. Stühmer, L.F. Tietze Concept of a selective tumour therapy and its evaluation by near-infrared fluorescence imaging and flat-panel volume computed tomography in mice. *Eur. J. Radiol.* **2009**, *70*, 286-293.
- 412 L.F. Tietze, T. Kinzel, T. Wolfram Asymmetric Allylation of Methyl Ketones Using Chiral Phenyl Carbinols. *Chem. Eur. J.* **2009**, *15*, 6199-6210.
- 413 L.F. Tietze, C.A. Vock, I.K. Krimmelbein, L. Nacke Synthesis of Novel Structurally Simplified Estrogen Analogues with Electron-Donating Groups in Ring A. *Synthesis* **2009**, 2040-2060.
- 414 L.F. Tietze, N. Böhnke, S. Dietz Synthesis of the Deoxyaminosugar(+)-D-Forosamine via a Novel Domino-Knoevenagel-Hetero-Diels-Alder Reaction. *Org. Lett.* **2009**, *11*, 2948-2950.
- 415 L.F. Tietze, B. Krewer, H. Frauendorf Investigation of the transformations of a novel anti-cancer agent combining HPLC, HPLC-MS and direct ESI-HRMS analyses. *Anal. Bioanal. Chem.* **2009**, *395*, 437-448.

- 416 L.F. Tietze, B. Krewer Antibody-Directed Enzyme Prodrug Therapy: A Promising Approach for a Selective Treatment of Cancer Based on Prodrugs and Monoclonal Antibodies. *Chem. Biol. Drug Des.* **2009**, *74*, 205-211.
- 417 L.F. Tietze, B. Krewer, F. Major, I. Schuberth CD-spectroscopy as a powerful tool for investigating the mode of action of unmodified drugs in live cells. *J. Am. Chem. Soc.* **2009**, *131*, 13031-13036.
- 418 L.F. Tietze, B. Krewer, H. Frauendorf Probing the mechanism of action of potential anticancer agents at a molecular level using electrospray ionisation Fourier transform ion cyclotron resonance mass spectrometry. *Eur. J. Mass Spectrom.* **2009**, *15*, 661-672.
- 419 L.F. Tietze, B. Krewer, J.M. von Hof, H. Frauendorf, I. Schuberth Determination of the Biological Activity and Structure Activity Relationships of Drugs Based on the Highly Cytotoxic Duocarmycins and CC-1065. *Toxins* **2009**, *1*, 134-150.
- 420 L.F. Tietze, N. Tölle, D. Kratzert, D. Stalke Efficient Formal Total Synthesis of the Erythrina Alkaloid (+)-Erythramidine Using a Domino Process. *Org. Lett.* **2009**, *11*, 5230-5233.
- 421 L.F. Tietze, A. Düfert, F. Lotz, L. Sölter, K. Oum, T. Lenzer, T. Beck, R. Herbst-Irmer Synthesis of Chiroptical Molecular Switches by Pd-Catalyzed Domino Reactions. *J. Am. Chem. Soc.* **2009**, *131*, 17879-17884.
- 422 S.A. Opiyo, J.A. Ogur, L.O.A. Manguro, L.F. Tietze, H. Schuster A new sterol diglycoside from *Conyza floribunda*. *S. Afr. J. Chem.* **2009**, *62*, 163-167.
- 423 L.L. Bajohr, L. Ma, C. Platte, O. Liesenfeld, L.F. Tietze, U. Groß, W. Bohne In-vitro and in-vivo activity of 1-hydroxy-2-alkyl-4(1H)quinolone derivatives against *Toxoplasma gondii*. *Antimicrob. Agents Chemother.* **2010**, *54*, 517-521.
- 424 M. Schubert, A.N. Melnikova, N. Mesecke, E.K. Zubkova, F. Fortte, D.R. Batashev, I. Barth, N. Sauer, Y.V. Gamalei, N.S. Mamushina, L.F. Tietze, O.V. Voitsekhovskaja, K. Pawlowski Two novel disaccharides, rutinose and methylrutinose, are involved in carbon metabolism in *Datisca glomerata*. *Planta* **2010**, *231*, 507-521.
- 425 H.J. Schuster, B. Krewer, J.M. von Hof, K. Schmuck, I. Schuberth, F. Alves, L.F. Tietze Synthesis of the first spacer containing prodrug of a duocarmycin analogue and determination of its biological activity. *Org. Biomol. Chem.* **2010**, *8*, 1833-1842.
- 426 L.F. Tietze, A. Düfert Multiple Pd-catalyzed reactions in the synthesis of natural products, drugs, and materials. *Pure Appl. Chem.* **2010**, *82*, 1375-1392.

- 427 L.F. Tietze, A. Düfert Domino Reactions Involving Catalytic Enantioselective Conjugate Additions in "Catalytic Asymmetric Conjugate Reactions" (Ed.: A. Cordova) Wiley-VCH, Weinheim, **2010**, p. 321-350.
- 428 L.F. Tietze, S. Biller, T. Wolfram First Enantioselective Total Synthesis of the Reported Structure of (*R*)-(+)-Orizaterpenyl Benzoate Using an Asymmetric Allylation of a Prochiral Ketone in a Domino Process. *Synlett* **2010**, 2130-2132.
- 429 L.F. Tietze, J.M. von Hof, M. Müller, B. Krewer, I. Schuberth Glycosidic Prodrugs of Highly Potent Bifunctional Duocarmycin Derivatives for Selective Treatment of Cancer. *Angew. Chem.* **2010**, *122*, 7494-7497. *Angew. Chem., Int. Ed.* **2010**, *49*, 7336-7339.
- 430 L.F. Tietze, H.J. Schuster, J.M. von Hof, S.M. Hampel, J.F. Colunga, M. John Atropisomerism of Aromatic Carbamates. *Chem. Eur. J.* **2010**, *16*, 12678-12682.
- 431 L.F. Tietze, F. Behrendt, F. Major, B. Krewer, J.M. von Hof Synthesis of Fluorescence Labeled Glycosidic Prodrugs Based on the Cytotoxic Antibiotic Duocarmycin. *Eur. J. Org. Chem.* **2010**, 6909-6921.
- 432 L.F. Tietze, L. Ma Synthesis of Novel 1-Hydroxyquinolones with High Anti-Toxoplasma Activity. *Heterocycles* **2010**, *82*, 377-396.
- 433 L.F. Tietze, K. Schmuck, H.J. Schuster, M. Müller, I. Schuberth Synthesis and Biological Evaluation of Novel Prodrugs Based on the Natural Antibiotic Duocarmycin for Use in ADEPT and PMT of Cancer. *Chem. Eur. J.* **2011**, *17*, 1922-1929.
- 434 C.M. Seubert, J. Stritzker, U. Donat, J.B. Sturm, N. Chen, J.M. von Hof, B. Krewer, L.F. Tietze, I. Gentshev, A.A. Szalay Enhanced tumor therapy using vaccinia virus strain GLV-1h68 in combination with a β -galactosidase-activatable prodrug *seco*-analog of duocarmycin SA. *Cancer Gene Ther.* **2011**, *18*, 42-52.
- 435 L.O.A. Manguro, J.O. Midiwo, L.F. Tietze, P. Hao Triterpene saponins of *Maesa lanceolata* leaves. *Arkivoc*, **2011**, 172-198.
- 436 L.F. Tietze, M.A. Düfert, T. Hungerland, K. Oum T. Lenzer Synthesis and Photochemical Investigations of Tetrasubstituted Alkenes as Molecular Switches – The Effect of Substituents. *Chem. Eur. J.* **2011**, *17*, 8452-8461.
- 437 L.F. Tietze, K. Schmuck SiFa Azide - A New Building Block for PET Imaging Using Click Chemistry. *Synlett* **2011**, 1697-1700.
- 438 L.F. Tietze, S. Dietz, N. Böhnke, M. A. Düfert, I. Objartel, D. Stalke Three-Component Domino Knoevenagel/Hetero-Diels–Alder Reaction for the Synthesis of the Amino Sugars 2-Acetoxyforosamine and 2-Acetoxyossamine – Experimental and Theoretical Results. *Eur. J. Org. Chem.* **2011**, 6574-6580.
- 439 L.F. Tietze, K. Schmuck Prodrugs for Targeted Tumor Therapies: Recent Developments in ADEPT, GDEPT and PMT. *Curr. Pharm. Des.* **2011**, *17*, 3527-3547.

- 440 J.E. Mathejczyk, J. Pauli, C. Dullin, J. Napp, L.F. Tietze, H. Kessler, U. Resch-Genger, F. Alves Spectroscopically Well-Characterized RGD Optical Probe as a Prerequisite for Lifetime-Gated Tumor Imaging. *Molecular Imaging* **2011**, *10*, 469-480.
- 441 L.A. Pardo, D. Gomez-Varela, F. Major, K. Sansuk, R. Leurs, B.R. Downie, L.F. Tietze W. Stühmer Approaches Targeting KV10.1 Open a Novel Window for Cancer Diagnosis and Therapy. *Curr. Med. Chem.* **2012**, *19*, 675-682.
- 442 J.E. Rixson, T. Chaloner, C.H. Heath, L.F. Tietze, S.G. Stewart The Development of Domino Reactions Incorporating the Heck Reaction: The Formation of N-Heterocycles. *Eur. J. Org. Chem.* **2012**, 544-558.
- 443 L.F. Tietze, T. Hungerland, M.A. Düfert, I. Objartel, D. Stalke Synthesis of tetra-substituted Alkenes through a Pd-catalyzed domino-Carbopalladation/CH-Activation. *Chem. Eur. J.* **2012**, *18*, 3286-3291.
- 444 T. Wirth, K. Schmuck, L.F. Tietze, S.A. Sieber Novel mode of action: Duocarmycin analogs target aldehyde dehydrogenase1 in lung cancer cells. *Angew. Chem.* **2012**, *124*, 2928-2931; *Angew. Chem., Int. Ed.* **2012**, *51*, 2874-2877.
- 445 L.F. Tietze, T. Wolfram, J.J. Holstein, B. Dittrich First Enantioselective Total Synthesis of (+)-(R)-Pinnatolide Using an Asymmetric Domino Allylation Reaction. *Org. Lett.* **2012**, *14*, 4035-4037.
- 446 L.F. Tietze, T. Hungerland, C. Depken, C. Maaß, D. Stalke Palladium-catalyzed Domino-Carbopalladation/CH-Activation for the Synthesis of Tetrasubstituted Alkenes bearing 5- and 7-membered Rings. *Synlett* **2012**, 2516-2520.
- 447 L.F. Tietze, N. Schützenmeister, A. Grube, T. Scheffer, M.M. Baag, M. Granitzka, D. Stalke Synthesis of Novel Spinosyn Analogues for Modern Crop Protection. *Eur. J. Org. Chem.* **2012**, 5748-5756.
- 448 T. Iven, S. König, S. Singh, S.A. Braus-Stromeyer, M. Bischoff, L.F. Tietze, G.H. Braus, V. Lipka, I. Feussner, Wolfgang Dröge-Laser Transcriptional Activation and Production of Tryptophan-Derived Secondary Metabolites in Arabidopsis Roots Contributes to the Defense against the Fungal Vascular Pathogen *Verticillium longisporum*. *Mol. Plant*, **2012**, *5*, 1389-1402.
- 449 L.F. Tietze, M.A. Düfert, S.-C. Schild General Principles of Diastereoselective Reactions: Diastereoselective Domino Reactions. In: Carreira E.M. and Yamamoto H. (eds.) *Comprehensive Chirality*, **2012**, Volume 2, pp. 97-121. Amsterdam: Elsevier.
- 450 L.F. Tietze, F. Behrendt, G. Pestel, I. Schuberth, M. Mitkovski Synthesis, Biological Evaluation and Live Cell Imaging of Novel Fluorescent Duocarmycin Analogues. *Chem. Biodiversity* **2012**, 2559-2570.

- 451 L.F. Tietze, A. Heins, J.R. Reiner, S.-C. Dufert, I. Schuberth Synthesis and Biological Evaluation of a Novel Acronycine/Duocarmycin Hybrid Natural Product. *Heterocycles* **2012**, 425-433.
- 452 L.F. Tietze, S.G. Stewart, A. Dufert Domino Reactions in the Enantioselective Synthesis of Bioactive Natural Products in "Modern Tools for the Synthesis of Complex Bioactive Molecules" (Ed.: J. Cossy, S. Arseniyadis) John Wiley & Sons, **2012**, p. 271-334.
- 453 L.F. Tietze, M. Müller, K. Schmuck, S.-C. Dufert, I. Schuberth Photoactivatable Prodrugs of Highly Potent Duocarmycin Analogues for a Selective Cancer Therapy. *Chem. Eur. J.* **2013**, *19*, 1726-1731.
- 454 L.F. Tietze, S.-C. Dufert, J. Clerc, M. Bischoff, C. Maaß, D. Stalke Total Synthesis of Linoxepin through a Palladium-Catalyzed Domino Reaction. *Angew. Chem.* **2013**, *125*, 3273-3276; *Angew. Chem., Int. Ed.* **2013**, *52*, 3191-3194.
- 455 L.F. Tietze, T. Hungerland, C. Eichhorst, A. Dufert, C. Maaß, D. Stalke Efficient Synthesis of Helical Tetrasubstituted Alkenes as Potential Molecular Switches: A Two-Component Palladium-Catalyzed Triple Domino Process. *Angew. Chem.* **2013**, *125*, 3756-3759; *Angew. Chem., Int. Ed.* **2013**, *52*, 3668-3671.
- 456 L.F. Tietze, S. Jackenkroll, C. Raith, D.A. Spiegl, J.R. Reiner, M.C. Ochoa Campos Enantioselective Total Synthesis of (-)-Diversonol. *Chem. Eur. J.* **2013**, *19*, 4876-4882.
- 457 L.F. Tietze, S.A. Sieber Duocarmycin Analogues without a DNA-Binding Indole Unit Associate with Aldehyde Dehydrogenase 1A1 and not DNA: A Reply. *Angew. Chem.* **2013**, *125*, 5557-5559; *Angew. Chem., Int. Ed.* **2013**, *52*, 5447-5449.
- 458 L.F. Tietze, L. Ma, J.R. Reiner, S. Jackenkroll, S. Heidemann Enantioselective Total Synthesis of (-)-Blennolide A, *Chem. Eur. J.* **2013**, *19*, 8610-8614.
- 459 T. Wirth, G.F. Pestel, V. Ganal, T. Kirmeier, I. Schuberth, T. Rein, L.F. Tietze, S.A. Sieber The two faces of potent antitumor duocarmycin based drugs: A structural dissection reveals disparate motifs for DNA versus ALDH1A1 affinity. *Angew. Chem.* **2013**, *125*, 7059-7063; *Angew. Chem., Int. Ed.* **2013**, *52*, 6921-6925.
- 460 L.F. Tietze, S. Dietz, N. Schützenmeister, S. Biller, J. Hierold, T. Scheffer, M.M. Baag Selective Glycosylation with the Amino Sugar D-Forosamine for the Synthesis of Spinosyns and Its Analogues. *Eur. J. Org. Chem.* **2013**, 7305-7312.
- 461 L.F. Tietze, T. Hungerland, J. Ammermann, C. Eichhorst, S.O. Reichmann, D. Stalke A facile synthesis of 3-substituted benzofurans and indoles through a palladium-catalyzed domino carbopalladation/CH-activation/isomerization process. *Ind. Chem. Soc.* **2013**, *90*, 1537-1555.
- 462 K.-C. Chen, K. Schmuck, L.F. Tietze, S.R. Roffler Selective Cancer Therapy by Extracellular Activation of a Highly Potent Glycosidic Duocarmycin Analogue. *Mol. Pharmaceutics* **2013**, *10*, 1773-1782.

- 463 L.F. Tietze, L. Ma, S. Jackenkroll, J.R. Reiner, J. Hierold, B. Gnanaprakasam, S. Heidemann The Paecilin Puzzle – Enantioselective Synthesis of the Proposed Structures of Paecilin A and B. *Heterocycles* **2014**, *88*, 1101-1119.
- 464 L.F. Tietze, S.-C. Düfert, J. Hierold Domino Reactions in the Total Synthesis of Natural Products in "Domino Reactions: Concepts for Efficient Organic Synthesis" (Ed.: L.F. Tietze) Wiley-VCH, Weinheim, **2014**, p. 523-578.
- 465 L.F. Tietze, S. Jackenkroll, J. Hierold, L. Ma, B. Waldecker A Domino Approach to the Enantioselective Total Syntheses of Blennolide C and Gonytolide C. *Chem. Eur. J.* **2014**, *20*, 8628-8635.
- 466 L.F. Tietze, C. Eichhorst, T. Hungerland, M. Steinert A Fast Way to Fluorescence: A Fourfold Domino Reaction to Condensed Polycyclic Compounds. *Chem. Eur. J.* **2014**, *20*, 12553-12558.
- 467 L.F. Tietze, J. Clerc, S. Biller, S.-C. Düfert, M. Bischoff Enantioselective Total Synthesis of the Lignan (+)-Linoxepin. *Chem. Eur. J.* **2014**, *20*, 17119-17124.
- 468 L.F. Tietze, C. Eichhorst An efficient Domino Sonogashira/double Carbopalladation/C-H-Activation Reaction leading to Fluorescent Polycyclic Aromatic Hydrocarbons. *Heterocycles* **2015**, *90*, 919-927.
- 469 L.F. Tietze, T. Eicher, U. Diederichsen, A. Speicher, N. Schützenmeister Reactions and Syntheses in the Organic Chemistry Laboratory, 2nd Edition (completely revised and updated), Wiley-VCH, Weinheim, **2015**.

Book Chapters

- 1 L.F. Tietze Aldehyde, Nachweismethoden und quantitative Bestimmung. Houben-Weyl-Ergänzungsband "Aldehyde", Thieme Verlag, **1983**.
- 2 L.F. Tietze Diastereoselectivity and Asymmetric Induction in the Diels-Alder Reaction with inverse Electron Demand in: Selectivity - A Goal for Synthetic Efficiency. (Eds.: W. Bartmann and B.M. Trost), Verlag Chemie, **1984**, p. 299-316.
- 3 L.F. Tietze New Concepts for the development of selective Anticancer Agents in "Molecular Aspects of Chemotherapy". (Eds. E. Borowski, D. Shugar) Pergamon Press, **1990**, (ISBN: 0-08-036848-4).
- 4 L.F. Tietze, U. Beifuss The Knoevenagel Reaction in "Comprehensive Organic Synthesis", (Ed. B.M. Trost). Pergamon Press, **1991**.
- 5 L.F. Tietze and C. Schneider, L.F. Tietze and H. Geissler Contribution to "Encyclopedia of Reagents for Organic Syntheses" (Eds. L.A. Paquette, R.M. Coates, S.E. Denmark) Ethyl nitro acetate, Diethyl oxo malonate, Diethyl ethyldenemalonate, Ethyl 3,3-diethoxy-propanoate, Ethyl ethoxymethylenecyanoacetate, Diethyl ethoxymethylenemalonate, Methyl diformylacetate. John Wiley & Sons, London. **1994**, (ISBN: 0-471-93623-5).
- 6 L.F. Tietze, C. Bärtels Secologanin, Loganin, Kingiside, Loxylostosidine A, Xylostosidine in "Roth Collection of Natural Products Data" (Eds.: L. Roth, G. Rupp). Wiley-VCH, Weinheim, **1994**, (ISBN: 3-527-28180-0).
- 7 L.F. Tietze, F. Hauernert Domino Reactions in Organic Synthesis. An Approach to Efficiency, Elegance, Ecological Benefit, Economic Advantage and Preservation of our Resources in Chemical Transformations in "Stimulating Concepts in Chemistry" (Eds.: M. Shibasaki, J.F. Stoddart and F. Vögtle). Wiley-VCH, Weinheim, **2000**, p. 39-64, (ISBN: 3-527-29978-5).
- 8 L.F. Tietze, P. Steck High pressure in organic synthesis: Influence on selectivity in "High Pressure Chemistry" (Eds.: R. Eldik, F.-G. Klärner), Wiley-VCH, Weinheim, **2002**, p. 239-283, (ISBN: 3-527-30404-5).
- 9 L.F. Tietze, N. Rackelmann The Domino-Knoevenagel-hetero-Diels-Alder Reaction and Related Transformations in "Multicomponent Reactions" (Eds.: Zhu, Bienaymé) Wiley-VCH, Weinheim, **2005**, p. 121-168, (ISBN: 3-527-30806-7).
- 10 L.F. Tietze and F. Lotz Asymmetric Heck and other Palladium Catalysed Reactions in "Asymmetric Synthesis – The Essentials" (Eds. Christmann, Bräse), Wiley-VCH, Weinheim, **2006**, p. 147-152, (ISBN: 3-527-32093-8).

- 11 L.F. Tietze, L. Levy The Mizoroki-Heck Reaction in Domino Processes in "The Mizoroki-Heck Reaction" (Ed.: M. Oestreich) Wiley-VCH, Chichester, **2009**, p. 281-344, (ISBN: 978-0-470-03394-4).
- 12 L.F. Tietze, D.A. Spiegl, C.C. Brazel Domino Reactions for the Efficient Synthesis of Natural Products in "Experiments in Green and Sustainable Chemistry" (Ed.: H.W. Roesky, D.K. Kennepohl) Wiley-VCH, Weinheim, **2009**, p. 158-167, (ISBN-13: 978-3-572-32546-7).
- 13 L.F. Tietze, A. Düfert Domino Reactions Involving Catalytic Enantioselective Conjugate Additions in "Catalytic Asymmetric Conjugate Reactions" (Ed.: A. Cordova) Wiley-VCH, Weinheim, **2010**, p. 321-350 (ISBN-13: 978-3-527-32411-8).
- 14 L.F. Tietze, M.A. Düfert, S.-C. Schild General Principles of Diastereoselective Reactions: Diastereoselective Domino Reactions. In: Carreira E.M. and Yamamoto H. (eds.) Comprehensive Chirality, **2012**, Volume 2, pp. 97-121. Amsterdam: Elsevier.
- 15 L.F. Tietze, S.G. Stewart, A. Düfert Domino Reactions in the Enantioselective Synthesis of Bioactive Natural Products in "Modern Tools for the Synthesis of Complex Bioactive Molecules" (Ed.: J. Cossy, S. Arseniyadis) John Wiley & Sons, **2012**, p. 271-334.
- 16 L.F. Tietze, S.-C. Düfert, J. Hierold Domino Reactions in the Total Synthesis of Natural Products in "Domino Reactions: Concepts for Efficient Organic Synthesis" (Ed.: L.F. Tietze) Wiley-VCH, Weinheim, **2014**, p. 523-578.

Books

- L.F. Tietze, T. Eicher, U. Diederichsen, A. Speicher, N. Schützenmeister Reactions and Syntheses in the Organic Chemistry Laboratory, 2nd Edition (completely revised and updated), Wiley-VCH, Weinheim, **2015**.
- L.F. Tietze (Ed.) Domino Reactions: Concepts for Efficient Organic Synthesis, Wiley-VCH, Weinheim, **2014**.
- L.F. Tietze, T. Eicher, U. Diederichsen, A. Speicher Reactions and Syntheses in the Organic Chemistry Laboratory, Wiley-VCH, Weinheim **2007**.
- L.F. Tietze, G. Brasche, K. Gericke Domino Reactions in Organic Synthesis, Wiley-VCH, Weinheim, **2006**.
- L.F. Tietze, T. Eicher Reaktionen und Synthesen in der Organischen Chemie, Thieme Verlag, 1. Auflage, Stuttgart **1981**; 2. Auflage, Stuttgart **1991**.
- T. Eicher, L.F. Tietze Organisch-Chemisches Grundpraktikum, Thieme Verlag, Stuttgart **1993**; 2. Auflage, Stuttgart **1995**.